


Established in 1981 as a lighting supplier, Unilite has grown into one of the world's leading flashlight manufacturers in the global illumination market.





An in-house laboratory was set-up for rigorous performance and reliability tests under controlled environments.







Among others, six ANSI FL1 tests are undertaken to establish unbiased ratings to facilitate product comparison of all our products in our range. This enables customers to see the vast superiority over inferior competitor options.

The sophistication of our products requires nothing less than the finest manufacturing technology.

So we are now equipped with a cutting-edge processing line of 173 computer numerical control (CNC) and 44 CNC Tapping Centre machines.

This streamlines the manufacturing process with digital precision. Our plant has also added new clean room facilities, which create a dust-free environment necessary for the production of flawless lenses and reflectors.

This large investment in R&D, machinery and production facilities has allowed Unilite to innovate new breakthroughs.

This includes Focus Control technology, Infrared motion sensor activation, Electronic Dimming Configuration and Thermal cooling systems.

Did we mention other products that Unilite make? No. Because we simply don't. We devote each and every resource to our sole and single product genre – illumination devices. That is why Unilite is the proven popular choice for the true industry professional. Make one choice, make it Unilite.

Advancements in LED technology has helped Unilite to raise the bar as we endeavour for greater power and portability.



PROSAFE.

STRENGTH AND ENDURANCE

Designed to deliver critical lighting for industrial work, these flashlights are made of incredibly tough specially strengthened nylon-glass polymer. Using the highest quality LED chip's these new industrial flashlights produce an amazing bright white light. The flawless reflector and AR coated toughened glass lens produce intense, piercing illumination from the heat-conductive die cast aluminium head. The rubberised handle ensures a secured grip in wet and gloved operations. With excellent resistance against shock, impact, heat and corrosion, and IP67 dust and water protection, these flashlights are built to deliver superior reliability in the most hostile and temperamental working conditions.




PROSAFE POLICE TACTICAL LED FLASHLIGHT























- » 200 Lumen White Luxeon LED
- » Flood to spot focus control
- » Tactical push button switch
- » Optical Lens technology
- .. opaca: 2013 ccc11101067
- » 3 stage dimming function
- » SOS Flash function

- » Contoured Non-Slip hatch grip body
- » Impact Resistant to 1M
- » Carry pouch & strap (Included)

BATTERY 2 ×1.5v AA Duracell Alkaline (Included)

WEIGHT 163g (with batteries) **DIMENSION** 31 x 163mm

PROSAFE ZONE O INTRINSICALLY SAFE TORCH









ZONE O ATEX COMPLIANT



RUBBERISED HEAD



POCKET CLIP INCLUDED

6½-27½
HOURS
RUNTIME













» 130 Lumen White CREE LED

- » ATEX Zone 0 compliant, explosion proof
- » Safety release valve to release hydrogen gases
- » IP67 dust proof & 3m submersible
- » Chemical and corrosion resistant
- » Rubberised head for greater durability

» Industrial strength polycarbonate housing

- » Electronic easy push button micro switch
- » Detachable pocket clip included for hands free use
- » Rubberised handle for extra grip

BATTERY 4 x 1.5v AA batteries (not included)

WEIGHT 115g (without batteries)

DIMENSION 47 x 174mm

PROSAFE ZONE O INTRINSICALLY SAFE HEADLIGHT

























HELMET MOUNTABLE





RUBBERISED SWITCH



180 Lumen White CREE LED

- Adjustable rubberised headbands
- IP67 Dust and Waterproof
- 1m Submersible
- » 2 Mode Light Settings
- » Easy press rubberised switch

- » 90° Rotational head
- ATEX Zone 0 compliant
- Safety gas release valve
- Safety locking battery compartment
- » Durable synthetic industrial rubber impact resistant construction

BATTERY

3 x 1.5v AAA Alkaline Batteries (not included)

WEIGHT DIMENSION

143 g (without batteries) Headlight: 80 x 50 x 45mm

PROSAFE HELMET MOUNTABLE LED HEADLIGHT



















BIKE HELMET VELCRO STRAP (INC)

RED LED FOR NIGHT VISION

» 200 Lumen White CREE LED

- » Helmet-Compatible
- Industrially Tough Polymer Housing
- » Sliding Diffuser for Focused or Flood Lighting Features
- » 5mm Red LED for Night Vision
- » 3M Adhesive Helmet Mount (Included)

- » Bike Helmet Velcro Strap (Included)
- » 6 Lighting Modes
- » 90° Rotational Head
- » IPX4 Water Resistant
- » 2Hz Safety Flashing Mode

BATTERY 3 x 1.5v AAA Duracell Alkaline (Included)

WEIGHT 100g (with batteries)

DIMENSION Headlight: 38mm x 70mm x 50mm

RUBBERISED HEADSTRAPS

PROSAFE USB RECHARGEABLE HELMET HEADLIGHT























- 350 Lumen White Luxeon T LED
- » 90° rotational head
- Battery level indicator lights
- » Sliding diffuser for focused or flood lighting features
- » 5mm Red LED for night vision
- » Micro-USB charging cable (included)

- » 3M Adhesive front and back helmet mounts (included)
- » Rubberised non-slip headbands
- » 6 Lighting modes
- » 2Hz Safety Flashing Mode

BATTERY 1 x 3.7v 2000 mAh 18650 Li-ion Battery (included)

WEIGHT 185g (with battery)

DIMENSION Headlight: 35 x 82 x 40mm - Battery Pack: 50 x 83 x 45mm

PS-H10R

PROSAFE INDUSTRIAL USB RECHARGEABLE HEADLIGHT







1100







- Multi-faceted deep reflector
- Impact resistant to 1m
- » 3 stage dimming electronic switch
- 8Hz & 2Hz strobe and SOS functions
- » 90° Rotational head

BATTERY

- » White rear battery pack light
- Rubberised non-slip headbands
- 3M reflective strips for greater visibility
- » Micro-USB charging cable (included)
- » Battery level indicator lights





WEIGHT 229g (with battery)

DIMENSION Headlight: 51 x 69 x 45mm - Battery Pack: 50 x 83 x 45mm

1 x 3.7v 2600 mAh 18650 Li-ion Battery (included)















PROSAFE ALUMINIUM LED PENLIGHT







110 LUMENS OUTPUT



- » 110 Lumen White 1W LG LED
- » Convenient detachable Pocket clip
- » Tactical rubberised micro switch
- » Multi-faceted reflector for smooth beam
- » Die cast aluminium housing
- » Ultra clear AR coated glass lens

- » Impact resistant to 1m
- » IPX4 water resistant
- » Lightweight and portable



CONVENIENT POCKET CLIP





2 X AAA BATTERIES (INC)





BATTERY 2 x 1.5v AAA Duracell Alkaline (included)

WEIGHT 46g (with batteries) **DIMENSION** 14 x 131mm

PROSAFE USB RECHARGEABLE INSPECTION LIGHT





- » 600 Lumen 5W White Samsung SMD LED's
- » DC-USB charging cable (included)
- » Additional 100 Lumen torch in head
- » Ultra Strength Polycarbonate Housing
- » Integral Hanging Hook & Magnet for hands-free use
- » Multi Positional Hook/Foldable Kick Stand
- » Impact Resistant to 1m
- » Rear Charging Point with protective cover

BATTERY 3.7v 4400 mAh Li-ion rechargeable battery (Inc.)

WEIGHT 260g (with battery) **DIMENSION** 205 x 60 x 42mm



















PROSAFE LED FLOATING LANTERN





250

300 LUMENS OUTPUT

- » 300 Lumen White Seoul LED
- Industrial strength copolymer housing
- Robust and weatherproof
- Floats beam upright in water
- » Optical Beamaster lens for beam penetration
- » Ultra tough polycarbonate reflector

- » Rubber Moulded push micro switch
- » High-vis yellow for added safety
- » Contoured easy grip handle
- » Impact resistant to 1M









SMALL AND COMPACT

1 x 6v PJ996 Lantern battery (not included) **BATTERY**

WEIGHT 230g (with battery) **DIMENSION** 175 x 105mm

PS-RB1/RB2

PROSAFE RECHARGEABLE BATTERIES









PS-RB1

- » High capacity rechargeable battery
- » Hi-Visibility yellow
- » Universal fit into any lantern using a PJ996
- » No need for a separate charger
- » Red LED indicates charging
- » Short circuit protected to prevent over charge
- » Plugs directly into the mains socket
- » Environmentally Friendly
- » Charge up to 750 times

BATTERY 1 x 4.8v 2000 mAh NI-MH

230v 50Hz rechargeable battery

WEIGHT 415g

DIMENSION 110 x 80mm



PS-RB2

- » High capacity rechargeable battery
- » Hi-Visibility yellow
- » Universal fit into any lantern using a PJ996
- » UK252 Charger needed (Not Included) *
- » Industrial Copolymer housing
- » Short circuit protected to prevent over charge
- » Reinforced spring mounts for greater durability
- » Environmentally Friendly
- » Charge up to 750 times

BATTERY 1 x 4.8v 2000 mAh NI-MH

230v 50Hz rechargeable battery

WEIGHT 190g

DIMENSION 110 x 65mm







HIVIS USB RECHARGEABLE ELASHLIGHTS







- HV-FL7R 350 Lumen White CREE LED
- Built in USB rubberised charging point with Micro-USB cable (included)
- » Hard Anodized Die Cast Matte Aluminium Body
- Tactical rubberised micro switch operation
- 3 Light Mode Settings and 8Hz Defence Strobe
- Water resistant IPX7 1m Submersible
- Impact resistant to 1m
- Nylon Velcro Holster (included)
- » Safety Nylon Wrist Strap (included)



BATTERY 3.7v 2600 mAh 18650 Li-ion Battery (inc)

WEIGHT 200g with battery **DIMENSION** 139 x 33mm

HV-FL7R

BATTERY 3.7v 600 mAh 14430 Li-ion Battery (inc)

WEIGHT 124g with battery **DIMENSION** 117 x 29mm



RECHARGEABLE BATTERY (INC)









175

350 LUMENS

WATER PROOF





4-50

HOURS RUNTIME

250 METRE BEAM RANGE

900

LUMENS

IPX7

WATER PROOF

HIVIS USB RECHARGEABLE HELMET HEADLIGHT













USB CHARGING CABLE (INC)



3M ADHESIVE HELMET MOUNT









- » 220 Lumen White 3W LG LED
- » Helmet Mountable
- » Industrially tough polymer housing
- » Sliding diffuser for focused or flood lighting features
- » 5mm Red LED for night vision
- » 3M Adhesive helmet mount (included)

- » 90° Rotational head
- » Impact resistant to 2m
- » Micro-USB charging cable (included)
- » Bike helmet Velcro strap (optional extra)

BATTERY 1 x 3.7v 600 mAh 14430 Li-ion Battery (included)

WEIGHT 88g (with battery)

DIMENSION Headlight: 38 x 70 x 50mm

PROFESSIONAL LIGHTING GUIDE

HIVIS RUBBER WEATHERPROOF LANTERN









250 METRE EAM RANGE













- » 300 Lumen White Seoul LED
- » Synthetic industrial grade rubber housing
- » Rear charging point for use with rechargeable batteries
- » Floats beam upright in water
- » Ultra tough polycarbonate reflector
- » Optical Beamaster lens for beam penetration
- » Contoured rubber easy grip handle
- » Rubber Moulded push micro switch
- » Highly Robust build quality

BATTERY 1 x 6v PJ996 (not included)
WEIGHT 960g (with battery)
DIMENSION 180 x 110mm

ACCESSORIES

PS-HC

HELMET CLIPS

- » Robust Copolymer plastic
- » Universal fit for most helmets
- » Quick and easy application
- » Compatible with all Unilite headtorches
- » Chemical resistant plastic
- Impact resistant to 0.5m
- » Flexible underarm
- Pack of 4 clips



PS-LL A/B/G/R

LANTERN LENSES

- » Available in Green, Red, Amber & Blue
- » Used for emergency signalling situations
- » Toughened polypropylene
- Chemical resistant
- » Easy fit and removal
- » Compatible with all Unilite lanterns
- Impact Resistant to 1M
- » 95mm x 20mm 25g



UK252

MAINS CHARGER

- » Durable ABS housing
- » DC Connector fits into PS-RB2 Battery
- » 180 mA charging power
- » Chemical resistant plastic
- » Fits any domestic UK mains socket
- » EU version available
- » Red LED indicates charging
- » 70mm x 65mm
- 190g



UK253

VEHICLE CHARGER

- Durable ABS housing
- » DC Connector fits into PS-RB2 Battery
- 180mA Charging power
- 12/24v Vehicle charging
- Chemical resistant
- » Impact resistant to 1m
- Red LED indicates charging
- » 95mm x 35mm
- » 60g



Model No		Output (Lumens)				Run Time				
		High	Medium	Low	Strobe/SOS	High	Medium	Low	Strobe/SOS	
PROSAFE - LED FL	ASHLIGHTS	_	'						•	
PS-FL5	(P)	300	N/A	30	N/A	2½ HRS	N/A	12 HRS	5 HRS	
PS-FL7		500	N/A	50	N/A	5 HRS	N/A	35 HRS	10 HRS	
PS-FL3	(13) Harris	200	70	20	N/A	4 HRS	10 HRS	72 HRS	10 HRS	
PS-T1	C C		2	275		5 HRS	N/A	N/A	35 HRS	
PROSAFE - ATEX II	NTRINSICALLY SAFE TORCHES									
ATEX-FL4	0=	130	N/A	47	N/A	6½ HRS	N/A	27½ HRS	N/A	
ATEX-RA2	CHECK TO SERVICE STATE OF THE PERSON STATE OF	210	N/A	100	N/A	7½ HRS	N/A	18 HRS	N/A	
ATEX-H2		180	N/A	75	N/A	3 HRS	N/A	4 HRS	N/A	
PROSAFE - LED HE	EADLIGHTS									
PS-H2	909	80				13 HRS	N/A	N/A	34 HRS	
PS-H4	SETE	200	80	20	N/A	7½ HRS	20 HRS	60 HRS	50 HRS	
PS-H5	E	350	170	35	N/A	8 HRS	20 HRS	146 HRS	50 HRS	
PS-H7R	60.00	350	150	50	N/A	5½ HRS	14 HRS	30 HRS	20 HRS	
PS-H8		350	170	35	N/A	8 HRS	20 HRS	146 HRS	50 HRS	
PS-H10R	CS 120	1100	330	20	N/A	3HRS	9 HRS	45 HRS	14-22 HRS	
PROSAFE - LED IN	SPECTION LIGHTS									
PS-K1		75				3 HRS				
PS-P2		110				10 HRS				
PS-P1		220	N/A	90	N/A	3 HRS	N/A	6 HRS	8 HRS	
PS-IL6R	MOS.	MAIN LIGHT: 600 - END TORCH: 100				MAIN LIGHT: 4½ HRS - END TORCH: 24 HRS				
PS-ML5	-48	750				CONTINUOUS				
PROSAFE - LANTE	RNS									
PS-L2	650	300				10 HRS				
PS-L3	460	300				10 HRS				
PS-L3RK	160	300				10 HRS				
PROSAFE - INDUST	TRIAL SITE LIGHTS									
SL-250	-/3		2	500			CONTI	NUOUS		
SL-110		2500				CONTINUOUS				
SL-251	100	N/A				N/A				
HIVIS - LED FLASH	ILIGHTS									
HV-FL1	III	175	75	15	N/A	3 HRS	5 HRS	26 HRS	4 HRS	
HV-FL4		220	N/A	20	N/A	2 HRS	N/A	40 HRS	4 HRS	
HV-FL9R	Annual Control	900	400	40	N/A	4 HRS	7 HRS	50 HRS	25 HRS	
HV-FL7R		350	150	15	N/A	2 HRS	3½ HRS	30 HRS	14 HRS	
HIVIS - LED HEADL	LIGHTS									
HV-H3	G (D	175	N/A	5	N/A	9 HRS	N/A	175 HRS	N/A	
HV-H5R		220	90	20	N/A	4½ HRS	9½ HRS	30 HRS	10 HRS	
HIVIS - LED LANTE	100									
HV-RT1	©	300				7 HRS				
HV-RL4	C	300				10 HRS				
HV-L2R	(Sinh	300				5 HRS				
		500				כאח כ				









Unit 6, Colemeadow Road, North Moons Moat, Redditch, Worcestershire, UK, B98 9PB

T • 00[44] 1527 584 344 F • 00[44] 1527 584 345 E • sales@unilite.co.uk

www.unilite.co.uk







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for unilite manufacturer:

Other Similar products are found below:

PS-HDL2 ATEX-H2 ATEX-PL1 ATEX-RA2 PS-P1 HV-FL9R