

# Heavy duty diagonal cutting nippers



## Profiles

466/1VDEDP



## Standards

DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018

## **Product features**


- material: premium flex plus carbon steel
- drop forged, entirely hardened and tempered
- cutting edges induction hardened
- head polished
- surface finish: chrome plated according to ISO 1456:2009
- made according to standard ISO 5749 and EN IEC 60900

## Advantages:

• handles are insulated with double layered - double coloured insulation for additional safety

## Important!

• if second layer is visible, replace your insulated tool with a new one.



	L	В	А	С	<b>1</b>
619195	180	28	11	20	303
619196	200	27	11	21	351

#### cutting capacity (10N=1kg)

		max 2150 N/mm² <b>ØŤ</b>	
619195	180	1,8	3,0
619196	200	2,0	3,5

\* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

## Frequently asked questions

## Are certified insulated tools made through a different procedure than non-certified insulated tools?

The tools are made according to the same procedure.

## Are insulated (VDE) tools considered as personal protective equipment (PPE)?

According to EU regulations, VDE tools are not considered as PPE.

#### Is it possible to work with insulated pliers under electrical voltage?

Yes, but only by professionals who follow safety requirements and use additional personal protective equipment.

#### Are the VDE tools only being sampled in series production?

The high voltage test (at 10kV) is performed fully on each tool. Other tests are performed in accordance with the EN60900 standard.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pliers & Tweezers category:

Click to view products by UNIOR manufacturer:

Other Similar products are found below :

 0026
 T0058765801
 80
 76C
 378MN
 L4VN
 LN54VN
 NN7776VN
 54CGVN
 SN55VN
 DRP10N
 0036
 PN 5050/21D
 505BGC
 622TX

 43450
 8150 CO
 8165 CO
 32BSA25
 5BSAF
 017610101
 PN 5025
 65516300
 YT-2469
 011640100
 010480315
 503 618 3
 PGT435
 T3653

 250
 5000522
 011770113
 011770101
 CPE.A4
 T3781
 189A.17VE
 PPR 5003 D
 131 010 2
 40603GP
 011780102
 45705
 CPES
 6151

 181A.18CPE
 391A.16VE
 181EF.25CPEPB
 011640096
 CPE.A1PB
 SS406-160
 192A.18VE
 8000 0001 0 0