


Set of lock rings pliers PLUS in bag

539PLUS/1DPCT







Profiles



Product features



Set includes:

- 2x external lock rings pliers, straight and bent, dim. 180
- 2x internal lock rings pliers, straight and bent, dim. 180


Product name	SKU	Article	Dimensions	Quantity
Set of lock rings pliers PLUS in bag	621625	539PLUS/1DPCT	19 - 60/180	4
External lock rings pliers, straight		532PLUS/1DP	180x19 - 60	1
External lock rings pliers, bent		534PLUS/1DP	180x19 - 60	1
Internal lock rings pliers, straight		536PLUS/1DP	180x19 - 60	1
Internal lock rings pliers, bent		538PLUS/1DP	180x19 - 60	1

* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

Usage (pictures)



Tips hardened to 58 HRC prevent bending or breaking during the removal or insertion of circlips



The tips are inserted into the jaw at an angle that prevents the circlip from sliding off the tips

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pliers & Tweezers](#) category:

Click to view products by [UNIOR](#) manufacturer:

Other Similar products are found below :

[0026](#) [T0058765801](#) [80](#) [76C](#) [378MN](#) [L4VN](#) [LN54VN](#) [NN7776VN](#) [54CGVN](#) [SN55VN](#) [DRP10N](#) [0036](#) [PN 5050/21D](#) [505BGC](#) [622TX](#)
[43450](#) [8150 CO](#) [8165 CO](#) [32BSA25](#) [5BSAF](#) [017610101](#) [PN 5025](#) [65516300](#) [YT-2469](#) [011640100](#) [010480315](#) [503 618 3](#) [PGT435](#) [T3653](#)
[250](#) [5000522](#) [011770113](#) [011770101](#) [CPE.A4](#) [T3781](#) [189A.17VE](#) [PPR 5003 D](#) [131 010 2](#) [40603GP](#) [011780102](#) [45705](#) [CPES](#) [6151](#)
[181A.18CPE](#) [391A.16VE](#) [181EF.25CPEPB](#) [011640096](#) [CPE.A1PB](#) [SS406-160](#) [192A.18VE](#) [8000 0001 0 0](#)