


# SRE Series

- 5mm height
- Endurance : 1,000 hours at 85°C
- Non solvent resistant type
- RoHS Compliant




## ◆ SPECIFICATIONS

Items	Characteristics							
Category								
Temperature Range	-40 to +85°C							
Rated Voltage Range	4 to 50V <sub>dc</sub>							
Capacitance Tolerance	±20% (M)							
Leakage Current		I=0.01CV or 3μA, whichever is greater. Where, I : Max. leakage current (μA), C : Nominal capacitance (μF), V : Rated voltage (V)						
Dissipation Factor (tanδ)	Rated voltage (V <sub>dc</sub> )	4V	6.3V	10V	16V	25V	35V	50V
	tanδ (Max.)	0.35	0.24	0.20	0.16	0.14	0.12	0.10
Low Temperature Characteristics (Max. Impedance Ratio)	Z(-25°C)/Z(+20°C)	7	4	3	2	2	2	2
	Z(-40°C)/Z(+20°C)	15	10	8	6	4	3	3
Endurance	The following specifications shall be satisfied when the capacitors are restored to 20°C after the rated voltage is applied for 1,000 hours at 85°C.							
	Capacitance change	≤±20% of the initial value						
	D.F. (tanδ)	≤200% of the initial specified value						
	Leakage current	≤The initial specified value						
Shelf Life	The following specifications shall be satisfied when the capacitors are restored to 20°C after exposing them for 1,000 hours at 85°C without voltage applied. Before the measurement, the capacitor shall be preconditioned by applying voltage according to Item 4.1 of JIS C 5101-4.							
	Capacitance change	≤±20% of the initial value						
	D.F. (tanδ)	≤200% of the initial specified value						
	Leakage current	≤The initial specified value						


## ◆ DIMENSIONS [mm]

### ● Terminal Code : E



Case Size	4	5	6.3
d	0.45	0.45	0.45
F	1.5	2.0	2.5
D'	φ4 to φ6.3	φ4 to φ6.3	φ4 to φ6.3
L'	L+1.0max.	L+1.0max.	L+1.0max.

## ◆ PART NUMBERING SYSTEM



Please refer to "Product code guide (radial lead type)"

## ◆ STANDARD RATINGS

WV (V <sub>dc</sub> )	Cap (μF)	Case size φDXL(mm)	tanδ	Rated ripple current (mA rms/ 85°C, 120Hz)	Part No.
4	33	4X5	0.35	23	ESRE4R0E□□330MD05D
	10	4X5	0.24	12	ESRE6R3E□□100MD05D
	22	4X5	0.24	23	ESRE6R3E□□220MD05D
	47	5X5	0.24	38	ESRE6R3E□□470ME05D
	100	6.3X5	0.24	60	ESRE6R3E□□101MF05D
10	33	5X5	0.20	35	ESRE100E□□330ME05D
	4.7	4X5	0.16	10	ESRE160E□□4R7MD05D
	10	4X5	0.16	17	ESRE160E□□100MD05D
	22	5X5	0.16	32	ESRE160E□□220ME05D
	47	6.3X5	0.16	50	ESRE160E□□470MF05D
25	3.3	4X5	0.14	9.3	ESRE250E□□3R3MD05D
	4.7	4X5	0.14	12	ESRE250E□□4R7MD05D
	33	6.3X5	0.14	45	ESRE250E□□330MF05D

WV (V <sub>dc</sub> )	Cap (μF)	Case size φDXL(mm)	tanδ	Rated ripple current (mA rms/ 85°C, 120Hz)	Part No.
35	2.2	4X5	0.12	8.3	ESRE350E□□2R2MD05D
	3.3	4X5	0.12	11	ESRE350E□□3R3MD05D
	4.7	4X5	0.12	15	ESRE350E□□4R7MD05D
	10	5X5	0.12	25	ESRE350E□□100ME05D
	22	6.3X5	0.12	40	ESRE350E□□220MF05D
50	1.0	4X5	0.10	6.2	ESRE500E□□1R0MD05D
	2.2	4X5	0.10	10	ESRE500E□□2R2MD05D
	3.3	4X5	0.10	14	ESRE500E□□3R3MD05D
	4.7	5X5	0.10	19	ESRE500E□□4R7ME05D
	10	6.3X5	0.10	29	ESRE500E□□100MF05D

□□ : Enter the appropriate lead forming or taping code.  
Note : □ unified to φ4X5.

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for Aluminium Electrolytic Capacitors - Radial Leaded category:***

***Click to view products by United Chemicon manufacturer:***

Other Similar products are found below :

[LXY50VB4.7M-5X11](#) [B41041A2687M8](#) [B41041A7226M8](#) [B41044A7157M6](#) [EPA-201ELL151MM25S](#) [NCD681K10KVY5PF](#) [KM4700/16](#)  
[KME50VB100M-8X11.5](#) [SG220M1CSA-0407](#) [ES5107M016AE1DA](#) [ESMG160ETD102MJ16S](#) [ESRL25V330](#) [ESX472M16B](#)  
[SZ010M1500A5S-1015](#) [227RZS050M](#) [476CKH100MSA](#) [477CKR100M](#) [KME25VB100M-6.3X11](#) [XRL50V22](#) [052687X](#) [107CKR010M](#)  
[EKMA500ELL4R7ME07D](#) [NRE-S560M16V6.3X7TBSTF](#) [RGA221M1CTA-0611G](#) [ERZA630VHN182UP54N](#) [UPL1A331MPH](#)  
[MAL214658821E3](#) [MAL214658122E3](#) [SK106M016AC3KAKPLP](#) [SK107M025AE3EAKPLP](#) [B43827A1106M8](#) [B41022A5686M6](#)  
[EKMA160EC3101MF07D](#) [ESMG160ETD221MF11D](#) [EKZH160ETD152MJ20S](#) [RBD-25V100KE3#N](#) [EKMA350ELL100ME07D](#)  
[ESMG160ETD101ME11D](#) [EGXF500ELL561ML15S](#) [SK107M025AE3KAKPLP](#) [EKMG350ETD471MJ16S](#) [MEA562M2G--D130](#)  
[MEA562M2W--D130](#) [35YXA330MEFC10X12.5](#) [RGA221M2ABK-1320G](#) [ERR1HM1R0D11OT](#) [ERR1CM222W20OT](#) [TM1081EMF202RB](#)  
[RXQ271M2EBK-1836](#) [RXW103M1CBK-1840](#)