


3U EUROCARD PLUGBORD™ PART NO. : 4614



Description :

- 3U x 160mm, Hole Dia.: 0.042", Grid: 0.100" x 0.100"
- 3-Hole Solder Pad
- 3-Hole Solder Pads (0.28" x 0.080") for interconnecting multiple component leads
- Interleaved buses on both sides, back-to-back
- Pad and bus surfaces solder-coated for user convenience, Green Solder Mask
- Plated-thru holes
- Row and column legends provided
- Layout paper and instructions included..... [Layout Paper\(PDF\)](#)

| | |
|--------------------------------|--|
| Circuit Pattern : | 3-Hole Solder Pad |
| 16 Pin DIP Capacity : | 20 |
| Hole Diameter : | 0.042" { 1.0668 mm } |
| Grid : | 0.100" x 0.100" { 2.54mm X 2.54mm } |
| Dimension { H, W, T } : | 3.94" x 6.30" x 0.062" -----> { 3U x 160mm } |
| Material : | FR4 Epoxy Glass { MIL - P13949 type Gf } |
| Wire-Wrap Terminals : | T44, T46, T49 & T68 |
| 96 Pin DIN Connector : | RE96MWR { Available Separately } |
| Wire-Wrap Socket Pins : | R32 |
| Recommended Card Cage: | CCK160-3U Series Card Cage { Subracks } |
| NEMA Grade : | FR4 |
| UL Flammability Class : | 94V - 0 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [PCBs & Breadboards category](#):

Click to view products by [Vector manufacturer](#):

Other Similar products are found below :

[8004](#) [8007](#) [8016](#) [8017](#) [8028](#) [8029](#) [1268-12](#) [1268-10](#) [1320833-1](#) [923252-R](#) [3410](#) [3396](#) [15107](#) [8006](#) [8015](#) [8018](#) [8019](#) [8020](#) [1268-19](#) [1268-20](#) [8026](#) [1239-19](#) [SBBTH1520-1](#) [SBBTH1506-1](#) [SBBTH4080-1](#) [SBBTH3030-1](#) [SBBTH1512-1](#) [SBBTH1508-1](#) [SBB2808-1](#) [SBB2805-1](#) [SBB1605-1](#) [SBB1602-1](#) [SBB1005-1](#) [SBB1002-1](#) [3426](#) [32P15WE](#) [ZAS1X206203XRPU160](#) [SBBTH3040-1](#) [SBB0004-1](#) [SBB830-QTY10](#) [7115](#) [923749-I](#) [RE013-LF](#) [RE014-LF](#) [RE015-LF](#) [RE1210-LF](#) [RE200-C3](#) [RE210-S1](#) [RE317-HP](#) [RE438-LF](#)