

DIN-Based VectorPaktm Subracks

Rackmount 3U & 6U EMC Subracks



3U Subrack P/N CCA27-36-01 shown with 5 pairs of CG3-160 card guides

Subrack Contents (Generic): for 3U & 6U Subracks

- 2 Front EMC Extrusions, P/N 1440-0012-84
- 2 Rear Extrusions, P/N 1440-0013-84
- · 2 Aluminum side plates
- 2 M2.5 tapped nut strips for front extrusions P/N 1404-0016-84
- 2 M2.5 tapped nut strips for rear extrusions P/N 5700202
- 2 removable rack "ears" (left/right), P/N 1406-1006-01 (6U) OR
 2 Removable rack "ears" (left/right), P/N 1406-1003-01 (3U)
- 2 Insulator strips , .030" PVC, P/N 5250998-84

Specify CCA for assembled or CCK for flat-pack kit. Card guides sold separately in packs of 12 (enough for 6 cards, on Page 29).

Standard card depths:

160mm (6.299") 220mm (8.661") 280mm (11. 024") 340mm (13.386")

400mm (15.748")



EMC subracks for Compact PCI, VME64X or PXI are available off-the-shelf in assembled or kit form. Standard 19" width or custom sizes available (contact factory). Can accommodate all 3U (single height, 3.937" or 100mm) and 6U (double height, 9.187" or 233.35mm) 0.062" to 0.100" thick boards.

Custom card height/depth racks available; contact factory. Vector's service design, fabrication, assembly or kitting are done in-house in the USA, bringing convenience, accuracy and short lead-times to your job.

Vectorpaktm subracks are sold fully assembled or in flat-pack kit form. EMC versions are manufactured to IEEE 1101.10 & 1101.11 for use in applications with EMC requirements and have conductive connection of all metal components.

Vectorpaktm CG3-series card guides sold separately (Page 29). Vectorpaktm front panels, filler panels (blank-off plates), ejector handles and cooling fan trays all available and described at the end of this section.

Ordering Information CCX XX - XX - XX

Model Numbers

A = assembled subracks

K = unassembled flat-packed kit

Depth 3U

26 = 160mm; 8.5" 27 = 160mm; 12.0" 31 = 220mm; 12.0" 34 = 280mm; 15.0" 36 = 340mm; 16.0" 38 = 400mm; 18.0"

U = 4001

28 = 160mm; 10.0" 29 = 160mm; 12.0" 30 = 160mm; 15.0" 32 = 220mm; 15.0" 33 = 280mm; 15.0'

35 = 340mm; 16.0" 37 = 400mm; 18.0" Covers (Optional)
01 = Top & bottom, vented

02 = Rear fixed

03 = Both '01' & '02'

04 = Custom

05 = Solid Top & Bottom

Inside Width (not including flanges)

36 = 36HP [7.4"(188mm)]

44 = 44HP [9.0"(229mm)] 64 = 64HP [13"(330mm)] 84 = 84HP [17"(432mm)]

Material & Finish: Brushed aluminum, with clear chem film

1U = 1.75" 1HP = 0.200" (5.08mm)



26

www.vectorelect.com


Specification subject to change without notice

800-423-5659





Hybrid / Custom 3U & 6U EMC Subracks



VectorPak^{IM} subracks are available standard 19" or custom configurations including subsystem components such as plug-in power supplies and integrated fan cooling. Wall or panel mount, horizontal or vertical card orientation. Subracks with dividers for mixed card sizes. Backplanes and plug-in power supplies available. Custom configuration and integration available (contact factory)



CCA28-64-01 with perforated top/bottom covers and Vector 7-slot VME64x backplane

www.vectorelect.com



CCA26-36-01 with perforated top/bottom covers and Vector cPCI 8-slot backplane

27

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Mounting Fixings category:

Click to view products by Vector manufacturer:

Other Similar products are found below:

5912235-1 REV - 5912235-2 007541 627 M3783-7001 71-074914-006 71-441549-19S 75-69211-3P 75-69214-6P 75-69220-27S 75-69224-5S 7717-8DAP 85043GULPR 85047GULPT FPK-02-R10 PMS27488-001-01 1-18023-0 H-118-2 D83999/20WC8SN DB1 1302030464 DC31-14W19PN DC31-14W19PW DC32-18W32SN DC36-18-32SW DC36-18-32SX DC37-14-19PW DC37-22-21PX 1302010957 1302263564 1302340393 1404-0016-78 14540 149331-9811 1561-60 1566 1566 BR16A HS5659MB98PN NT20SATT01 22594-8 KBB-141 89078GBEPR 915060 SF4011-60101 97-CS-50 1671 LS10215R14-15PN LS10215R14-7PN L/C 1855-54