

Free Standing Connector Mounted Card Guides


Secure connection, rugged support of 0.062" thick PCB's when space is limited. P/N BR27D is die cast of zinc alloy#3 (ASTM B240-06). Other sizes are 6063 T5 aluminum alloy. All sizes include HD55 hardware kit to attach connector to board. Connector not included (See Page 70). All sold as a pair and are fully RoHS compliant.




Ø.125±.005





| BR27D R644, R644-2, R644-3C, R644-3F 4.5"W (3677, 3682 & 3662 series), Page 57 Zinc #3 BR27-1 R636-1, R636-2 4.5"W (3719 series), Page 58 AI Alloy 60 BR27-3 R630 2.73"W (3797 series), Page 56 AI Alloy 60 | Part No. | | For Use With | Material |
|---|----------|---|---|--------------|
| BR27-3 R630 2.73"W (3797 series), Page 56 Al Alloy 60 | BR27D | Connector R644, R644-2, R644-3C, R644-3F | 4.5"W (3677, 3682 & 3662 series), Page 57 | Zinc #3 |
| | | | | AI Alloy 606 |
| BR27-5 R656-1, R656-2 4.5"W (4610 series), Page 63 Al Alloy 60 | | | | Al Alloy 606 |
| | BR27-5 | R656-1, R656-2 | 4.5"W (4610 series), Page 63 | Al Alloy 606 |
| | | | | |
| | | | | |











X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinet Accessories category:

Click to view products by Vector manufacturer:

Other Similar products are found below :

 M00-PLN
 F2424
 8351-832-A-24
 9104
 9105
 PLFF2000
 H-9163-B
 1427C3
 HTS10
 PC-79
 SC10-3A
 SC4-28
 CG3-340S/12
 CP-001BK

 M6123-4007-SS
 TS170
 LP40
 5261304-07
 CG3-160G
 7112C-PLN
 ALUM
 CM10
 8610-3124-S-26
 TS81
 7142
 GP134
 M6125-4007-A-24

 M6127-4007-SS
 PBCOVER
 512
 AEG-4000G
 AEG-3000G
 HD99
 SR2-66A2
 FP10B4HP-1
 SR16-66A2
 FP52-2
 1406-1006-01
 29478

 TS2535
 TS169-6
 CAC2
 HA19-3U
 BR-19-10-1
 TS180
 CG3-ESD
 SC11-1
 CFS-1.00/2.20
 AX6145WM
 HEC0800PB
 ZC633R