




## VMEE-M EXTENDER VECTORBORD®



6U VME J1/J2 with 3-row, 96 positions DIN 41612 style connectors ( click on image to enlarge)

### KEY FEATURES :

- [VMEEJ1](#) Extender on top & [VMEEJ2](#) Extender on Bottom, new monolithic design [VMEE-M](#) Extender
- Excellent performance with a multi layer design
- Individual signal tracking with interruption option
- Voltage & Current measuring facilities
- Full ground plane
- Signal pin-out identification silkscreen onto outer PCB layers
- Jumper Blocks provided to allow signal line interrogation
- Max. current per contact @ nominal 50° C = 1.75A
- Controlled impedance, Signal trace shielding
- Voltage rating 200 RMS or 300 VDC
- [DOWNLOAD DATASHEET](#)

### BOARD SPECIFICATIONS :

- Material : FR-4 Epoxy Glass
- PCB UL94V-0, PCB RoHS Compliant
- 6 Internal 1oz. copper layers
- PCB exposed Copper areas plated with Immersion Gold

### MECHANICAL SPECIFICATIONS :

- Board Height 6U ( 9.187" ) ( 233.35mm )
- Board Length 11.75" ( 298mm )
- PCB Thickness 0.062" ( 1.6mm )
- Card Extender brackets (arms) on top & bottom (P/N : [5210211](#))

**Custom Extender design services available**  
please contact [inquire@vectorelect.com](mailto:inquire@vectorelect.com)

email us your requirements : [inquire@vectorelect.com](mailto:inquire@vectorelect.com)

11115 Vanowen St., North Hollywood, CA 91605, USA

Tel.: (818) 985 8208, (800) 423 5659; Fax : (818) 985 7708

**Circbord®, Vectorbord® and VectorPak® are registered trademarks of Vector Electronics & Technology, Inc.**  
**CompactPCI® is a registered trademark of PICMG. © 2001 Vector Electronics & Technology, Inc. - All Rights Reserved**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Data Logging & Acquisition](#) category:*

*Click to view products by [Vector](#) manufacturer:*

Other Similar products are found below :

[PCI-6308A](#) [KEW8309](#) [SpotBotBLE](#) [USB-4711A-BE](#) [PXES-2780 Rack-Mount kit](#) [6069-410-061](#) [U2351A](#) [SE028](#) [PCI-1761-BE](#) [984405500](#)  
[PCI-1711UL-CE](#) [PCI-1762-BE](#) [USB-4702-AE](#) [USB-4704-AE](#) [USB-4716-AE](#) [USB-4751-AE](#) [PCI-1714U-BE](#) [PCIe-6208V-GL](#) [PCIE-1810-](#)  
[AE](#) [LPCIE-7250](#) [USB-4751L-AE](#) [PCI-1760U-BE](#) [PCI-6216V-GL](#) [PCI-7296](#) [PCI-1721-AE](#) [PCI-6208V-GL](#) [PCI-1747U-AE](#) [PCI-1720U-BE](#)  
[PCI-1780U-AE](#) [PCM-3718HG-CE](#) [PCM-3718HO-BE](#) [USB-7230](#) [ND-6050](#) [PCI-1713U-BE](#) [U2781A](#) [EL-USB-5](#) [ACL-7122](#) [ACL-8112PG](#)  
[DAQ-2204](#) [DAQ-2206](#) [DAQ-2213](#) [DAQ-2501](#) [DAQe-2213](#) [DAQe-2214](#) [DAQe-2502](#) [ND-6017](#) [ND-6018](#) [ND-6053](#) [ND-6063](#) [PCI-7230](#)