


## VVA1, VVA2, VVA3 Full Size VCXO


<b>Package Option</b>	A1 = 0.8" x 0.5" x 0.2" 14 pin DIP A2 = 0.8" x 0.5" x 0.2" 14 pin Gull Leaded Surface Mount A3 = 0.8" x 0.5" x 0.4" 14 pin DIP
<b>Frequency Range</b>	1.0 to 40 MHz (Fundamental <80ps/pk-pk Jitter) 40 to 160 MHz uses a low jitter internal multiplier IC (<150ps/pk-pk Jitter) which improves aging and pullability but will also increase phase noise
<b>Electrical Options</b>	A = +5.0 Vdc $\pm$ 20% Linearity B = +3.3 Vdc $\pm$ 20% Linearity E = +5.0 Vdc $\pm$ 10% Linearity F = +3.3 Vdc $\pm$ 10% Linearity
<b>Voltage Control Range Slope Positive</b>	1 = $\pm$ 50 PPM Minimum 2 = $\pm$ 100 PPM Minimum 3 = $\pm$ 150 PPM Minimum 4 = $\pm$ 200 PPM Minimum
<b>Stability Options</b> (Inclusive of Operating Temperature, Supply Voltage and Load)	A = $\pm$ 100 PPM 0C to +70C B = $\pm$ 50 PPM 0C to +70C C = $\pm$ 100 PPM -40C to +85C D = $\pm$ 50 PPM -40C to +85C E = $\pm$ 25 PPM 0C to +70C
<b>Tight Stability Options</b>	G = $\pm$ 20 PPM 0C to +70C A3 Package H = $\pm$ 10 PPM 0C to +70C A3 Package I = $\pm$ 20 PPM -40C to +85C A3 Package
<b>Calibration Tolerance</b>	$\pm$ 25 PPM at +25 $\pm$ 2C at Center Voltage
<b>Duty Cycle</b>	40/60
<b>Start-Up</b>	10 ms Maximum
<b>Aging</b>	<5.0 PPM/First year at +40C dynamic A1 and A2 Package <2.0 PPM/First year at +40C dynamic A3 Package
<b>Load</b>	15 pF HCMOS or 5 TTL Maximum
<b>Current</b>	20 mA Maximum $\leq$ 20 MHz 40 mA Maximum $\leq$ 30MHz 50 mA Maximum >30MHz

## Environmental and Mechanical Compliance

Parameter	Conditions
Mechanical Shock	MIL-STD-883, 2002.3 B
Mechanical Vibration	MIL-STD-883, 2007.1 B
Lead Solderability	MIL-STD-883, 2003.5
Gross Leak	MIL-STD-883, 1014.7
Fine Leak	MIL-STD-883, 1014.7
Storage Temperature	-55C to 125C



VVA2



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [VCXO Oscillators](#) category:*

*Click to view products by [Vectron](#) manufacturer:*

Other Similar products are found below :

[3808AI-DF-33NG-80.0000](#) [SIT3808AI-CF-33EM-50.000000X](#) [603281](#) [YNETHE125](#) [SiT3701AC-43-33C-10.00000X](#) [315LB3I1250T](#)  
[CVPD-922X-100.000](#) [CVSS-945-125.000](#) [ASVV-4.096 MHz-L50-N152-T](#) [CVHD-950-122.880](#) [CVHD-950-80.000](#) [CVHD950X-54.000](#)  
[CVPD-920-100.000](#) [ASG-P-V-A-1.000GHZ](#) [ECXV-P37C2M-640.000](#) [CVPD-920-80.000](#) [CVHD-957-22.57920](#) [ECXV-P37C2N-155.520](#)  
[ECXV-P37C2N-56.000](#) [ECXV-P37C2N-184.320](#) [ECXV-P37C2N-155.000](#) [ECXV-P35C2N-155.520](#) [LFVCXO067515Bulk](#) [ASG-D-V-A-](#)  
[1.000GHZ](#) [ASG-D-V-A-491.520MHz](#) [CVHD-950-74.25](#) [CVPD-920-74.25](#) [ABLNO-V-92.160MHZ](#) [ABLNO-V-120.000MHZ](#) [ABLNO-V-](#)  
[80.000MHZ](#) [ABLJO-V-100.000MHz](#) [ABLJO-V-120.000MHZ](#) [ABLJO-V-122.880MHz](#) [ABLJO-V-150.000MHz](#) [ABLJO-V-155.520MHZ](#)  
[ABLJO-V-160.000MHz](#) [ABLJO-V-200.000MHz](#) [ABLJO-V-200.000MHZ-T](#) [ABLJO-V-80.000MHz](#) [ABLJO-V-96.000MHz](#) [ABLNO-V-](#)  
[100.000MHz](#) [ABLNO-V-100.000MHz-T2](#) [ABLNO-V-120.000MHz-T2](#) [ABLNO-V-122.880MHz](#) [ABLNO-V-125.000MHz](#) [ABLNO-V-](#)  
[156.250MHz](#) [ABLNO-V-96.000MHZ](#) [ABLNO-V-96.000MHz-T2](#) [ABLNO-V-104.000MHZ](#) [ABLNO-V-125.000MHZ-T2](#)