



VGA to HDMI Converter

# VGA to HDMI Converter

Computer to TV/projector



1080P HD

Audio and video  
synchronize

Metal material  
heat dissipation

Plug and play



# Applicable Equipment

VGA interface device to HDMI  
interface display device



Laptop




Desktop



All-in-one

**VGA input**



**HDMI output**



Display



TV



Projector

*This product only supports VGA to HDMI conversion,  
does not support reverse conversion*

# 1080P HD

Supports 1920\*1080P 60Hz HD resolution,  
signal stability



# Laptop to Projector

Share high-definition images  
making meetings and presentations easier




# ***Laptop to TV/Monitor***

*Clear picture quality without delay  
large screen interactive sharing*




# ***Two Modes***



***Same screen mode***  
*Both devices display synchronously*

The illustration shows a laptop in the foreground and a larger monitor behind it. Both screens display an identical image of a sunset over a body of water with a single tree on the right. The laptop is connected to the monitor via a cable.



***Extended mode***  
*The two devices display different applications*

The illustration shows a laptop in the foreground and a larger monitor behind it. The laptop screen displays a dashboard with four circular charts: '75% Product Sales', '22% New Sign', '84% Product Price', and '92% Product Price'. The monitor behind it displays a different image of the aurora borealis over a snowy landscape. The laptop is connected to the monitor via a cable.

# **Audio And Video Synchronization**

*Independent audio input port,  
can be connected to the computer's audio output port  
(with audio cable)*



3.5mm audio port

# Strengthen Power Supply

*Device transmission is more stable  
and easy to solve compatibility problems*




Micro USB power  
supply interface

*Tips: In order for the converter to work properly,  
prevent abnormal phenomena such as splash screen/black screen/no signal,  
Be sure to connect the power cord (included with the product)*



# Rejection Delay

*Adapt MS9282 master chip,  
low power consumption, high definition conversion*



# ***Isolation Interference***

*Multiple shielding effectively  
protect signals for clearer picture quality*




# Metal Shell

*Aluminum alloy shell wear resistance and heat dissipation  
prolong the service life*



# Product Parameters

<b>Brand</b>	Vention
<b>Name</b>	VGA to HDMI Converter
<b>Model</b>	ACEB0
<b>Color</b>	Black
<b>Interface Type</b>	Standard HDMI Female / VGA Male
<b>Resolution</b>	1080P 60Hz
<b>Chip</b>	MS9282
<b>Length</b>	15cm
<b>Shell Material</b>	Aluminum Alloy
<b>Packing</b>	Color Box



Note: The above specifications are manual measurements, and only the reference is based on the actual object.

ACN



ACE



ACO

PS: Sizes above are manual measurement, there might be slight tolerance.

Length	Art.No.	EAN Code
0.15M	ACEB0	6922794729605



**Package Contents**

VGA to HDMI Converter

**Packaging Information**

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*37*37cm
Carton Qty	126pcs
Carton Weight	18.4kgs
Package	Color box

[www.ventioncable.com](http://www.ventioncable.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:*

*Click to view products by [Vention](#) manufacturer:*

Other Similar products are found below :

[1775247-3](#) [2-1932649-5](#) [30-1231](#) [30-528](#) [2069485-1](#) [30-504](#) [30-519](#) [30-542](#) [47648-2000](#) [2002-400](#) [TC142X](#) [769-103/021-000](#) [1932649-1](#)  
[233-368NFG6-17NH](#) [6321-026RDS1MWA02](#) [3VD51203-3D6A-7H](#) [AK-AD-38](#) [AK-AD-39](#) [CDA0109](#) [CDA0110](#) [CV0045A](#) [67881](#)  
[HAFBF](#) [HBLBH](#) [HBLBI](#) [HAFBG](#) [HAFBH](#) [HAGBF](#) [HAGBG](#) [HAGBH](#) [HAGBI](#) [HAGBJ](#) [HBLBJ](#) [AABIE](#) [AABIF](#) [AABIG](#) [AABIH](#)  
[AABII](#) [AABIJ](#) [AABIK](#) [AABIL](#) [AACBE](#) [AACBF](#) [AACBG](#) [ABIBF](#) [ABIBG](#) [ABIBH](#) [42154](#) [ACEB0](#) [AACBH](#)