



HDMI 2.0 Cable

HDMI 4K HD Cable

4K UHD visual effect



4K UHD
Clear image



3D Vision
Life-like picture



18Gbps
Total bandwidth



21:9
Wide ratio




HDR
Vivid color



Aluminum Alloy
Casing

Support Real 4K Definition

4K@60Hz ultra HD resolution with 21:9 wide screen
image ratio for demonstration of every details.



Note: Support 4K@60Hz within 3 m
All data are from Vention Lab.

4K@60Hz
resolution

21:9
image ratio

HDR
display

HDCP
2.2


3D Visual Effect

Support three dimension imaging technology for immersive gaming experience.



18Gbps Wide Bandwidth

Upgraded HDMI 2.0 with faster transmission rate and wider bandwidth.



18Gbps

Note: Support 18Gbps within 3 m.
All data are from Vention Lab.

Audio & Video In Sync

Deliver audio and video signal simultaneously
plug and play.



32-bit audio
channel

Dolby sound
effect

Audio return
channel

Various Modes Supported



01

Mirror mode

Laptop connect to TV
Show same image
Large screen
movie experience

02

Extension mode

Laptop to TV
Show different images
Work as well as play



03

Game interaction

PS5/Switch, etc., to TV
Immersive gaming



HDMI Devices Applicable

For signal sources and display devices with
HDMI interfaces.



Output



PC



Laptop



Set-top box



PS5/4



XBox



Switch

.....

Input



Monitor



TV



Projector

.....


Version Support

Length	Resolution	Bandwidth	Version	AWG	OD
0.75-3m	4K@60Hz	18Gbps	2.0	30AWG	7.4mm
5-8m	4K@30Hz	10.2Gbps	1.4	30AWG	7.4mm
10m	4K@30Hz	10.2Gbps	1.4	28AWG	7.4mm
12-15m	4K@30Hz	10.2Gbps	1.4	28AWG	8.0mm

Note: All data are from Vention lab.

Triple Shieldings

Double aluminum foils+GND shielding technologies effectively reduce electromagnetic interference.



Aluminum Alloy Shell

Upgraded shell material with anodizing process for enhanced ability of wear resistance and anti-scratch.



Gold-Plated Interface

Durable in swapping, anti-oxidized and anti-rust for stable use.



Flexible Cable Material

Thickened PVC cable jacket features flexible durable, and anti-bending, therefore it can stand normal wear and tear.

3000+


Bending test



Note: All data are from Vention Lab.


HDMI Certificate

Pass the certification of HDMI forum, conform to international HD cable manufacturing standard.



Product Parameters

Brand	Vention
Name	HDMI Male to Male 4K HD Cable
Model	ALHS
Color	Blue
Interface Technics	Gold-Plated
Resolution	0.75-3m: 4K@60Hz, 5-15m: 4K@30Hz
Shell	Aluminum Alloy
Shielding	GND+Aluminum Foil
Jacket	PVC
AWG	0.75-8m: 30AWG, 10-15m: 28AWG
OD	0.75-10m: 7.4mm, 12-15m: 8.0mm
Length	0.75-15m
Warranty	1 Year
Packing	PE Bag/Kraft Box




Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.

Packing Display



0.75–8m
PE bag



10–15m
Craft box

Note: Packing difference exists for different meters or batches.
The photo is for reference only.

Length	Art.No.	EAN Code
0.75m	ALHSE	6922794768086
1m	ALHSF	6922794765580
1.5m	ALHSG	6922794768093
2m	ALHSH	6922794765597
3m	ALHSI	6922794768109
5m	ALHSJ	6922794768116
8m	ALHSK	6922794768123
10m	ALHSL	6922794768130
12m	ALHSM	6922794768147
15m	ALHSN	6922794768154



Package Contents

HDMI Cable x 1

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm (0.75-8m),48*40*40cm(10m),52*47*25cm(12-15m)
Carton Qty	150pcs(0.75m),120pcs(1m),100pcs(1.5m),80pcs(2m),50pcs(3m),40pcs(5m),2 www.ventioncable.com 0pcs(8m),24pcs(10m),12pcs(12-15m)
Carton Weight	11.6kg(1m)
Package	PE bag(0.75-8m),Color box(10-15m)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[30-528](#) [30-504](#) [33DVIR-24S1B](#) [47648-2000](#) [TC142X](#) [HAGBH](#) [AABII](#) [AAIBG](#) [AAIBH](#) [AANBG](#) [52355](#) [XHLJQ-00026](#) [HDMI-019R](#)
[G46M2013201AWEU](#) [ST-0277D00-052-142](#) [PJ-399M](#) [PJ-615-5A](#) [HDMI-S-125-D](#) [PJ-359](#) [PJ-3850-5A](#) [PJ-3250D-5A](#) [KH-PJ-359](#) [58490](#)
[DS-45404](#) [60907](#) [60616](#) [AAMBJ](#) [61275](#) [61161](#) [61297](#) [KABHD](#) [OEM-40](#) [61293](#) [61304](#) [DS-45316](#) [50355](#) [AK-330115-010-S](#) [AK-330101-](#)
[002-S](#) [AHCBI](#) [AK-330127-300-S](#) [AAGBH](#) [CG526-B-3.0](#) [64866](#) [CG525-R-1.8](#) [61296](#) [CG865-3](#) [CG517-3.0](#) [EAEBD](#) [65262](#) [CG862-1.5](#)
[AK-340103-050-S](#)