



Audio Cable

3.5mm to 6.5mm Audio Cable

Spectacular music feast

Hi-Fi audio


Gold-plated interface

Aluminum alloy shell

Braided jacket

Hi-Fi Audio Quality

Spatial sound with extra detail, without electric noise and current murmur



Before conversion

Fluctuated sound

After conversion

Stable sound

Note: All data are from Vention Lab

Premium Inner Material

Tinned-copper conductor has a better anti-oxidant ability and more stable signal than ordinary copper

Tinned-copper conductor

Aluminum foil shielding

PVC jacket

Cotton braided jacket

Note: the internal structure is a rendering, please in kind prevail



Multiple Devices Supported

Applicable to 3.5mm interface device connect to devices with 6.5mm interface, bi-direction transmission is supported



PC



Laptop



Phone



DVD



Speaker



Amplifier



Mixer



Guitar


Enjoy Wonderful Music Time

Perfect for listening to music, watch drama and play games, indulge yourself into excellent audio experiences




Guitar Playing Via Speaker

High fidelity signal transfer, cater
to multiple music playing scene



Phone Connect to Amplifier

For cinematic audio experience
even you are in your home



Craftsmanship Detail

For extra long service time

1 Gold-plated interface

Reduce signal attenuation, anti-oxidant and durable in swapping



2 Aluminum alloy shell

Wear resistant and tough

3 Cotton braided jacket

Anti-stretch and durable

Knock on Your Own Music Door



Product Parameters

| | |
|---|---------------------------------|
| Brand: Vention | Shell: Aluminum Alloy |
| Name: TRS 3.5mm Male to 6.5mm Male Audio Cable | Shielding: Aluminum Foil |
| Model: BAU | Jacket: PVC+Cotton Braid |
| Color: Gray | AWG: 26AWG |
| Interface: TRS 3.5mm Male/ TRS 6.5mm Male | OD: 5.0mm |
| Interface Technics: Gold-plated | Length: 0.5-5m |
| Conductor: Tinned-copper | Warranty: 1 Year |
| | Packing: PE Bag |



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

| Length | Art.No. | EAN Code |
|--------|---------|---------------|
| 0.5m | BAUHD | 6922794756496 |
| 1m | BAUHF | 6922794756502 |
| 1.5m | BAUHG | 6922794756519 |
| 2m | BAUHH | 6922794756526 |
| 3m | BAUHI | 6922794756533 |
| 5m | BAUHJ | 6922794756540 |
| 10m | BAUHL | 6922794756557 |



Package Contents

Audio Cable x 1

Packaging Information

| | |
|-------------------|--|
| Packing Dimension | cm |
| Packing Weight | kg |
| Carton Dimension | 48*29*30cm (0.5-10m) |
| Carton Qty | 360pcs(0.5m),240pcs(1m),180pcs(1.5m)150pcs(2m),120pcs(3m),90pcs (5m),45pcs(10m) www.ventioncable.com |
| Carton Weight | 13.5kg(1m) |
| Package | PE bag |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)