



Audio Converter

USB-C to 3.5mm Audio Converter

Music listening while charging



Listening/Charging
2-in-1



Applicable for
3.5mm earphone




Hi-Fi sound
quality



Voice call
In-line control

Free Music Listening

With no concern about the battery, feel free to drama watching and music listening



Design for 3.5mm Earphone


Bring 3.5mm earphone back to life to your USB-C interface devices



Note: compatible with both OMTP/CTIA standards

High-Fidelity Audio Conversion

Restore every details of original sound



Before conversion
Fluctuated sound

After conversion
Stable sound

Note: all data are from Vention Lab

Karaoke/Live Stream

1.5A(MAX) power supply,
amusement without battery trouble



Note: due to the different charging protocols of different devices, related current could be various

Clear Phone Call Audio

High quality phone call audio without lag



Note: earphone should support microphone function

Support In-line Control

Switch the song and control the volume of music without unlocking the phone



Note: Apple earphone didn't support volume control due to the system compatibility


Compatible with USB-C Interface

For Huawei	Mate 20 Pro, Mate 30 Pro, 20 X, 30 Pro, P30 Pro, P20, P20 Pro, P20 RS Porsche Design...
For Smartisan	Nut 3, Pro 2...
For Xiaomi	Mi 6, Mi 6X, MIX 2, Mi 9, Mi 8, Mi Note 3, BLACK SHARK...
For OnePlus	7 Pro...
For Nubia	Z17, Z17S...

More USB-C devices will be updated...

Note: This product doesn't support Huawei Harmony OS; due to the difference of charging protocols, the charging current of Xiaomi 10 Pro, 10, 9, 8, 6, Mix 2/2S, OnePlus 7/7 Pro is 0.5A. Besides, OnePlus 7 Pro cannot compatible with this converter after its systems upgrade to 10.0.1.GM21

Noise-cancelling Shieldings




Filter capacitor

Filter invalid noise current

Pure copper conductor

Underwent annealing and softening process for transparent sound



Enameled copper

TPE

Note: the internal structure is a rendering, please in kind prevail

Delicate Details

Wear resistance

Aluminum alloy shell with anodizing process


Aviod cable jacket breakage

Flexible TPE material, durable and anti-stretch

Tight interface connection

Integrated interface

10000+
swapping test



Note: all data are from Vention Lab

Tiny And Portable

Small size without increasing
burden to travelling



8.4g

Product Parameters

Brand: Vention	Shell: Aluminum Alloy
Name: USB-C to 3.5mm Audio Converter with Power Supply	
Model: BGSHA	Jacket: TPE
Color: Gray	AWG: 29AWG
Interface:	OD: 3.5mm
USB-C Male/USB-C Female/3.5mm Female	Length: 0.1m
Interface Technics: Nickel-plated	Power Supply: 1.5A(MAX)
Conductor: Enameled Copper	Warranty: 1 Year
Audio Port Standard: OMTP/CTIA	Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
0.15m	BGSHA	6922794751637



Package Contents

Audio Converter x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (0.15m)	
Carton Qty	800pcs(0.15m)	www.ventioncable.com
Carton Weight	12.3kg(0.15m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)