


Speaker Wire (Hi-Fi) with Banana Plugs

Convenient solution for connecting amplifiers or speakers



Premium Speaker Wire

It combines great looks and durability with exceptional sonic performance, making it the ideal speaker wire solution for the serious audiophile.

Sturdy
Brass Plug



Professional Grade

Hi-Fi

Drawing from extensive experience in cable design and countless listening tests over the years, Vention ensures high-quality offerings for its customers.




Graphene PVC Insulation

Graphene PVC is a lower-loss dielectric material and provides more detailed and transparent sound.





Graphene



Note: The internal structure is a rendering.
Please refer to the actual product.

Quality Construction

12AWG 4N silver-plated oxygen-free copper conductors and insulation to minimize signal interference and maintain signal integrity.



Long Lasting Durability

Closed Screw Type

Secure connection



24K Gold-Plated Plugs

Corrosion resistant



Soft-Touch & Durable

These wires have been wrapped in modified TPE and braided fabric, giving them a soft-touch to protect your speakers' finish, yet retaining the flexibility of ordinary speaker wire.



Reliable



Flexible



Durable

14mm

Thickened OD

Universal Compatibility

Source



Amplifier



Sound Receiver



Output



Center
Speaker



Floor-standing
Speaker




Bookshelf
Speaker



Specifications

Brand	Vention
Name	Speaker Wire (Hi-Fi) with Dual Banana Plugs
Model	BLB
Color	Blue
Type	Closed screw
Interface	Banana plug
Electroplating process	Gold-Plated
Conductor	4N silver-plated oxygen-free copper
Shell	Brass + Resin
Insulation	Graphene PVC
Jacket	TPE (modified) + Cotton braided
Length	1 m - 10 m
Warranty	1 year
Packaging	Gift box



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.

Packaging Display



Note: Packing difference exists for different meters or batches.
The photo is for reference only.



Speaker Wire (Hi-Fi) with Dual Banana Plugs

Technical Features	
Color	Blue
Interface	Banana Plug
Connector Process	Gold-Plated
Transmission Direction	Banana Plug - Banana Plug
Conductor	4N silver-plated oxygen-free copper
Jacket	TPE + Cotton braided
Casing	Copper + Resin

Length	Art.No.	EAN Code
1m	BLBLF	6922794781733
1.5m	BLBLG	6922794781740
2m	BLBLH	6922794781757
3m	BLBLI	6922794781764
5m	BLBLJ	6922794781771
10m	BLBLL	6922794781788



Package Contents
Speaker Wire (Hi-Fi) with Dual Banana Plugs x 1

Packaging Information	
Packing Dimension	16.55*16.55cm(1-1.5m)/ 21.05*21.05cm(2-5m)/ 29.05*29.05cm(10m)
Packing Weight	0.57kg(1m)/ 0.7kg(1.5m)/ 0.96kg(2m)/1.23kg(3m)/1.75kg(5m)/3.3kg(10m)
Carton Dimension	68*35.7*19.5cm(1-1.5m)/ 43.6*40*23.9(2-5m)/ 47.5*31*31.8cm(10m)
Carton Qty	24pcs(1-1.5m)/ 10pcs(2-5m)/ 47.5*31*31.8(10m)
Carton Weight	14.7kg(1m)/ 17.8kg(1.5m)/ 10.6kg(2m)/13.3kg(3m)/18.5kg(5m)/17.5kg(10m)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)