




USB 3.0 Extension Cable



Wide Application

Compatible with most of USB devices













U Disk

Mouse

Keyboard

Hard drive

Cellphone

Game handle















Desktop


Laptop

TV

Projector


USB in Car

Car DVR



Extend Charger Cable

Play with your phone while charging



Note: To guarantee charging speed, please choose USB extension cable within 1M






Nickel-plated Interface

Wear-resistant, anti-oxidation, durable in Swapping





Multiple Lengths

Meet your various kinds of needs

0.5-1m

Extend the desktop to U disk



1.5-2m

Extend the printer



3_m

Extend the use of game handle



Product Parameters

Brand: Vention

Name: USB 3.0 Extension Cable

Model: CBHB

Color: Black

Interface: USB 3.0 A Male/USB 3.0 A Female

Interface Technics: Nickel-plated

Transmission Speed: 5Gbps

Conductor: Tinned-copper

Shell: PVC

Shielding: Aluminum Foil + Metal Braided + GND

Jacket: PVC

AWG: 22+28AWG

OD: 5.4mm

Length: 0.5/1/1.5/2/3m

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance

Length	Art.No.	EAN Code
0.5m	CBHBD	6922794748859
1m	CBHBF	6922794748866
1.5m	CBHBG	6922794748873
2m	СВНВН	6922794748880
3m	СВНВІ	6922794748897



Package Contents

USB Cable x 1

Packaging Informatio	n
Packing Dimension	mm
Packing Weight	kg
Carton Dimension	48*29*30mm
Carton Qty	200pcs(1.5m) 150pcs (2m) 120pcs(1.5m) 100pcs(2m) 80pcs(3m)
Carton Weight	7.8kg (0.5m)
Package	PE bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

ICDBL CBCBG VAS-A16-B200 ICABG AATBJ HACBI VAS-A16-B500 ICABH ICEHL COPBG IBJBV IBJBW CDMH0 IBJBH
BBEBJ VAA-B05-B1000 ICABN BDFB0 AAKBK CBIBG ICDBN IKCBK BBFBK BCJBG ICABQ IKCBH COOBH ICEHQ BBFBN
BCLBL HBLBH HBLBI HAFBG HAFBH HAGBG HAGBH HAGBI HAGBJ HBLBJ AABIK AABIL ABIBH 42154 ACEB0 ICBBL
IKGBJ IKGBK IKIBJ AANBI AANBJ