

USB 3.0 Extension Cable

Providing extra length and
connectivity options



Transfer a
1GB File in
3 Seconds

Double
Shielding

Durable
& Reliable

Universal
Compatibility

SuperSpeed Data Connection

USB 3.0 data port provides file transfer at speeds up to 5Gbps, which is ten times faster than USB 2.0.



USB 3.0

5Gbps



USB 2.0

480Mbps



10X faster than
USB 2.0

Note: All data are from Vention Lab.
Actual results may differ from the data due
to the change in objective circumstances.

Versatile & Convenient Tool

Plug and Play

- 01** Extends a USB connection from a computer
Connect a peripheral to your PC from an extra meter away.




- 02** Extends a USB connection from a TV
Extend the reach of your USB port.



Stay Connected

It will decrease wear and tear, extending the life of your cables and gear as well as easing the hassle of using your devices.



Stable Signal Transmission

Tinned copper conductors and double shielding design effectively protect against EMI interference and ensure more stable signal transmission.



Solid Construction



Extended Soft Strain Relief

Anti-Bending & Withstand Wear and Tear



Aluminum Alloy Shell

Anti-Fingerprint & Corrosion Resistance



Cotton Braided Jacket

Durable & Tensile



Universal Compatibility

It is fully compliant with the USB 3.0 specification and backward compatible with the USB 2.0 standard devices.



Desktop



Laptop



TV



Car USB
Outlet



Dash Cam

...



USB Flash
Drive



Mouse



Keyboard



USB Game
Consoles



Portable
HDD



Card Reader



USB Hub



Phone

...



Single Cable Solution

Extend the security camera cable

Stable video surveillance



Extend the printer cable

Quick and easy access



Extend the charging cable

Convenient connection



Note: Choose a USB extension cable shorter than 1 meter for charging extension.

Specifications

Brand	Vention
Name	USB 3.0 Type A Male to Type A Female Extension Cable
Model	CBL
Color	Gray
Interface	USB 3.0 Type A Male/ USB 3.0 Type A Female
Electroplating Process	Nickel-Plated
Data Transfer Rates	5Gbps
Conductor	Tinned Copper
Shell	Aluminum Alloy
Shielding	Aluminum Foil + Metal Braid
Jacket	PVC + Cotton Braided
OD	5.4mm
Length	1 / 2 / 3 m
Warranty	1 Year
Packing	PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.

Packaging Display



Note: Packing difference exists for different meters or batches.
The photo is for reference only.

5Gbps

Transfer & easy to plug
USB 3.0 Extension Cable



5Gbps
High-speed
Transfer



Plug & Play



Universal
Compatibility



Premium
Shield



Flexible &
Durable



Stable
Trasmission



USB 3.0 Extension Cable

Technical Features

Color	Gray
Interface	USB Male/USB Female
Connector Process	Nickel-Plated
Transmission Direction	USB 3.0 Type A Male to Female
USB version	USB 3.0
Conductor	Tinned copper
Jacket	PVC + Cotton braided
Casing	Aluminum alloy
Data transfer rates	5Gbps

Length	Art.No.	EAN Code
1m	CBLHF	6922794775367
2m	CBLHH	6922794775374
3m	CBLHI	6922794775381



Package Contents

USB 3.0 Extension Cable x 1

Packaging Information

Packing Dimension	22*15cm
Packing Weight	0.054kg(1m)/0.091kg(2m)/0.128kg(3m)
Carton Dimension	48*29*30cm
Carton Qty	150pcs(1m)/120pcs(2m)/80pcs(3m)
Carton Weight	9.1kg(1m)/11.92kg(2m)/11.24kg(3m)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)