





#### **USB 3.0 HUB**













Can be used with USB devices such as keyboard, mouse and U disk







Connect to charger to charge 2 Smart phones



## Application OTG Extension

Expand your phone/tablet for more potential








Note: Smartphone need to support OTG and connect the OTG adapter to use

# Wide Range of Applications



## **High Performance**





#### Bulti-in chip

Ensure high speed transmission


Note: The internal structure is a rendering please refer to the actual product



#### Shielding protection

Tinned copper conductor Ground wire, Aluminum foil

Note: The internal structure is a rendering please refer to the actual product







#### **ABS** shell

Tangle free and long service life



## Environmental PVC Jacket

High-hardness and durable



### **Product Parameters**

20		
Brand	Vention	
Name	4-Port USB3.0 Hub With Power Supply	
Model	CHL	
Color	Black	
Interface	USB3.0 Male, USB3.0 Female, Mirco-USB	
	Female	
Interface Technics	Nickel-plated	
Transmission Speed	5Gbps	
Conductor	Tinned Copper	
Shell	ABS	
Shielding	Aluminum Foil	
Jacket	PVC	
AWG	22AWG	
Chip	720210-ds	
OD	4.5mm	
Length	0.15/0.5/1m	
Power Supply	5V-2A	
Warranty	1 Year	
Packing	PE Bag	



Note:All data are from Vention Lab. Sizes above are manually measured.There might be slight tolerance.



Note: Packing difference exists for different meters or batches. The photo is for reference only.

Length	Art.No.	EAN Code
0.15m	CHLBB	6922794746626
0.5m	CHLBD	6922794746633
1m	CHLBF	6922794746640



#### **Package Contents**

USB 3.0 HUB

#### **Packaging Information**

Packing Dimension cm Packing Weight kg

Carton Dimension 48\*29\*30cm

Carton Qty 250pcs(0.15m),160pcs(0.5m), 150pcs(1m)

Carton Weight 11.3kgs Package PE Bag

www.ventioncable.com

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

ICDBL AINBO CODHI ICDBF IKCBH BACBH AACBL COPBG HACBI IBJBV ICABH AAIBD IBJBW CDMHO CHLBD ICDBN BBFBK BCJBG AACBJ DAIBF AAKBK CODHG VAA-B05-B1000 IBJBS ICABN BDFB0 ICBBL IKIBJ AANBJ CBIBG ICBBJ VAA-B02-L1000 VAA-M02-B1500 IBJBX ICABQ IKCBK CODHC COOBH HBLBJ AABIL ACEBO IKGBK AANBI CHLBF DAEBN IBHYL IBHYN ICEHJ ICEHQ BBFBN