



USB 2.0 A Male to Micro-B Male Cable

Reversible design

Micro USB Cable

Fast data transmission
and charging



2A Fast charge

Speedy data
transmission

Protect phone
battery

Applicable for
micro-USB devices

Reversible Micro-USB Interface

No difference
in positive and negative side



New reversible interface

Applicable for both sides




Old one-side interface

More inclined
to cause interface damage

Tough Material for Good Durability

TPE+nylon braided jacket
for wear resistance



Anti-stretch



Wear resistance

2A High Current

Aluminum alloy shell guarantee good heat dissipation during charging



Note: All data are from Vention Lab

Charging and Data Transmission in Sync


Standard Micro USB 2.0 interface



Note: All data are from Vention Lab

Safe Charging Environment

Built-in safety resistor can intelligently adapt different model and safeguard your battery



Reinforced Tail

Extra long tail for joint projection



10000+

bending test

Note: All data are from Vention Lab

Nickel-plated Interface

Standard interface, perfectly match with phone

3000+ times

USB interface
swapping test

10000+ times

Micro USB interface
swapping test



Note: All data are from Vention Lab

Enhanced Inner Material

Multiple shielding

Note: the internal structure is a rendering, please in kind prevail



Universal Compatibility

Designed for devices with Micro-USB interface applicable for mainstream models such as Huawei, Xiaomi, vivo, Samsung, OPPO



Product Parameters

Brand: Vention
Name: USB 2.0 A Male to Micro-B Male Cable Gray Aluminum Alloy Type(Reversible Design)
Model: COC
Color: Gray
Interface: USB 2.0-A Male/USB 2.0 Micro-B Male(Reversible)
Interface Technics: Nickel-plated
Transmission Speed: 480Mbps
Conductor: Tinned-copper
Shell: Aluminum Alloy
Shielding: Aluminum Foil
Jacket: TPE+Nylon Braided
AWG: 0.25--2M:22+30AWG: 3M:20+28AWG
OD: 3.4mm
Length: 0.25/0.5/1/1.5/2/3m
Power Supply: 2A
Warranty: 1 Year
Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
0.25m	COCHC	6922794752405
0.5m	COCHD	6922794752412
1m	COCHF	6922794752429
1.5m	COCHG	6922794752436
2m	COCHH	6922794752443
3m	COCHI	6922794752450



Package Contents

USB 2.0 A Male to Micro-B Male Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm
Carton Qty	400pcs(0.25m), 320pcs(0.5m),300pcs(1m), 240pcs(1.5m), 200pcs(2m), 140pcs(3m)
Carton Weight	6.5kgs(0.25m), 7.5kgs(0.5m), 9.5kgs(1m,1.5m,2m),11kgs(3m)
Package	PE bag

www.ventiontech.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)