



USB-C Right Angle to USB Cable

USB-C Right Angle to USB Cable

Born for playing game



90° Elbow
design


3A fast
charge

USB-C
device
universal

Safe
charge

90° Elbow Design

Fast charging is not block hands, more convent to play games and watch videos



Elbow cable not blocking



Normal cable block your hand

3A Fast Charge

Support Huawei FCP/Qualcomm QC
and other fast charge technologies

80 minutes

Full of Huawei nova5i Pro

60 minutes

Full of Xiaomi9



Aluminum alloy shell
Oxidation-resistant



Nickel-plated
interface
Wear-resistant

Note: All data are from Vention Lab

Stable Charge

Multiple protections inside



Safe Charge

Built-in safety resistor, protect your devices



Note: The chip/PCB is a rendering, the internal structure is not fully displayed, please refer to the actual product

Suitable for USB-C Interface Devices

	Cell Phone	Tablet
Huawei	Nova7, Nova7 SE, Nova7 Pro Nova6, Nova6 Pro, Nova5	HUAWEI MediaPad M5
	Mate30, Mate30 Pro, Mate30 RS Mate20, Mate20 Pro, Mate20 X Mate20 RS	XIAOMI MI PAD 4
	P40, P40 Pro, P40 Pro+, P30 P30 Pro, P20, P20 Pro	
Honor	30, 30S, V30, V30 Pro, V20 Magic2, Note 10, 10, V10	
Microsoft	Microsoft 950XL, Microsoft 950	
Xiaomi	10 Pro, 10, 9Pro, 9, 9se, 8, 8 Lite 8se, Redmi Note7, Redmi K20 Pro Redmi K30, Redmi K30 Pro	
LG	G5, V300L	
Samsung	S10, S10+, S10e, A9s, A9 Stat A6s, A8s, S9, S9+, Note8, Note9 Note10, Note10+	
Meizu	17th, 16th, 16th Plus, X8, 16X	
vivo	Z5, iQOO, X27, NEX	
OPPO	R17 Pro	
Smartisan	Nut Pro 2S, Nut R1	
BlackShark	BlackShark 2	
Note: More USB-C models will be continuously updated...		

Long Service Life

TPE + nylon braided jacket
flexible and more durable



Long tail design
Anti-fracture

Durable in Swapping

One-piece interface, fit with devices

3000+ times

USB connector
swapping test

10000+ times

USB-C connector
swapping test



Note: All data are from Vention Lab

Fast Charge Data Transmission

480Mbps transmission speed



Note: All data are from Vention Lab

Product Parameters

Brand: Vention

Name: USB-C Right Angle to USB Cable

Model: COEH

Color: Gray

Interface: USB 2.0-A Male/USB 2.0-C Male Elbow

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned-copper

Shell: Aluminum Alloy

Shielding: Aluminum Foil

Jacket: TPE+Nylon Braided

AWG: 0.25-1m: 24+28AWG; 1.5-2m: 22+28AWG; 3m: 20+27AWG

OD: 3.5mm

Length: 0.25/0.5/1/1.5/2/3m

Power Supply: 3A

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
0.25m	COEHC	6922794747418
0.5m	COEHD	6922794747425
1m	COEHF	6922794747432
1.5m	COEHG	6922794747449
2m	COEHH	6922794747456



Package Contents

USB-C Right Angle to USB Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm
Carton Qty	500pcs(0.25m),360pcs(0.5m),300pcs(1m),260pcs(1.5m),220pcs(2m)
Carton Weight	7.9kgs(0.25m,0.5m),8.8kgs(1m),10kgs(1.5m,2m)
Package	PE Bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)