



USB-C Male Right Angle to USB 2.0-A Male 5A Cable

USB-C Right Angle Cable(5A)

Designed for mobile gamer



90°right angle



5A high current



Huawei/Xiaomi fast charge




Over-heat prevention

90° Right Angle Design

Fast charging without blocking hands





Right angle cable prevents blocking



Normal cable blocks your hand

Fast Charge for Xiaomi/Huawei

5A (Max) high current, support Huawei SCP/Qualcomm QC and other fast charge technologies

30 minutes
 64%

Huawei P40

30 minutes
 74%

Huawei P30 Pro



Note: All data are from Vention Lab


Safe Charge

Built-in safety resistor, protect your devices



Premium Internal Structure

28/20AWG bold tinned-copper conductor+aluminum foil+GND, etc.




Note: the internal structure is a rendering, please in kind prevail

Suitable for USB-C Interface Devices

	Cellphone	Tablet
Huawei	Nova7, Nova7 SE, Nova7 Pro Nova6, Nova6 Pro, Nova5	Huawei MediaPad M5
	Mate30, Mate30 Pro, Mate30 RS Mate20, Mate20 Pro, Mate20 X Mate20 RS	Xiaomi MI PAD 4
	P40, P40 Pro, P40 Pro+, P30 P30 Pro, P20, P20 Pro	
Honor	30, 30S, V30, V30 Pro, V20 Magic2, Note 10, 10, V10	
Microsoft	Microsoft 950XL, Microsoft 950	
Xiaomi	10 Pro, 10, 9Pro, 9, 9se, 8, 8 Lite 8se, Redmi Note7, Redmi K20 Pro Redmi K30, Redmi K30 Pro	
LG	G5, V300L	
Samsung	S10, S10+, S10e, A9s, A9 Stat A6s, A8s, S9, S9+, Note8, Note9 Note10, Note10+	
Meizu	17th, 16th, 16th Plus, X8, 16X	
vivo	Z5, iQOO, X27, NEX	
OPPO	R17 Pro	
Smartisan	Nut Pro 2S, Nut R1	
BlackShark	BlackShark 2	
Note: More USB-C models will be continuously updated...		

Long Service Life

TPE + nylon braided jacket, flexible and more durable



Long tail design
Anti-fracture

Durable in Swapping

One-piece interface, fit with devices

3000+times

USB connector
swapping test

10000+times

USB-C connector
swapping test



Note: All data are from Vention Lab

Fast Data Transmission

USB2.0 interface, 480Mbps transmission speed

480Mbps

1G/30 sec.

Note: All data are from Vention Lab

Multiple Lengths

Meet different needs

0.25-0.5m

Short distance
usage



1-1.5m

Daily charging



2m

Movie watching
and charging



Product Parameters

Brand:Vention	Shell Material:Aluminum Alloy
Name:USB 2.0 A Male to C Male Right Angle Cable 5A	Shielding:Aluminum Foil+GND
Model:COGH	Jacket:TPE+Nylon Braided
Color:Gray	AWG:20+28AWG
Interface:USB 2.0-A Male/USB 2.0-C Male Right Angle	OD:4.1mm
Interface Technics:Nickel-plated	Length:0.25/0.5/1/1.5/2m
Transmission rate:480Mbps	Power Supply:5A
Conductor:Tinned-copper	Warranty:1 Year
	Packing:PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance.



Note: Packing difference exists for different meters or batches
The photo is for reference only

Length	Art.No.	EAN Code
0.25m	COGHC	6922794752467
0.5m	COGHD	6922794752474
1m	COGHF	6922794752481
1.5m	COGHG	6922794752498
2m	COGHH	6922794752504



Package Contents

USB-C Male Right Angle to USB 2.0-A Male 5A Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm
Carton Qty	360pcs(0.25m),300pcs(0.5m),200pcs(1m), 180pcs(1.5m), 200pcs(2m)
Carton Weight	8kgs(0.25m),9kgs(0.5m),8.5kgs(1m), 10.5kgs(1.5m), 14kgs(2m)
Package	PE bag

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)