




USB A Male to A Male Cable





Wide Application














Product Parameters

Shielding: Aluminum Foil +
Metal Braided + GND
Jacket: PVC
AWG : 24+28AWG
OD : 4.5mm
Length: 0.25/0.5/1/1.5/2/3m
Power Supply: 2A
Warranty: 1 Year
Packing: PE Bag



Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches. The photo is for reference only

Length	Art.No.	EAN Code
0.25m	COJBC	6922794748422
0.5m	COJBD	6922794748439
1m	COJBF	6922794748446
1.5m	COJBG	6922794748453
2m	СОЈВН	6922794748460
3m	COJBI	6922794748477



Package Contents

USB A Male to A Male Cable

Packaging Information

Packing Dimension cm Packing Weight kg

Carton Dimension 48*29*30cm

Carton Qty 500pcs(0.25m),250pcs(0.5m), 200pcs(1m,1.5m), 150pcs(2m),100pcs(3m)

Carton Weight 13.2kgs Package PE Bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

ICDBL AINBO CODHI ICDBF IKCBH BACBH AACBL COPBG HACBI IBJBV ICABH AAIBD IBJBW CDMHO CHLBD ICDBN BBFBK BCJBG AACBJ DAIBF AAKBK CODHG VAA-B05-B1000 IBJBS ICABN BDFBO ICBBL IKIBJ AANBJ CBIBG ICBBJ VAA-B02-L1000 VAA-M02-B1500 IBJBX ICABQ IKCBK CODHC COOBH HBLBJ AABIL ACEBO IKGBK AANBI CHLBF DAEBN IBHYL IBHYN ICEHJ ICEHQ BBFBN