



USB Cable

USB-C Charge & Data Cable

Fast charge for devices with USB-C interface



3A high current



Suitable for USB-C interface devices



Fast charge for Xiaomi/Huawei



Fast data transmission

Fast Charge for Samsung/Huawei

Support Huawei, Samsung and other fast charge technologies

59min

Full of Samsung S20



103min


Full of Huawei P30



Note: All data are from Vention Lab

Excellent Anti-interference

28/22AWG tinned copper conductor with multiple shieldings for enhanced anti-interference ability



Note: the internal structure is a rendering, please refer to the actual product

Premium Current Control

With built-in 56k Ω safety resistor, intelligently filter danger current which could damage the battery



Note: the internal structure is a rendering, please refer to the actual product.
All data are from Vention Lab

Applicable Devices

	Cellphone	Tablet
Huawei	Nova7, Nova7 SE, Nova7 Pro Nova6, Nova6 Pro, Nova5	Huawei MediaPad M5
	Mate30, Mate30 Pro, Mate30 RS Mate20, Mate20 Pro, Mate20 X Mate20 RS	Xiaomi MI PAD 4
	P40, P40 Pro, P40 Pro+, P30 P30 Pro, P20, P20 Pro	
Honor	30, 30S, V30, V30 Pro, V20 Magic2, Note 10, 10, V10	
Microsoft	Microsoft 950XL, Microsoft 950	
Xiaomi	10 Pro, 10, 9Pro, 9, 9se, 8, 8 Lite 8se, Redmi Note7, Redmi K20 Pro Redmi K30, Redmi K30 Pro	
LG	G5, V300L	
Samsung	S10, S10+, S10e, A9s, A9 Stat A6s, A8s, S9, S9+, Note8, Note9 Note10, Note10+	
Meizu	17th, 16th, 16th Plus, X8, 16X	
vivo	Z5, iQOO, X27, NEX	
OPPO	R17 Pro	
Smartisan	Nut Pro 2S, Nut R1	
BlackShark	BlackShark 2	
Note: More USB-C models will be continuously updated...		

Long Tail Design

Reinforced long tail design for better flexibility and anti-breakage



10mm
Extra long tail

Note: All data are from Vention Lab

Tough Cable Material

Thickened PVC jacket, wear resistance
for extra service time




Wear-
resistant



Anti-
stretch



Water-
proof



Note: All data are from Vention Lab

Durable in Swapping

One-piece interface, fit with phone case



3000+ times

USB connector swapping test

10000+ times

USB-C connector swapping test

Note: All data are from Vention Lab



Fast Charge & Data Transmission

USB2.0 interface, 480Mbps transmission speed

Note: All data are from Vention Lab

Application Scene



1-1.5m

Daily charging needs




2m

Long distance use

Product Parameters

Brand: Vention	Shielding: Aluminum Foil +
Name: USB 2.0 A Male to C Male Cable	Ground Wire
Model: COKL	Jacket: PVC
Color: Deep Blue	AWG: 22+28AWG
Interface: USB 2.0 A Male / USB 2.0 C Male	OD: 4.0mm
Interface Technics: Nickel-plated	Length: 1/1.5/2m
Transmission Speed: 480Mbps	Rated Current: 3A
Conductor: Tinned-copper	Warranty: 1 Year
Shell: PVC	Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
1m	COKLF	6922794756076
1.5m	COKLG	6922794756083
2m	COKLH	6922794756090



Package Contents

USB Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (1-2m)	
Carton Qty	200pcs(1-2m)	www.ventioncable.com
Carton Weight	8.9kg(1m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)