








USB Cable

USB-C Charge & Data Cable

Fast charge for devices with USB-C interface

-  **3A high current**
-  **Suitable for USB-C interface devices**
-  **Fast data transmission**
-  **Fast charge for Xiaomi/Huawei**

A large, coiled light blue Vention USB-C Charge & Data Cable is shown against a dark blue background. The cable has a USB-A connector on one end and a USB-C connector on the other. The Vention logo is visible on both connectors.

Fast Charge for Samsung/Huawei

Support Huawei, Samsung and other fast charge technologies


59min

Full of Samsung S20



103min


Full of Huawei P30



Note: All data are from Vention Lab, should be used with related fast charger

Excellent Anti-interference Ability

28/22AWG tinned copper conductor with multiple shieldings for enhanced anti-interference ability



Note: the internal structure is a rendering, please refer to the actual product

Premium Current Control

With built-in $56k\Omega$ safety resistor, intelligently filter danger current which could damage the battery



Standard $56k\Omega$ safety resistor

Note: the internal structure is a rendering,
please refer to the actual product.

All data are from Vention Lab

Applicable Devices

(USB-C interface)

Huawei	Nova7 Nova7 SE Nova7 Pro Nova6 Nova6 Pro Nova5	
	Mate30 Mate30 Pro Mate30 RS Mate20 Mate20 Pro Mate20 X Mate20 RS	Huawei MediaPad M5
	P40 P40 Pro P40 Pro+ P30 P30 Pro P20 P20Pro	
Honor	30 30S V30 V30 Pro V20 Magic2 Note10 10 V10	
Xiaomi	10Pro 10 9Pro 9 9se 8 8se 8Lite Redmi Note7 Redmi K20Pro Redmi K30 Redmi K30Pro	Xiaomi MediaPad 4
OPPO	R17 Pro	
vivo	Z5 IQOO X27 NEX	
Meizu	17th 16th 16th Plus X8 16X	
Smartisan	Nut ProR1 Nut Pro Pro 2S	
BlackShark	BlackShark2	
Microsoft	Microsoft 950XL Microsoft 950	
Samsung	S10 S10+ S10e A9s A9 Stat A6s A8s S9 S9+ Note8 Note9 Note10 Note10+	
LG	G5 V300L	

Note: More USB-C models will be continuously updated...

Long Tail Design

Reinforced long tail design for better flexibility and anti-breakage




10mm
Extra long tail

Note: all data are from Vention Lab

Tough Cable Material

Thickened PVC jacket, wear resistance for extra service time



Wear-resistant



Anti-stretch



Water-proof

Durable in Swapping

One-piece interface, fit with phone case

3000+ times
USB connector
swapping test

10000+ times
USB-C connector
swapping test



Note: All data are from Vention Lab

Fast Charge Data Transmission


USB2.0 interface,
480Mbps transmission speed



Note: All data are from Vention Lab

Application Scene

Meet different needs



1-1.5m

Daily charging needs



2m

Long distance use

Product Parameters

Brand: Vention	Shell: PVC
Name: USB 2.0 A Male to C Male Cable	Jacket: PVC
Model: COKS	AWG: 22+28AWG
Color: Light Blue	OD: 4.0mm
Interface: USB 2.0 A Male / USB 2.0 C Male	
Interface Technics: Nickel-plated	Length: 1/1.5/2m
Transmission Speed: 480Mbps	Rated Current: 3A
Conductor: Tinned-copper	Warranty: 1 Year
Shielding: Aluminum Foil + Ground Wire	Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
1m	COKSF	6922794756106
1.5m	COKSG	6922794756113
2m	COKSH	6922794756120



Package Contents

USB Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (1-2m)	
Carton Qty	200pcs(1-2m)	www.ventioncable.com
Carton Weight	8.9kg(1m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)