




USB Cable

Old interface, new speed

USB 2.0 A Male to Micro-B Cable



2A high current



Design for Micro-B interface



Support fast charging



Fast charge & fast transfer

Fast Charge for Xiaomi/Huawei/Samsung

Support Huawei FCP/Qualcomm QC and other fast charge technologies

About **120** minutes
Full of Honor 8X
3750 mAh
battery capacity



About **120** minutes
Full of Xiaomi Play
3000 mAh
battery capacity



Note: All data are from Vention Lab

Support Models

(Micro-USB interface)

HUAWEI	Nova3i, Nova lite, Manmao 6, Mate8,Holly 9, 9 Plus, Max, 8, 8Plus, 8e Lite, 8e
Honor	8X, 9i, 9 Lite, 8 Lite, V9Pay, 7i,Play 8C, 7X, 7C, 7, 7A, 6X, 6A, 6, 5X, 5A, 5, 5C
Xiaomi	Play,4,Redmi 6, 6Pro, 6A, Note5, Note5A, 5, 5A, 5Plus,Note4, Note4X
OPPO	A5,A7x,A7,R15x,K1,A3,A1
Vivo	Z3,Z1,Y97,Y93,Y85,Y83,Y75,Y71,X20,X21, Y69
Meizu	V8, Note8,NoBlue Note6, 6, S6, Note5, 5, 6T, A5, 5S, Note3 Max, U20, US10, E2
Nubia	V18, N3, M2, Z18S, M2 Lite
Motorola	XT615, XT681, XT907, LG, G4, G930, P705

Note: this list will be continuously updated

Fast Charge and Transfer in Sync

Standard Micro USB 2.0 interface, data transfer and charging simultaneously



Nickel-plated Interface

Smooth in swapping and tight connection, durable in use



3000+ times
USB interface swapping test

10000+ times
Micro USB interface swapping test

Note: All data are from Vention Lab

Anti-breakage Ability

Reinforced long tail design for better flexibility and anti-breakage



Note: all data are from Vention Lab

Tough Cable Material

Thickened PVC jacket, wear resistance for extra service time



Wear-resistant



Anti-stretch



Water-proof



Excellent Anti-interference

28/22AWG tinned copper conductor with multiple shieldings for enhanced anti-interference ability

Tinned copper

Ground wire

Aluminum foil

PVC



Note: the internal structure is a rendering,
please refer to the actual product

Safe Charging Environment

Low current mode when battery reaches a certain volume for safer charging environment



Application Scene

Meet different needs



1-1.5m

Daily charging needs



2m

Long distance use

Product Parameters

Brand: Vention

Name: Micro USB Cable

Model: COLL

Color: Deep Blue

Interface: USB 2.0 A Male/USB 2.0 Micro-B Male

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned-copper

Shell: PVC

Shielding: Aluminum Foil + Ground Wire

Jacket: PVC

AWG: 22+28AWG


OD: 4.0mm

Length: 1/1.5/2m

Rated Current: 2A

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
1m	COLLF	6922794756137
1.5m	COLLG	6922794756144
2m	COLLH	6922794756151



Package Contents

USB Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (1-2m)	
Carton Qty	200pcs(1-1.5m), 150pcs(2m)	www.ventioncable.com
Carton Weight	8.9kg(1m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)