




USB Cable

Old interface, new speed

USB 2.0 A Male to Micro-B Cable



2A high current



Design for micro-B interface



Support fast charging



Fast charge & fast transfer


Fast Charge for Xiaomi/ Huawei/Samsung

Support Huawei FCP/Qualcomm QC
and other fast charge technologies

About **120** minutes
Full of Honor 8X
3750 mAh battery capacity



About **120** minutes
Full of Xiaomi Play
3000 mAh battery capacity



Note: All data are from Vention Lab

Support Models

(Micro-USB interface)

HUAWEI	Nova3i,Nova lite,Manmao 6,Mate8 Holly 9,9 Plus,Max,8,8Plus,8e Lite,8e
Honor	8X,9i,9 Lite,8 Lite,V9Pay,7i Play 8C,7X,7C,7,7A,6X,6A,6,5X,5A,5,5C
Xiaomi	Play,4 Redmi 6,6Pro,6A,Note5,Note5A 5,5A,5Plus,Note4,Note4X
OPPO	A5,A7X,A7,R15X,K1,A3,A1
vivo	Z3,Z1,Y97,Y93,Y85,Y83,Y75 Y71,X20,X21,Y69
Meizu	V8,Note8,NoBlue Note6,6,S6,Note5,5 6T,A5,5S,Note3 Max,U20,US10,E2
Nubia	V18, N3, M2, Z18S, M2 Lite
Motorola	XT615,XT681,XT907,LG,G4,G930,P705

Note: this list will be continuously updated

Fast Charge and Transfer in Sync

Standard Micro USB 2.0 interface, data transfer and charging simultaneously

480Mbps
Transmission rate



Note: all data are from Vention Lab

Nickel-plated Interface

Smooth in swapping and tight connection

3000+ times
USB interface swapping test

10000+ times
Micro USB interface swapping test



Note: All data are from Vention Lab

Anti-breakage Ability

Reinforced long tail design for better flexibility and anti-breakage



Note: all data are from Vention Lab

Tough Cable Material

Thickened PVC jacket, wear resistance for extra service time




Wear-resistant



Anti-stretch




Water-proof



Excellent Anti-interference


28/22AWG tinned copper conductor with multiple shieldings for enhanced anti-interference ability



Note: the internal structure is a rendering
please refer to the actual product

Safe Charging Environment

Low current mode when battery reaches a certain volume for safer charging environment



Application Scene

Meet different needs



1-1.5m

Daily charging needs



2m

Long distance use

Product Parameters

Brand:Vention	Shell:PVC
Name:Micro USB Cable	Jacket:PVC
Model:COLS	AWG:22+28AWG
Color:Light Blue	OD:4.0mm
Interface:USB 2.0 A Male/USB 2.0 Micro-B Male	
Interface Technics:Nickel-plated	Length:1/1.5/2m
Transmission Speed:480Mbps	Rated Current:2A
Conductor:Tinned-copper	Warranty:1 Year
Shielding:Aluminum Foil + Ground Wire	Packing:PE Bag



Note:All data are from Vention Lab.
Sizes above are manually measured.There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
1m	COLSF	6922794756168
1.5m	COLSG	6922794756175
2m	COLSH	6922794756182



Package Contents

USB Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (1-2m)	
Carton Qty	200pcs(1-1.5m), 150pcs(2m)	www.ventioncable.com
Carton Weight	8.9kg(1m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)