




USB 2.0 Printer Cable

USB 2.0 Printer Cable

Efficient printing
Reject distortion delay



No distortion
no error

Dual magnetic ring
anti-interference

Aluminum foil
metal braided

Smooth swapping
one piece

Stable
strong and durable

Multi-device
universal

Reject Distortion/Error

More efficient printing



订约单

客户名称: 广东明电科技有限公司
联系人: 李俊杰
电话: 13574705411
地址: 深圳市宝安区西乡街道铁岗社区铁岗山一路11号101室

订单日期: 2024-08-12

请核对所订货品, 如有任何疑问, 请第一时间与客服人员联系, 恕不另行通知。

序号	货品名称	规格型号	单位	数量	单价	合计
1	热敏纸	80*120mm 500	包	10000	25.80	
2	热敏纸	80*120mm 500	包	10000		
3	热敏纸	100mm	包	10000		

合计: 热敏纸 30000包

备注: 以上所有货品均为含税不含运费。如有任何疑问, 请第一时间与客服人员联系, 恕不另行通知。

服务热线: 400-818-1234
付款方式: 转账支票



Double magnetic
ring design

No Delay

Long-distance transmission is still stable and smooth

0.5-5m

No magnetic ring


10-15m

Double magnetic ring

Efficient and High-quality Printing

Tinned copper conductor has strong conduction
Double shielding anti-interference

Note: The internal structure is a rendering
please refer to the actual product



Smoother Insertion and Removal

Sleek corner design
integrated interface



3000 times
swapping tests


Note: All data are from Vention Lab

Strong and Durable

Thickened PVC jacket
extended service life


4.5mm

Bold OD



Stable without Breaking

11mm lengthened reinforced tail



Ergonomic design

More convenient to swap

11mm



Bending is not easy to break

Note: All data are from Vention Lab

Wide Compatibility

Please confirm whether the required interfaces are consistent before purchasing

Applicable interface display



**Square connector
USB2.0 printing interface**

Applicable interface



Printers



Fax machines



Scanners



All-in-one machines

Note: When the computer is connected to the printer for the first time the driver needs to be installed before it can be used

Product Parameters

Brand: Vention

Name: USB 2.0 A Male to B Male Printer Cable

Model: COQ

Color: Black

Interface: USB 2.0 A Male/USB 2.0 B Male

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned Copper

Shell: PVC

Shielding: 0.5-5m: Aluminum Foil + Metal Braided + GND

10-15m: Aluminum Foil + Metal Braided + GND + Double Magnetic Ring

Jacket: PVC

AWG: 24+28AWG

OD: 4.5mm

Length: 0.5/1/1.5/2/3/5/10/15m

Rated Current: 2A

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
0.5m	COQBD	6922794748545
1m	COQBF	6922794748552
1.5m	COQBG	6922794748569
2m	COQBH	6922794748576
3m	COQBI	6922794748583
5m	COQBJ	6922794748590
10m	COQBL	6922794748606
15m	COQBN	6922794748613



Package Contents

USB 2.0 Printer Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm
Carton Qty	250pcs(0.5m),200pcs(1m), 175pcs(1.5m),150pcs(2m),100pcs(3m), 80pcs(5m), 45pcs(10m),36pcs(15m)
Carton Weight	12kgs
Package	PE Bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)