



USB 2.0 C Male to Male Cable

PD60W

USB-C to USB-C

Fast charge cable



Support
PD60W

3A High
Current

Huawei FCP
/Qualcomm
QC 4.0

480Mbps

About 1.5 hours

Full of MacBook Air 13"

Support 20V/3A, PD60W fast charge
can quickly charge laptops



Note: All data are from Vention Lab

About 2.5 hours

Full of iPad Pro 11"

Support PD18W
safe and time-saving charging



Note: All data are from Vention Lab



About 2.5 hours

Full of Nintendo Switch

Perfectly playing games

Note: All data are from Vention Lab

3A current

Fully Charge in Less Time

Support Huawei FCP/Qualcomm QC 4.0
and other fast charge technologies

80 minutes
Full of Huawei Nova5i Pro

4000mAh

75 minutes
Full of Mi 10 Pro

4500mAh



Note: All data are from Vention Lab

480Mbps Transmission Speed

Simultaneous charge and transmission



Note: All data are from Vention Lab

Durable in Swapping


One-piece interface, fit with devices

10000+

USB-C interface swapping test

Type-C

Free blind insertion



Note: All data are from Vention Lab

Stable and Fast Charge

30/21AWG tinned-copper conductor
multiple shield protection



Anti-breakage

Premium TPE material



Long Service Time

Reinforced joint design

Withstand repeated bending

Nickel-plated interface

Durable in swapping



Multiple Lengths

Meet different needs

0.5m

Suitable for
short-distance
charging



1-1.5m

Daily charge
in office



2-3m

Long cable
charge freely



Product Parameters

Brand: Vention

Name: USB-C to USB-C 2.0 Cable

Model: COSB

Color: Black

Interface: USB-C Male

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned-copper

Shell: PVC

Shielding: Aluminum Foil+Metal Braided+GND

Jacket: TPE

AWG: 21+30AWG

OD: 3.6mm

Length: 0.5/1/1.5/2/3m

Power Supply: 3A

Power: PD60W (Max) (20V/3A)

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches
The photo is for reference only

| Length | Art.No. | EAN Code |
|--------|---------|---------------|
| 0.5m | COSBD | 6922794749436 |
| 1m | COSBF | 6922794749443 |
| 1.5m | COSBG | 6922794749450 |
| 2m | COSBH | 6922794749467 |
| 3m | COSBI | 6922794749474 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Package Contents

USB 2.0 C Male to Male Cable

Packaging Information

| | |
|-------------------|--|
| Packing Dimension | cm |
| Packing Weight | kg |
| Carton Dimension | 48*29*30cm |
| Carton Qty | 360pcs(0.5m),300pcs(1m),200pcs(1.5m),120pcs(2m),150pcs(3m) |
| Carton Weight | 8.5kgs(0.5m),10.3kgs(1m),9.2kgs(1.5m),6.7kgs(2m),12.3kgs(3m) |
| Package | PE Bag |

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)