



USB 2.0 C Male to Male Cable

PD60W

USB-C to USB-C

Fast charge cable



Support
PD60W

3A High
Current

Huawei FCP
/Qualcomm
QC 4.0

480Mbps

About 1.5 hours

Full of MacBook Air 13"

Support 20V/3A, PD60W fast charge
can quickly charge laptops



Note: All data are from Vention Lab

About 2.5 hours

Full of iPad Pro 11"

Support PD18W
safe and time-saving charging



Note: All data are from Vention Lab

About 2.5 hours

Full of Nintendo Switch

Perfectly playing games



Note: All data are from Vention Lab

3A current

Fully Charge in Less Time

Support Huawei FCP/Qualcomm QC 4.0
and other fast charge technologies

80 minutes

Full of Huawei Nova5i Pro

4000mAh

75 minutes

Full of Mi 10 Pro

4500mAh



Note: All data are from Vention Lab

480Mbps Transmission Speed

Simultaneous charge and transmission



Note: All data are from Vention Lab

Durable in Swapping


One-piece interface, fit with devices

10000+

USB-C interface swapping test

Type-C

Free blind insertion



Note: All data are from Vention Lab



Stable and Fast Charge

30/21AWG tinned-copper conductor
multiple shield protection



Anti-breakage

Premium TPE material



Long Service Time

Reinforced joint design

Withstand repeated bending

Nickel-plated interface

Durable in swapping



Multiple Lengths

Meet different needs

0.5m

Suitable for
short-distance
charging



1-1.5m

Daily charge
in office



2-3m

Long cable
charge freely



Product Parameters

Brand: Vention

Name: USB-C to USB-C 2.0 Cable

Model: COSB

Color: Black

Interface: USB-C Male

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned-copper

Shell: PVC

Shielding: Aluminum Foil+Metal Braided+GND

Jacket: TPE

AWG: 21+30AWG

OD: 3.6mm

Length: 0.5/1/1.5/2/3m

Power Supply: 3A

Power: PD60W (Max) (20V/3A)

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches
The photo is for reference only

Length	Art.No.	EAN Code
0.5m	COSBD	6922794749436
1m	COSBF	6922794749443
1.5m	COSBG	6922794749450
2m	COSBH	6922794749467
3m	COSBI	6922794749474



Package Contents

USB 2.0 C Male to Male Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	48*29*30cm
Carton Qty	360pcs(0.5m),300pcs(1m),200pcs(1.5m),120pcs(2m),150pcs(3m)
Carton Weight	8.5kgs(0.5m),10.3kgs(1m),9.2kgs(1.5m),6.7kgs(2m),12.3kgs(3m)
Package	PE Bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)