



USB Cable

USB-C Laptop Printing Cable

Faster and clearer printing



Stable transmission
No distortion

Smooth plug in/out
One-piece injection

Plug&Play
Driver free

Multiple shieldings
Anti-interference

Applicable for Different Devices

Suitable for USB-C devices connect to USB Type-B interface devices

USB-C interface

USB Type-B interface



MacBook



Huawei MateBook



Xiaomi notebook

...



Printer



Fax machine



Scanner



Multi-function printer

...

No Distortion/Error

Intact and smooth data transmission
no distortion in color printing, no error in monochrome printing



订单号: 123456789
客户名称: 某某公司
地址: 某某路某某号
电话: 某某某某某某

序号	货品名称	规格型号	单位	数量	单价
1	HP LaserJet	123456	台	1	25.00
2	HP LaserJet	789012	台	1	30.00
3	HP LaserJet	345678	台	1	35.00


备注: 请核对货品名称及规格型号
打印日期: 2024-09-17
打印地点: 某某路某某号
打印人: 某某某某

Bulk Printing Available

Connect to wired printer more stable than Wi-Fi printer

480Mbps

Note: All data are from Vention Lab



Plug&Play Connection


Driver free for different devices
avoid all kinds of compatibility and recognition problems



Note: some printers need to install driver when they are first time in use

Multiple Shielding Technologies

Tinned copper conductor along with multiple shielding processes for stable and fast signal transmission



Note: The internal structure is a rendering, please refer to the actual product

Smoother Insertion and Removal

Sleek corner design, integrated interface



Note: All data are from Vention Lab

Tough without Wearing

Environmental TPE jacket
tough cable material for
effective wear-resistance

4.1 mm
Thickened OD

Strong without Breaking

11mm lengthened reinforced tail



Ergonomic design

More convenient to swap

11mm

Bending without breaking

Note: All data are from Vention Lab

Suitable for Various Occasions

Same efficiency on different occasions



Office



Household



Meeting room



Reception

Product Parameters

Brand: Vention

Name: USB 2.0 C Male to B Male 2A Cable

Model: CQU

Color: Black

Interface: USB-C/USB-B

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned Copper

Shell: PVC

Shielding: Aluminum Foil+Metal Braid+GND

Jacket: TPE

AWG: 24+28AWG

OD: 4.1mm

Length: 0.5/1/1.5/2m

Rated Current: 2A

Warranty: 1 Year

Packing: PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance



Note: Packing difference exists for different meters or batches.
The photo is for reference only

Length	Art.No.	EAN Code
0.5m	CQUBD	6922794756397
1m	CQUBF	6922794756403
1.5m	CQUBG	6922794756410
2m	CQUBH	6922794756427



Package Contents

USB Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm (0.5-2m)	
Carton Qty	300pcs(0.5m),200pcs(1m),175pcs(1.5m),100pcs(2m)	www.ventioncable.com
Carton Weight	9.1kg(0.5m)	
Package	PE bag	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)