


**VENTION**<sup>®</sup>  
For your audio visual enjoyment



**VGA Extension Cable**


# VGA Male to Female Extension Cable

Connection beyond Limitation



# 1080P HD

Supporting 1920\*1080 pixels.  
No ghosting or rippling and clear still after extension.



# A Solution to Insufficiency in Original Cable

For the extension of transmission distance between tower and monitor. No more worries about insufficiency in length.



# Free The Limitation in Projection

Also for the extension between laptop and projector by which you work efficiently.





# Dual Modes



**Mirror mode**

Synchronic display of one view on two screens.



**Extension mode**

Individual views displayed on each screen for diversified needs.



1080P HD



Free extension



Enhanced dual ferrite cores

# Stable Connection

Accurate interface size for stable connection and transmission.



# Applicable to Multiple Devices

Applicable to distance extension between VGA devices



# Dual Ferrite Cores for Better Anti-interference

Dual ferrite cores against EMI and RFI,  
eliminating ripples.






---

# Pure. Shielded. That Makes A Better Conductor.

Pure copper conductor and multiple shields for resistance to interference and distortion. Just enjoy the HD view.



# Gold-plated Interface

Resistance to oxidation and rustiness.  
Also durable in swapping.




# Interface Display

VGA male to female extension cable




Female - Standard VGA



Male - Standard VGA

## How to Connect



Note: this product support bi-direction conversion  
Please check your device interface in advance or get support from our service team.

# Product Parameters

<b>Brand:</b> Vention	<b>Shell :</b> PVC
<b>Name:</b> VGA Extention Cable	<b>Shielding:</b> Aluminun Foil + Gournd Wire
<b>Model:</b> DAG	+ Ferrite Core
<b>Color:</b> Black	<b>Jacket:</b> PVC
<b>Interface:</b> VGA Male	<b>AWG:</b> 1-5m: 30AWG
<b>Version:</b> VGA Male (3+6)	10m: 28AWG
<b>Interface Technics:</b> Gold-plated	<b>OD:</b> 7.5mm
<b>Resolution:</b> 1080P	<b>Length:</b> 1-10m
<b>Transmission Direction:</b> Male to Female	<b>Warranty:</b> 1-year
<b>Conductor:</b> Pure Copper	<b>Package:</b> PE Bag/Kraft Box





Length	Art.No.	EAN Code
1m	DAGBF	6922794743915
1.5m	DAGBG	6922794743922
2m	DAGBH	6922794743939
3m	DAGBI	6922794743946
5m	DAGBJ	6922794743953
10m	DAGBL	6922794743960



#### Package Contents

VGA Extension Cable x 1

#### Packaging Information

Packing Dimension	mm
Packing Weight	kg
Carton Dimension	48*29*30mm
Carton Qty	90pcs(1m) 50pcs (1.5m) 50pcs(2m) 50pcs(3m) 35pcs(5m) 12pcs(10m)
Carton Weight	12kg (1m)
Package	PE bag/Kraft box

[www.ventioncable.com](http://www.ventioncable.com)

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Vention manufacturer](#):*

Other Similar products are found below :

[ICDBL](#) [CBCBG](#) [ICABG](#) [AATBJ](#) [HACBI](#) [VAS-A16-B500](#) [ICABH](#) [COPBG](#) [IBJBV](#) [IBJBW](#) [CDMH0](#) [IBJBH](#) [BBEBJ](#) [AINB0](#) [VAA-B05-B1000](#) [ICABN](#) [BDFB0](#) [AAKBK](#) [CBIBG](#) [ICDBN](#) [IKCBK](#) [BBFBK](#) [BCJBG](#) [ICABQ](#) [IKCBH](#) [CHLBD](#) [COOBH](#) [ICEHQ](#) [BBFBN](#) [BCLBL](#) [HBLBH](#) [HBLBI](#) [HAFBG](#) [HAFBH](#) [HAGBG](#) [HAGBH](#) [HAGBI](#) [HAGBJ](#) [HBLBJ](#) [AABIK](#) [AABIL](#) [ABIBH](#) [42154](#) [ACEB0](#) [ICBBL](#) [IKGBJ](#) [IKGBK](#) [IKIBJ](#) [AANBI](#) [AANBJ](#)