




DVI Cable

DVI(24+1) Male to Male HD Cable

2K resolution



| | | | |
|--|--|--|--|
|  2K resolution |  Magnetic ring |  Pure copper conductor |  Multiple shieldings |
|--|--|--|--|

DVI(24+1) Interface

Backward compatible with DVI(24+5) interface



Standard DVI(24+1)



24mm width, 7.7mm height
Adopted in: Monitor, GPU

Standard DVI(24+5)



24mm width, 7.7mm height
Adopted in: TV, GPU

Desktop Tower to Monitor

Stable signal transmission, wide compatibility




Laptop to Projector

Image synchronization
for efficient business demonstration



Laptop to Monitor

Catch more details in larger screen



2K High Definition Resolution


24-pin double channels support digital signal transmission and up to 2560*1600 resolution



Note: this cable supports 2K@60Hz within length of 3m
and 1080P@60Hz for length longer than 5m
all data are from Vention Lab

Enhanced Shielding Technologies

Pure copper conductor with multiple shielding technologies for excellent anti-interference ability



Note: the internal structure is a rendering please in kind prevail

Magnetic Ring for Anti-interference


0.5-3m batches equip with single ring
and double rings for 5-10m batches
effectively restraining EMI/FRI interference

0.5-3m

Single magnetic ring

5-10m

Double magnetic rings





Different Version Different need

Different batches of cables cater to different usages



| Length | AWG | Resolution |
|--------|--------------------|------------|
| 0.5-3m | 31AWG+ single ring | 2K@60Hz |
| 5m | 31AWG+ single ring | 1080P@60Hz |
| 8-10m | 28AWG+ single ring | 1080P@60Hz |


Note: all data are from Vention Lab

Upgraded Details

01

PVC+Cotton braided jacket


Wear resistance and durable



02

Reinforced SR


No breakage and premium for narrow space



03

Gold-plated interface

Durable in swapping



Application Scene

Widely compatible with GPU, monitor
projector with DVI interface

Output
device



PC



GPU



HD player



Display
device



Monitor



Projector



TV

Multiple Modes

Mirror mode

Show same image
on two screen



Extension mode

Show different image
work as well as play



Product Parameters

Brand: Vention

Name: DVI-D(24+1) Male to Male HD Cable

Model: EAE

Color: Black

Interface: DVI(24+1) Male

Interface Technics: Gold-plated

Resolution: 2K@60Hz/1080P@60Hz

Conductor: Pure Copper

Shell: PVC

Shielding: Aluminum Foil+Metal Braided+GND

Jacket: PVC+Cotton Braided

AWG: 31AWG/28AWG

OD: 9.0mm

Length: 0.5-10m

Warranty: 1 Year

Packing: PE Bag Length≤5m; Kraft Box Length≥8m



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance

Packing & Accessories Display



0.5-5m
PE Bag



Above 8m
Kraft Box

Note: Packing difference exists for different meters or batches.
The photo is for reference only

| Length | Art.No. | EAN Code |
|--------|---------|---------------|
| 0.5m | EAEBD | 6922794755161 |
| 1m | EAEBF | 6922794755178 |
| 1.5m | EAEBG | 6922794755185 |
| 2m | EAEBH | 6922794755192 |
| 3m | EAEBI | 6922794755208 |
| 5m | EAEBJ | 6922794755215 |
| 8m | EAEBK | 6922794755222 |
| 10m | EAEBL | 6922794755239 |



Package Contents

DVI Cable x 1

Packaging Information

| | |
|-------------------|---|
| Packing Dimension | cm |
| Packing Weight | kg |
| Carton Dimension | 48*29*30cm (0.25-5m),46*40*40pcs(8m),53*47*25pcs(10m) |
| Carton Qty | 100pcs(0.5m),60pcs(1m),50pcs(1.5m),55pcs(2m),35pcs(3m),30pcs(5m),28pcs(8m),12pcs(10m) |
| Carton Weight | 10.5kg(1m) |
| Package | PE bag(0.5-5m), Kraft box(8-10m) |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[30-528](#) [30-504](#) [33DVIR-24S1B](#) [47648-2000](#) [TC142X](#) [HAGBH](#) [AABII](#) [AAIBG](#) [AAIBH](#) [AANBG](#) [52355](#) [XHLJQ-00026](#) [HDMI-019R](#)
[G46M2013201AWEU](#) [ST-0277D00-052-142](#) [PJ-399M](#) [PJ-615-5A](#) [HDMI-S-125-D](#) [PJ-359](#) [PJ-3850-5A](#) [PJ-3250D-5A](#) [KH-PJ-359](#) [HDMI-](#)
[005-ARSW-L116](#) [58490](#) [DS-45404](#) [HD0039](#) [60616](#) [AAMBJ](#) [61275](#) [61297](#) [KABHD](#) [OEM-40](#) [61293](#) [DS-45316](#) [50355](#) [AK-330115-010-S](#)
[AK-330101-002-S](#) [AHCBI](#) [AK-330127-300-S](#) [CG526-B-3.0](#) [64866](#) [CG525-R-1.8](#) [61296](#) [CG865-3](#) [CG517-3.0](#) [EAEBD](#) [65262](#) [DB-340305-](#)
[018-S](#) [DS-55521](#) [ALGLI](#) [KABHD](#) [OEM-35](#)