



Flat Cat.7 Patch Cable

Flying Speed

10 Gigabit Transmission

Cat 7

VENTION

CAT.7

10 Gigabit Ethernet

Gold-plated Connector

Shielded Flat Cable

Perfect Gaming Experience

10 Gigabit Speed

Play large games you can also maintain stable transmission speed
easy to deal with delayed offline problems



Game
No delay



Download
Faster



Viewing
More fluency



Slim and Comfortable Priority Selection

The flat body is 2.5mm only suitable for hiding in narrow spaces such as carpets door seams and corners
More convenient to integrate with the home environment



Fast Surfing Speed

Data transmission speed up to 10Gbps



Soft Line Body

Environmental PVC material, soft and durable



High Speed Download


10 Gigabit Speed

10Gbps high speed transmission, faster download





Twisted Structure




Eight Core Twisted Pair Structure

Each two cores are twisted together to resist external electromagnetic interference and ensure transmission stability

8P8C


Pure Copper Contacts

8P8C pure copper contacts are connected in a single row to maintain good transmission stability



Aluminum-foil-shielded Wire

Multi-protection provides less signal losses and higher speed transmission



Transmission Bandwidth Contrast




PS: All data are from Vention laboratory

Metal-shielded Crystal Head

Similar to Steel Material

The head of the crystal head is made of material similar to steel and the outer layer is covered with metal gold-plated shield



Metal plated shield

- **Extended specification**
More convenient
- **Material similar to steel**
With high elasticity and wear resistance
- **Metal plated package**
Durable shielded protection

Wide Applicability

Perfect for devices with RJ45 connector such as set-top box
switch hub ADSL router MODEM etc



Desktop



Laptop



Router



Switch



ADSL



MODEM

Applicable Scene



Office wiring



Home renovation



Internet cafe wiring



Hotel apartment

Product Parameters

Brand	Vention
Name	Flat CAT7 Shielded Patch Cable
Model	ICAB
Color	Black
Core Structure	8-core Twisted pair
Connector	Gold-plated / Material Similar to Steel
Connector Type	RJ45 8P8C
Conductor	Pure Copper
Jacket Material	PVC
Transmission Rate	10Gbps
Transmission Bandwidth	600MHz
AWG	30AWG
Shielding	Aluminum Foil
Wire Diameter	2.5mm*8.2mm
Length	0.5m-20m
Warranty	1 Year
Packing	Vention Retail Bag

PS: All data are from Vention laboratory



PS: Sizes above are hand measurement there might be slight tolerance

Length	Art.No.	EAN Code
0.5m	ICABD	6922794729803
1m	ICABF	6922794729810
1.5m	ICABG	6922794729827
2m	ICABH	6922794729834
3m	ICABI	6922794729841
5m	ICABJ	6922794729858
8m	ICABK	6922794729865
10m	ICABL	6922794729872
15m	ICABN	6922794729889
20m	ICABQ	6922794729896



Package Contents

Patch Cablex 1

Packaging Information

Packing Dimension	mm
Packing Weight	kg
Carton Dimension	48*29*30mm
Carton Qty	240pcs(0.5m) 200pcs (1m) 180pcs(1.5m) 160pcs(2m) 150pcs(3m) 100pcs(5m) 100pcs(8m) 80pcs(10m) 50pcs(15m) 50pcs(20m)
Carton Weight	8.04kg (0.5m)
Package	PE bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [VENTION](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#) [C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#) [CA21106004](#) [CA21106010](#) [CA21109007](#)