



SATA Cable

6P4C Telephone Patch Cable

6P4C

Clear and stable audio



Pure copper core
Less attenuation



Support
Telephone/Fax



Gold-plated
Trident chip



Perpetual quality
Wear resistant

Designed for Telephone/Fax

- **Telephone connection**
Clear and stable audio




- **Fax machine connection**
High efficient office work



Clear Audio Transmission


Pure copper conductor with low resistance and signal attenuation for higher audio quality



Note: the internal structure is a rendering,
please refer to the actual product

Smooth Communication


Thickened gold-plated trident chip for tight connection with the telephone cable and excellent contacting



Note: the internal structure is a rendering,
please refer to the actual product


Crystal Clear Interface

PC environmental friendly material with features of clear, wear-resistant and long service time




High Elasticity PC Clip

Clip under the process of mutiple 180° bending
with no breakage



Flexible and Tough Cable Jacket

PVC jacket with multiple merits
for longer using time




**Anti-
stretch**



**Wear
resistance**



**Longer
service time**



Flat Cable Design

More suitable in bending, easy cabling under carpet, doorway or desk corner and other narrow space



Optimal for Various Devices

Suitable for structural cabling for
office and home



Telephone



Telephone
wall plate



Fax
machine



ADLS
optical modem



Telephone
switcher



Telephone
keystone jack



Patch panel



More
devices


Application Scene



Home cabling



Office cabling



Hotel cabling




Meeting audio cabling




Smart building cabling

Warm Tip


This product is designed for standard RJ11 telephone jack interface



Optical interface



RJ11 interface



RJ45 interface

Product Parameters

Brand	Vention
Name	6P4C Telephone Patch Cable
Model	IQB
Color	White
Interface	RJ11(6P4C)
Interface Technics	Trident Gold-plated FU
Conductor	Pure Copper
Shell	PC
Jacket	PVC
AWG	28AWG
OD	4.8*2.4mm
Length	2-30m
Warranty	1 Year
Packing	PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance

Packing Display



Note: Packing difference exists for different meters or batches. The photo is for reference only

Length	Art.No.	EAN Code
2m	IQBWH	6922794763463
3m	IQBWI	6922794763470
5m	IQBWJ	6922794763487
10m	IQBWL	6922794763494
15m	IQBWN	6922794763500
20m	IQBWQ	6922794763517
30m	IQBWT	6922794763524



Package Contents

SATA Cable x 1

Packaging Information

Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30(2-30m)	
Carton Qty	150pcs(2m),100pcs(3-5m), 70pcs(10m),60pcs(15m), 50pcs(20m),33pcs(30m)	www.ventioncable.com
Carton Weight	6.3kg(2m)	
Package	PE Bag(2-30m)	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[73-7795-1](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#)
[MWDM2L-51GS-6J1-2.82B](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC1GRY](#) [NK5EPC4Y](#) [1969343-6](#) [ICD056GVP163D-C0](#)
[C5UMB3FBG](#) [C631208025](#) [C631208035](#) [C6F1106015](#) [2142758-2](#) [2168427-2](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#)
[UTPCH14GY](#) [45-5684](#) [09459711142](#) [100345-1301](#) [MWDM2L-25P-8K1-.500B](#) [MWDM6L-31S-6C4-.375H](#) [73-7793-1](#) [74764-1101](#)
[WHU18-3636-048](#) [RJF2SA2G05100BTX](#) [1R4000A39M030](#) [UTPSP6GY](#) [UTPSP2GY](#) [UTPSP10GY](#) [UTPCH5GY](#) [UTP28SP15M](#)
[UTP28CH100OR](#) [74764-2301](#) [E66A06002M020](#) [NPC-5E-010-GY](#) [SAC-5P-MS/ 1.0-920/FS SCO AR](#) [1-3636-601-5211](#) [1-3636-600-5212](#) [1-3636-461-5208](#)