



USB 2.0 C to Lightning Cable

Made for iPhone/iPad/iPod

USB-C to Lightning Cable

Fast PD Charging Cable



MFi
certified



3A max



for iOS devices



C94 module

MFi Certificated Supplier

Made for

iPhone | iPad | iPod



WHY Choosing MFi Certificated Supplier

iOS

Totally compatible for iOS devices



Supports Apple's official warranty policy




Safeguard your battery while charging



Stable and safe voltage

Apple Officially Certifiable

UPC/EAN codes available on the Apple website



PD Fast Charging Protocol

MFi certified, up to 3A high-current



480Mbps Fast Data Transmission

Simultaneous fast charge and transfer



Note: All data are from Vention Lab

No Warning Pop-up

Synchronized with updated system
fully compatible with iOS



MFi Certified Cable,
Fully compatible with iOS



Non-MFi Certified Cable,
Unstable and incompatible

Reasons for Pop-ups


Not equipped with
Apple chip and
cannot compatible
with iOS, so as to
pop up a warning

Non-MFi Hazard

No Apple chip to filter
dangerous currents
and data which may
damage the phone

Apple's Original C94 Plug

MFi officially certified with guaranteed quality
faster and safer data and current transmission



13mm extra long tail

Withstand repeated bending

Aluminum alloy shell

Good texture

Note: All data are from Vention Lab

High-class Wire Core

Bold tinned-copper cable with multiple shielding inside



Note: The internal structure is a rendering
please refer to the actual product

Universal Compatibility

Fully compatible with iOS system

	Phone	iPad	Others
PD Fast Charging	iPhone 12 mini iPhone 12 iPhone 12 Pro iPhone 12 Pro Max iPhone SE2 iPhone 11 Pro Max iPhone 11 Pro iPhone 11 iPhone Xs iPhone Xs Max iPhone X iPhone XR iPhone 8 iPhone 8 Plus	iPad 8 10.2" iPad Pro 12.9" iPad Pro 10.5" iPad Air3 10.5" iPad mini5 7.9"	
Regular Charging	iPhone 7 iPhone 7 Plus iPhone 6s iPhone 6s Plus iPhone 6 iPhone 6 Plus	iPad Pro 9.7" iPad 9.7" iPad Air 9.7" iPad mini 7.9"	iPod touch

Note: should be used with PD18W/20W charger

Multiple Lengths

Meet different needs



1m

Daily charging
in office



1.5-2m

Long cable
charge freely

Product Parameters

Brand: Vention

Name: USB-C to Lightning Cable

Model: TACH

Color: Gray

Interface: USB-C Male/Lightning Male

Module Model: C94 (Lightning Connector+Chip)

Interface Technics: Nickel-plated

Transmission Speed: 480Mbps

Conductor: Tinned-copper

Shell: Aluminum Alloy

Shielding: Aluminum Foil+Metal Braided

Jacket: TPE+Nylon Braided Jacket

AWG: 1m: 24+30AWG; 1.5-2m: 21+30AWG

OD: 3.5mm

Length: 1/1.5/2m

Power Supply: 3A

Warranty: 1 Year

Packing: Color Box



Note: Packing difference exists for different meters or batches
The photo is for reference only

Length	Art.No.	EAN Code
1m	TACHF	6922794743434
1.5m	TACHG	6922794743441
2m	TACHH	6922794744752



Package Contents

USB 2.0 C to Lightning Cable

Packaging Information

Packing Dimension	cm
Packing Weight	kg
Carton Dimension	42*41*23.5
Carton Qty	76pcs(1m, 1.5m, 2m)
Carton Weight	6kgs
Package	Color Box

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)