

Multi-function 12-in-1 USB-C Docking Station



Massive Expansion



- 1 USB-C PD fast charge 100W PD
- 4 **DP** 4K@30Hz
- 7 USB 3.0*2 5Gbps
- 10 USB 2.0 480Mbps

- 2 VGA 1080P@60Hz
- 5 **HDMI** 4K@30Hz
- 8 USB-C Gen 1 5Gbps
- 3 3.5mm audio port Connect the headphones/speaker
- 6 Gigabit Ethernet port 1000Mbps
- 9 SD/TF card slot 256G

MST Multiple Display Modes

It is equipped with DP, HDMI and VGA ports which support mirror mode and extend mode Your perfect office and home assistant.


Display in different systems

Windows system





Mac OS system





Note: Mac OS does not support MST and the 3 external monitors will display the same content.

4K UHD, Enjoy the Visual Feast

The resolution of DP and HDMI ports are up to 4K@30Hz, VGA port is up to 1080P@60Hz.









Note: DP and HDMI interfaces support audio and video synchronous transmission, while VGA interface does not support the audio transmission.

Resolution of DP+HDMI+VGA Ports

Mac OS & Windows system

	DP	HDMI	VGA
Single Display	4K@30Hz	4K@30Hz	1080P@60Hz
Dual Display	4K@30Hz (Mac OS) 1080P@60Hz (Win)	4K@30Hz (Mac OS) 1080P@60Hz (Win)	
		1080P@60Hz	1080P@60Hz
	1080P@60Hz		1080P@60Hz
Triple Display	1080P@60Hz	1080P@60Hz	1080P@60Hz



With USB-C Gen 1 interface, it supports USB-C hard disk, U disk and card reader

5Gbps

JOHLE

Up to 100W PD Quick Charging

Power delivery (PD 3.0) up to 100W upstream charging the laptop







SD/TF card slot can only read/write one of the two cards at a time.



Compatible memory card:
Micro SD/Micro SDHC/Micro SDXC/SDHC/SDXC
Note: All data are from Vention Lab.

Gigabit Ethernet Port

Provides stable and fast connection to a wired network






Download Lightning fast



Watch a film Smooth



Play games No latency





Each function is carried by an independent chip, and the multi-function keeps stable and fluent when used at the same time.

Note: The chip/circuit board is rendered and the internal structure is not fully displayed Please refer to the actual product.

Plug & Play Drive Free

Compatible with Win 11/10/8/7/Vista/XP, Mac OS Linux, iOS, Android OS and other operating systems.





Compatible Devices

Support USB-C PC, laptop, phone with USB 3.1 Gen2 protocol and above



Laptop



MacBook



Lenovo



MateBook



HP



ASUS



Xiaomi



Dell



Other devices...



Tablet



iPad



MatePad



Surface



Other devices...



Mobile Phone



Huawei Mate40 Mate 40 Pro/20 X



Huawei P40 P40 Pro



Samsung S20/S10+ Note20



BlackShark 2/3 4/5/5 RS/5 Pro



Smartisan R1 Pro 2S



Other devices...



Part of Supported Models

Laptop

Apple	MacBook 12", MacBook Air 2018/2019/2020/2021 M1/M2, MacBook Pro 2016/2017/2018/2019/2020 2021/M1/M1 Pro/M1 Max/M2
Huawei	MateBook X/X Pro 19/20/21/22, MateBook E/E 2019 MateBook 13/13s/14/14s
Honor	MagicBook Pro 2019/2020, MagicBook 16/16 Pro
Xiaomi	Air12.5/13.3", Pro15.6", RedmiBookPro15 RedmiBook Pro 14, RedmiG, Xiaomi Pro14/15
HP	Pavilion x2, Spectre 13, EliteBook Folio G1, EliteBook 1050 G1, Envy 13, Omen 4/5/6/7, ProBook, EliteBook
ASUS	ZenBook 3/3 Pro, ZenBook X, U4100UN/U5100UQ ROG series, ProArt 16, TUF series
Dell	XPS13/15/17, G3/G5/G7/G15, Inspiron 5000/7000 Inspiron16 Plus, Alienware series
Lenovo	YOGA 6 Pro, ThinkPad X1 Carbon, Y7000/Y7000P Y9000K
Google	PixelBook
Razer	Blade/Blade Stealth
12123	
Microsoft	Surface Book 2, Surface GO



Lenovo

Y90

Samsung	Note8/9/20/20U, S8/S8+/S9/S9+/S10/S10+/S20/S20+ S21/S21U/FOLD3/FLIP3/S22/S22 Ultra
Huawei	Mate10/10 Pro/20/20 Pro/20 X/20 RS/30/30 Pro Mate 30E Pro/Mate 30 RS/40/Mate 40E/40 Pro/40 Pro+ Mate 40 RS/Mate X2/Mate Xs, P20/P20 Pro/P30/P30 Pro P40/P40 Pro/P50/P50 Pro/P50 Pocket
Smartisan	Nut R1/Pro 2S/R2
BlackShark	BlackShark 2/3/4/4 Pro/4S Pro/5/5 RS/5 Pro
OnePlus	7 Pro/8/8 Pro/9/9 Pro/10Pro
Asus	7 Pro/8/8 Pro/9/9 Pro/10Pro



Apple iPad Pro 2018/2020/2021, iPad Air 4 and Newer Model

Huawei MatePad Pro 12.6" 2021, MatePad Pro 10.8" 2021

MatePad 11 2021

Microsoft Surface Pro 7, Surface Pro X, Surface Go 2

Lenovo Xiaoxin Pad2021/2022, Xiaoxin Pad Pro2021/2022 Yoga Pad Pro, Legion Y700



Nintendo Nintendo Switch

More USB-C models will be continuously updated Note: Not compatible with Xiaomi/Redmi USB-C mobile phones

Delicate Design

Anti-Slip silicone pad

Stable and firmly





Aluminum alloy shell

Better heat emission

8° bevel design

Used as a laptop holder to help it on cooling






Compact

Great for travel

Product Parameters

Brand	Vention
Name	12-in-1 USB-C Docking Station
Model	THSHC
Color	Gray
Interface	DP, HDMI, VGA, USB-C Gen 1
	USB 3.0*2, USB 2.0, RJ45
	SD/TF, TRRS 3.5mm, PD
Interface Technics	Nickel-Plated
Transmission Speed	5Gbps (USB-C Gen 1/USB 3.0)
	480Mbps (USB 2.0)
Resolution	4K@30Hz (HDMI/DP), 1080P@60Hz (VGA
RJ45	1000Mbps
Conductor	Tinned Copper
Shell	Aluminum Alloy
Jacket	TPE
AWG	32AWG
OD	4.5mm±0.2mm
Length	0.25m±0.01m (Net length)
Rated Power	100W
Card Slot Type	2.0 SD 1-LUN
Compatible Memory Card	Micro SD/Micro SDHC/Micro SDXC
	SDHC/SDXC
Read & Write Simultaneously	Not Supported
Warranty	1 Year
Packing	Color Box



Packing Display



Note: Packing difference exists for different meters or batches.

The photo is for reference only





Multi-function 12-in-1 USB-C Docking Station

Technical Features	
Color	Gray
Interface	USB-C/DisplayPort/HDMI/VGA/USB 3.2 Gen 1 Type-C/USB 3.0 x 2/USB 2.0/RJ45/SD/TF/3.5mm TRRS/PD
Connector Process	Nickel-Plated
Material	Aluminum alloy + ABS
Data transfer rates	5Gbps (USB 3.2 Gen 1 Type-C/USB 3.0), 480Mbps (USB 2.0)
Transmission rate	10/100/1000Mbps
Card slot type	SD/TF 1-LUN (Read/Write only one card at a time)
Card slot speed	USB 2.0
Compatible audio standard	OMTP&CTIA

Length	Art.No.	EAN Code
0.25m	THSHC	6922794768819



Package Contents

Multi-function 12-in-1 USB-C Docking Station x 1

Packaging Information	
Packing Dimension	33.2*10*2.4cm
Packing Weight	0.335kg
Carton Dimension	50*37*34cm
Carton Qty	50pcs
Carton Weight	17.75kg

www.vention.cn

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

42154 42161 42437 42444 42468 74346 AABIF AABIG AABIH AABII AABIJ AABIK AABIL AACBE AACBF AACBG AACBH AACBI AACBL AACBL AAGBD AAGBF AAGBG AAGBH AAGBI AAGBJ AAGBL AAGBN AAHBF AAHBH AAHBI AAHBJ AAIBD AAIBF AAIBG AAIBH AAIBI AAKBF AAKBG AAKBH AAKBI AAKBJ AAKBK AAKBL AAMBF AAMBG AAMBH AAMBI AAMBJ AAMBJ AAMBK AANBF