




#### **USB External Sound Card**








### **Support OMTP Earphone**


Incompatible earphones may cause abnormal sound



# Connecting An Earphone with Microphone

2 in 1 interface Easily chatting while playing games and network video







Restore pure sound



Anti-POP circuit



Improve signal-to-noise ratio



Supports 2.1 channels



# Aluminum Alloy Shell Is More Sturdy

For better heat dissipation and shield



## **Applicable Devices**

USB male device







Computer

Game console

3.5mm female device



Earphone



Headphone



Speakers

## **Multiple Uses**



Solve computer audio device damage

Earphone and microphone sync





Chat while playing games

### Compatible System


Install the driver automatically plug and play











### **Product Parameters**

Brand	Vention	
Name	USB External Sound Card	
Model	VAB-S15	
Color	Black	
Interface	USB-A Male, 3.5mm Female	
Interface Technics	Nickel-plated	
Shell	Aluminum Alloy	
Chip	HS-1008	
Support Channel	2.1	
Warranty	1 Year	
Packing	Color Box	



Note:All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance.



Note: Packing difference exists for different meters or batches. The photo is for reference only.

Length	Art.No.	EAN Code
-	VAB-S15-B	6922794729926



#### **Package Contents**

USB External Sound Card

#### **Packaging Information**

Packing Dimension cm Packing Weight kg

Carton Dimension 48\*37\*37cm

Carton Qty 520pcs
Carton Weight 16.9kgs
Package Color box

www.ventioncable.com

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

42154 42161 74346 AABIE AABIG AABIH AABII AABII AABII AABIL AACBE AACBE AACBE AACBG AACBH AACBI AACBJ AACBK AACBL AAGBD AAGBF AAGBG AAGBH AAGBI AAGBL AAGBN AAHBF AAHBH AAHBI AAHBJ AAIBD AAIBF AANBG AANBH AANBI AAKBI AAKBI AAKBI AAKBI AAKBI AAKBI AAKBL AAKBL AAMBF AAMBG AAMBH AAMBI AAMBJ AANBF AANBG AANBH AANBI