



USB2.0 A Male to B Male Printer Cable





1-5m Length Optional






USB2.0 High Speed Printing

Theoretical speed up to 480Mbps


USB B Square Interface


Connect sound card/external drive



Anti-interference Protection

Aluminum Foil+Metal Braided Signal transmission is more stable





Different Style

No ferrite core Black/White 1m-3m



Double ferrite cores Black/White 5m









Plug And Play

Apply to multiple types of equipment













Drive Sound Card Fax machine

Printer

Scanner

Product Parameters

Brand: Vention Conductor Material: BC

Name: USB2.0 Print Cable Cable Shielding: Aluminum foil+metal braided


Model: VAS-A16 Jacket: PVC

Appearance Color: Black/White AWG: 24+28AWG Interface Type: USB A male; USB B male Cable OD: 4.5mm

Version: USB 2.0 Cable Length: 1m-5m

Theoretical Speed: 480Mbps Product Warranty: One year

Interface Process: Nickel plated Package: PE bag



Length	Art.No.	EAN Code
1m	VAS-A16-B100	6922794717572
1.5m	VAS-A16-B150	6922794732612
2m	VAS-A16-B200	6922794717589
3m	VAS-A16-B300	6922794717596
5m	VAS-A16-B500	6922794717602
8m	VAS-A16-B800	6922794717619
10m	VAS-A16-B1000	6922794732605



Package Contents

USB Cable x 1

Packaging Information	
Packing Dimension	mm
Packing Weight	kg
Carton Dimension	48*29*30mm
Carton Qty	200pcs(1m) 200pcs(1.5m) 150pcs(2m) 100pcs(3m) 70pcs(5m) 50pcs(8m) 46pcs(10m)
Carton Weight	10kg
Package	PE bag

www.ventioncable.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

ICDBL CBCBG VAS-A16-B200 ICABG AATBJ HACBI VAS-A16-B500 ICABH ICEHL COPBG IBJBV IBJBW CDMH0 IBJBH

BBEBJ AINBO VAA-B05-B1000 ICABN BDFBO AAKBK CBIBG ICDBN IKCBK BBFBK BCJBG ICABQ IKCBH CHLBD COOBH

ICEHQ BBFBN BCLBL HBLBH HBLBI HAFBG HAFBH HAGBG HAGBH HAGBI HAGBJ HBLBJ AABIK AABIL ABIBH 42154

ACEBO ICBBL IKGBJ IKGBK IKIBJ