

## Starter Kits


# VIA ENT-610M

All-in-one touch panel starter kit for In-vehicle infotainment and digital signage applications

## Features

- 1.0GHz VIA Cortex-A9 dual-core SoC
- Wide input voltage range supporting 9~36V DC-in
- Lockable connectors
- Optional Wi-Fi support
- Optional 10.1" projective capacitive touch screen support


## Board Placement




## Specifications

	ENT-610M
<b>Processor</b>	1.0GHz VIA Cortex-A9 dual-core SoC
<b>System Memory</b>	512MB DDR3 SDRAM
<b>Storage</b>	4GB eMMC Flash memory
<b>Boot Loader</b>	4MB SPI Flash ROM
<b>Graphics</b>	Mali-400 dual processor GPU 2 integrated, independent 3D/2D graphics processing units Graphics engine supporting OpenGL® ES 2.0 hardware acceleration Supports MPEG-2, VC-1 and H.264 video decoding up to 1080p
<b>LAN</b>	ASIX AX88772CLF USB to 10/100Mbps Ethernet controller
<b>Audio</b>	VIA VT1603 SPI Audio Codec
<b>Touch Screen</b>	ZEITEC ZET6223WTA Projective capacitive touch screen controller
<b>Onboard I/O</b>	1 USB connector for optional USB Wi-Fi module 1 Single-Channel 18/24-bit LVDS panel connector 2 GPIO connectors for system buttons 1 PCAP touch screen connector 1 10/100Mbps Ethernet connector 1 Audio connector (supports Line-out) 1 DC-in connector
<b>External I/O</b>	1 USB 2.0 port 1 Micro SD card slot
<b>Operating System</b>	Android 4.2
<b>Power Supply</b>	9~36V DC-in
<b>Operating Temperature</b>	0°C ~ 45°C
<b>Operating Humidity</b>	0% ~ 90% (relative humidity; non-condensing)
<b>Form Factor</b>	17.5cm x 12.0cm (6.87" x 4.72")

## External Panel I/O



## Accessories



## Ordering Information

Part Number	CPU Frequency	Description
10GCX12630020	VIA Cortex-A9 SoC @ 1.0GHz	ENT-610M board with 1.0GHz VIA Cortex-A9 SoC, 4GB eMMC, 512KB SPI Flash ROM, 512MB DDR3 SDRAM, LVDS, Touch screen connector, USB 2.0, 10/100Mbps Ethernet, Micro SD card slot, 9 ~ 36V DC-in


## Optional Accessories

LVDS LCD Panel	
Part Number	Description
99-47-02033A	10.1" LVDS LCD panel (1024x600) with LVDS cable
99-47-030072	10.1" Projective capacitive touch screen with touch screen cable

## Wireless Modules

Part Number	Description
EMIO-1533-00A2	VNT9271 IEEE 802.11 b/g/n USB Wi-Fi module with assembly kit

## Block Diagram



## Packing List

Items
ENT-610M board
DC power cable
Ethernet/DC Power/Audio converter board
Ethernet/DC power cable
Audio cable

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Display Modules](#) category:*

*Click to view products by [VIA manufacturer](#):*

Other Similar products are found below :

[P6153-PR](#) [TDP0700T800480PCAP](#) [P6171DPR-DC-RS](#) [P6171DPR-DC-U](#) [MIKROMEDIA 4 FOR STM32F4 CAPACITIVE FPI](#)  
[MIKROMEDIA 3 FOR STM32F4 CAPACITIVE FPI](#) [TN0216ANVNANN-GN00](#) [TN0104ANVAANN-GN00](#) [TN0181ANVNANN-GN00](#)  
[MIKROMEDIA 5 FOR TIVA CAPACITIVE](#) [MIKROMEDIA 4 FOR TIVA CAPACITIVE](#) [MIKROMEDIA 4 FOR PIC32MZ CAPACITIVE](#)  
[RVT43ULFNWC03 V4](#) [SM-RVT101HVBFWCA0](#) [SM-RVT101HVBNWCA0](#) [SM-RVT35HHBFWCA0](#) [SM-RVT35HHBNWCA0](#) [SM-](#)  
[RVT43HLBFWCA0](#) [SM-RVT43HLBNWCA0](#) [SM-RVT50HQBNWCA0](#) [SM-RVT70HSBFWCA0](#) [SM-RVT70HSBNWCA0](#) [PIM579](#)  
[1215686](#) [PIM543](#) [DFR0678](#) [P6191PR-DC-U-V3](#) [16381](#) [17916](#) [18205](#) [21229](#) [18625](#) [12885](#) [19885](#) [11769](#) [MIKROMEDIA FOR DSPIC33](#)  
[MIKROMEDIA FOR PIC24](#) [MIKROMEDIA FOR PIC32](#) [MIKROMEDIA FOR STELLARIS M3](#) [MIKROMEDIA HMI 3.5 RES](#)  
[MIKROMEDIA HMI 5](#) [MIKROMEDIA PLUS FOR FT90X](#) [MIKROMEDIA PLUS FOR PIC32MX7 SHIELD](#) [MIKROMEDIA PROTO](#)  
[SHIELD](#) [14628](#) [MIKROMEDIA 5 FOR TIVA](#) [MIKROMEDIA 5 FOR TIVA SHIELD](#) [MIKROMEDIA 7 FOR STM32F4](#) [MIKROMEDIA](#)  
[CONNECT SHIELD](#) [MIKROMEDIA FOR ARM](#)