


Wireless Accessories

VIA

VNT9271/EMIO-1533

IEEE 802.11b/g/n USB Wi-Fi
Module/Dongle




Features

- Supports standard 802.11N 1T1R
- Controller chip: Atheros AR9271
- Wireless speed up to 150Mbps
- Compatible with 11b/g and 11N devices
- Supports 802.11e Wi-Fi Multimedia (WMM)
- Supports wireless roaming
- Supports 64/128/152 bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK and 802.1X security mode
- Support for Android, Linux, and Windows® 8.1/8/7

Specifications

Model Name	EMIO-1533 USB Wi-Fi Module	
Wireless	Standard	IEEE 802.11b/g/n
	Frequency Band	2400 ~ 2483.5MHz ISM band
	Data Transfer Rates	11N: 135/121.5/108/81/54/40.5/27/13.5Mbps 130/117/104/78/52/39/26/13Mbps 65/58.5/52/39/26/19.5/13/6.5Mbps
		11g: 54/48/36/24/18/12/9/6 Mbps (dynamic)
		11b: 11/5.5/3/2/1 Mbps (dynamic)
	Channel	11 channels for United State (FCC) 13 channels for Europe (ETSI) 13 channels for Japan (TELEC)
	Extend Frequency	DSSS
	Modulation Type	OFDM
	RF Power	11b : 16.5 +/- 1.5dBm
		11g : 13.5 +/- 1.5dBm
11n : 13.5 +/- 1.5dBm		
Receive Sensitivity	11b : -80+/- 1.5dBm	
	11g : -69+/- 1.5dBm	
	11n : -67+/- 1.5dBm	
Wireless Security	64/128/152 bit WEP WPA/WPA2, WPA-PSK/WPA2-PSK	
General	Antenna Connector Type	1 coaxial cable antenna connector
	Operating Voltage	5 VDC +/- 10%
	Power Consumption	Typical full load(upload) - 270~300mA
		Typical full load(download) - 150~210mA
Interface	USB 1.1/2.0 Interface	
Mechanical	Dimensions	17mm(W) x 4.9mm(H) x 35mm(D) (0.67" x 0.19" x 1.38")
Environment	Operating Temperature Condition	0°C to 80°C
	Non-Operating Temperature Condition	-40°C~80°C
	Operating Humidity Condition	10%~90% non-condensing
	Non-Operating Humidity Condition	10%~90% non-condensing
Certification	Compliant	FCC/ CE/ NCC/ MIC





Specifications

Model Name	VNT9271 USB Wi-Fi Dongle	
Wireless	Standard	IEEE 802.11b/g/n
	Frequency Band	2400 ~ 2483.5MHz ISM band
	Data Transfer Rates	11N: 135/121.5/108/81/54/40.5/27/13.5Mbps 130/117/104/78/52/39/26/13Mbps 65/58.5/52/39/26/19.5/13/6.5Mbps 11g: 54/48/36/24/18/12/9/6 Mbps (dynamic) 11b: 11/5.5/3/2/1 Mbps (dynamic)
	Channel	11 channels for United State (FCC) 13 channels for Europe (ETSI) 13 channels for Japan (TELEC)
	Extend Frequency	DSSS
	Modulation Type	OFDM
	RF Power	• 11b : 16.5 +/- 1.5dBm • 11g : 13.5 +/- 1.5dBm • 11n : 13.5 +/- 1.5dBm
	Receive Sensitivity	11b: -85dBm 11g: -68dBm 11n: -68dBm
	Wireless Security	64/128/152 bit WEP WPA/WPA2, WPA-PSK/WPA2-PSK
	General	Antenna Connector Type
Operating Voltage		5 VDC +/- 10%
Interface		USB 1.1/2.0 Interface
Mechanical	Dimensions	16.2mm(W) x 6.1mm(H) x 34.98mm(D) (0.64" x .024" x 1.38")
Environment	Operating Temperature Condition	0°C to 50°C
	Non-Operating Temperature Condition	-40°C~70°C
	Operating Humidity Condition	10%~90% non-condensing
	Non-Operating Humidity Condition	10%~90% non-condensing
Certification	Compliant	FCC/ CE/ NCC

Ordering Information

Part Number	Description
EMIO-1533-00A2	VNT9271 IEEE 802.11b/g/n USB Wi-Fi module with assembly kit
00GO27100BU2B0D0	VNT9271 IEEE 802.1 b/g/n USB Wi-Fi dongle

Packing List

Items

EMIO-1533 module
2 Screw pack with washers and nuts
Dipole antenna and antenna cable
USB transmittal cable

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [WiFi Modules - 802.11 category](#):

Click to view products by [VIA manufacturer](#):

Other Similar products are found below :

[KBPC10/15/2506WP](#) [WIFI-RT5392-SB-R10](#) [SX-PCEAN2C-SP](#) [849WM520100E](#) [WIFI-AT2350](#) [7265.NGWG.SW](#) [HDG204-DN-3](#) [FXX-3061-MIX](#) [EMIO-1533-00A2](#) [7265.NGWWB.W](#) [PPC-WL-KIT02-R11](#) [RC-CC2640-B](#) [HLK-7688A](#) [WH-NB73-BA](#) [NF-02-PA](#) [LSD4BT-E92ASTD001](#) [EAR00364](#) [3168.NGWG](#) [MY-WF003U](#) [AX210.NGWG.NV](#) [ESP-15F32Mbit](#) [ESP32-S32Mb](#) [TG-01M](#) [ESP-13](#) [ESP-01F-2M](#) [ESP-01E-2M](#) [ESP-20](#) [ESP32-SL](#) [ESP-12K-PSRAM](#) [ESP-12K-PSRAM-IPEX](#) [ESP-12H](#) [BW18](#) [BW12-16Mb](#) [BW14](#) [BW15](#) [BW16](#) [TG-12F](#) [SIM7600CE-L1S](#) [CB3S\(tjrl\)](#) [CB3S\(hvk9\)](#) [CB3S\(qh6\)](#) [WB2S\(csyd\)](#) [WB3S\(ppty\)](#) [WB3S\(h238\)](#) [WB3S\(uvmz\)](#) [1005869](#) [1012](#) [QCA4004X-BL3B](#) [32-2006-BU](#) [WT51822-S4AT](#)