

#### PTCC-01 series

**PTCC-01** is a series of programmable, precision low-noise thermoelectric cooler controllers. They are designed to operate with VIGO IR detection modules: LabM-I-6, LabM-I-10.6 and devices containing TE cooled detectors and preamplifiers: PIP, MIP, FIP, SIP-TO8.



### **Available options**

# PTCC-01-ADV (advanced)

- TEC controller and preamplifier power supply encapsulated in a small size package.
- Configurable by built-in function keys or PC software available on VIGO website.
- Status LCD indicator.

## PTCC-01-BAS (basic)

- TEC controller and preamplifier power supply encapsulated in a small size package.
- Configurable by PC software available on VIGO website.
- Status LED indicator.

# PTCC-01-OEM (oem)

- TEC controller and preamplifier power supply without package.
- Configurable by PC software available on VIGO website.
- Status LED indicator and status/data connector.


#### Specification ( $T_a = 20$ °C)

Parameter	Typical value	Conditions, remarks
Temperature stability, K	±0.01	
Temperature readout stability, mK	max 1.0	
Detector temperature settling time, s	25 45 60	2TE 3TE 4TE
Maximum TEC output current, A	1.20 0.45 0.40	2TE 3TE 4TE
Output voltage range, V	min 3.0 max 14.5	
Power supply voltage $V_{\text{sup}}$ , $V_{\text{DC}}$	min 9.0 max 16.0	
Power supply current I <sub>sup</sub> , mA	500	$I_{TEC} = 0.45 \text{ A}, U_{TEC} = 7.5 \text{ V}$
Series resistance of the connecting cable, $\boldsymbol{\Omega}$	1	total resistance of the wires supplying TEC element
Ambient operating temperature, °C	5 to 45	
Storage temperature, °C	-20 to 70	
IR module socket	DB9 (female) DUBOX2×5 (male)	D-sub 9 pin (PTCC-01-ADV, PTCC-01-BAS) PTCC-01-OEM
Power supply socket	DC 2.1/5.5 KK2	PTCC-01-ADV, PTCC-01-BAS PTCC-01-OEM
Weight, g	51±5 155±5 190±5	PTCC-01-OEM PTCC-01-BAS PTCC-01-ADV




#### Mechanical layout, mm

#### PTCC-01-ADV



#### IR module socket D-sub 9 pin (male)

microUSB to PC



3.8


Function	Symbol	Pin number
TEC supply output (+)	TEC+	1
TEC supply output (–)	TEC-	2
Ground	GND	3
Thermistor input (1)	TH1	4
Thermistor input (2)	TH2	5
Power supply output (–)	$-V_{sup}$	6
FAN and programmable preamp internal logic auxiliary supply	+5V	7
Bidirectional data port	DATA	8
Power supply output (+)	$+V_{sup}$	9
Shield	GND-SH	metal cover

55




#### Mechanical layout, mm


#### PTCC-01-OEM



#### Power supply socket KK2 (male)



#### IR module socket DUBOX2×5 (male)



Function	Symbol	Pin number
TEC supply output (+)	TEC+	1
TEC supply output (–)	TEC-	2
Ground	GND	3
Thermistor input (1)	TH1	4
Thermistor input (2)	TH2	5
Power supply output (–)	$-V_{sup}$	6
FAN and programmable preamp internal logic auxiliary supply	+5V	7
Bidirectional data port	DATA	8
Power supply output (+)	$+V_{sup}$	9
Shield	GND-SH	10

#### Status/DATA socket Pin-header 1×7



Function	Symbol	Pin number
Error indicator	ERR – LED	1
Temperature control loop lock indicator	LOCK - LED	2
Module power supply on indicator	SUP - LED	3
Auxiliary supply	3.3 V	4
Transmitted data (RS-232)	TXD	5
Common (signal) ground (RS-232)	GND	6
Received data (RS-232)	RXD	7

### Included accessories for PTCC-01-ADV and PTCC-01-BAS

- USB: TypeA-MicroB cable + AC adaptor
- Smart Manager software

#### **Included accessories for PTCC-01-OEM**

- USB: TypeA-MicroB, KK2-POWER cables
- Smart Manager software

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Photoelectric Sensors category:

Click to view products by Vigo System manufacturer:

Other Similar products are found below:

7442AD2X5FRX EX-19B-LP EX-19SB-PN 7443AR0X5FRX 7452AD4D4NNX 7694ADE04DS2X FE7C-FRC6S-M FX-305 PM-R24-R
Q45VR2FPQ 13104RQD07 E3JUXM4MN E3L2DC4 E3S3LE21 E3SCT11M1J03M E3SDS20E21 E3VDS70C43S E3XNM16 BR23P
HOA6563-001 OJ-3307-30N8 OS-311A-30 P32013 P34036 P43004 P60001 PB10CNT15PO S14132 935286-000 S52101 S56258 FDSN500 FE7B-FDRB6-M SU-79 T36342 T40300 T60001 PD60CNX20BP FX-302-HY FZS PM-T64W PZ2-51P CX-491-P-J CYNUTX10
UZB802 UZB803 UZFRG1 UZFRG4 UZFRT4 UZFTT8