

Dual tariff power meter with LCD display, 2 separate tariffs, inbuilt battery, Schuko



Marka: **Virone** | Symbol: **EM-1(GS)** | Ean: **5908254816499**



PRODUCT DESCRIPTION

This power meter allows to check the electricity consumption and to calculate the energy costs of the connected device (2 separate tariffs). The large LCD display also shows the current time, voltage and current, power factor, frequency, maximum current load and overload warning. The device allows you to enter 4 types of currency. Internal battery: 2 × 1.5V LR44 maintains the device settings in the event of a power failure.

TECHNICAL DATA

General information:

Max. load:	3680 W
Nominal voltage:	230V~, 50Hz
Current:	16 A
Type of socket:	2P+E
Standard of the socket:	schuko (type F)
Built-in battery:	No
Degree of protection (IP):	20
Installation:	Network socket
Dimensions - width:	75 mm
Dimensions - height:	147 mm
Dimensions - depth:	75 mm
Other features:	2 separate tariffs





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialist Controllers](#) category:

Click to view products by [Virone](#) manufacturer:

Other Similar products are found below :

[CV500SLK21](#) [81550401](#) [H2CRSAC110B](#) [R88ARR080100S](#) [E53E01](#) [E53E8C](#) [E5GNQ03PFLKACDC24](#) [B300LKL21](#) [NSCXDC1V3](#)
[NT20SST122BV1](#) [C40PEDRA](#) [K31S5](#) [K31S6](#) [K3TX-AD31A](#) [L595020](#) [26546803](#) [26546805](#) [H7HP-C8D](#) [PWRA440A](#) [CPM1AETL03CH](#)
[3G2A5BI081](#) [3G2A5IA122](#) [3G2A5OD211](#) [3G2A5RM001EV1](#) [3G2A5RT002EV1](#) [3G2A6-ID217](#) [3G2A6LK202EV1](#) [3G2A9AL004E](#)
[C200HETL01E](#) [C200PCPD024](#) [3G2A5AD001](#) [3G2A5BI051](#) [3G2A5IA121](#) [3G2A5ID112](#) [3G2A5ID213](#) [3G2A5ID219](#) [3G2A5MR431](#)
[3G2A5OC221](#) [3G2A5PS222E](#) [3G2A6IM213](#) [3G2A6-OD412](#) [3G2A9AL001](#) [3G2C7LK202EV1](#) [3G5A2OC221E](#) [LDP2TA2B115](#)
[3G3DV130B4294](#) [E53E04](#) [E53Q4Q4](#) [E54E8CT](#) [C200HWCOM06EV1](#)