







Set of wireless sockets with a remote control unit, 2+1, IP44, Schuko

Marka: Virone | Symbol: RS-2(GS) | Ean: 5908254824173





PRODUCT DESCRIPTION

A set of sockets for wireless control of the electrical devices both inside and outside, incl. outdoor lighting, advertisements, sprinklers, ponds, electric roller shutters, etc. Switching on and off is done with the use of a remote-control unit (transmitter) or directly on the receiver. The devices have a learning system function (automatic configuration of additional receivers and remote control units).







TECHNICAL DATA

General information:

Nominal voltage:	230V~, 50Hz
Hominal voltage.	2307 , 30112
Max. load:	1000 W
Power supply of the transmitter:	1 x CR2032 V V
Number of sockets:	2
Type of socket:	2P+E
Standard of the socket:	schuko (type F)
USB charger:	No
Safety shutters:	No
Degree of protection (IP):	44
Dimensions - width:	43 mm
Dimensions - height:	144 mm
Dimensions - depth:	12 mm
Colour:	black
Possibility of extension:	No
Range in the open area:	25 m





























X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Specialist Controllers category:

Click to view products by Virone manufacturer:

Other Similar products are found below:

CV500SLK21 81550401 H2CRSAC110B R88ARR080100S E53E01 E53E8C E5GNQ03PFLKACDC24 B300LKL21 NSCXDC1V3
NT20SST122BV1 C40PEDRA K31S5 K31S6 K3TX-AD31A L595020 26546803 26546805 H7HP-C8D PWRA440A CPM1AETL03CH
3G2A5BI081 3G2A5IA122 3G2A5OD211 3G2A5RM001EV1 3G2A5RT002EV1 3G2A6-ID217 3G2A6LK202EV1 3G2A9AL004E
C200HETL01E C200PCPD024 3G2A5AD001 3G2A5BI051 3G2A5IA121 3G2A5ID112 3G2A5ID213 3G2A5ID219 3G2A5MR431
3G2A5OC221 3G2A5PS222E 3G2A6IM213 3G2A6-OD412 3G2A9AL001 3G2C7LK202EV1 3G5A2OC221E LDP2TA2B115
3G3DV130B4294 E53E04 E53Q4Q4 E54E8CT C200HWCOM06EV1