

# StorFly® 300

MO-300 mSATA 6G SSD

30GB – 240GB (CE) 8GB – 256GB (PE)



Industrial Embedded Technology for an Interconnected World

StorFly 300 – Ideal for applications that require a form factor with a volume that is roughly 10% that of a 2.5-inch SSD



Designed, programmed, built and supported in the U.S. - fortified by locations worldwide.

#### Overview

Virtium's StorFly® 300 SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly 300 mSATA products meet MIL-STD-810F standards for shock, vibration and altitude.

Virtium backs its world-class storage products with a three or five year warranty and delivers the longest product life cycles in the industry.

### **Applications**

StorFly 300 mSATA SSDs can be designed into systems that implement SATA 3Gbps connectivity over a widely-used PCle miniCard socket that has the added benefit of industry-standard clamping mechanism.

They are great for wearable or vehicle computers and other high shock and vibration applications that require a form factor with a volume that is less than 10% that of a 2.5-inch SSD.

#### **Features**

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- SMART attribute reporting
- Global static and dynamic wear leveling
- MTBF 2M hours

#### • Compliance:

- SATA 6G, 3G and SATA 1.5G
- ATA/ATAPI-8 (ACS-2)
- FCC, CE, UL, RoHS, WEEE

	Specifications		
Interface	SATA 6G (SATA III)		
Power (typical)	1.7.W		
UBER	< 1 sector error in 10 <sup>15</sup> bits read		
MTBF	>2M hours		
Environmental	MIL-STD-810F		
Mechanical Dimensions (mm)	50.00 x 29.85 x 3.70		
Class	CE	PE	
Capacity Range <sup>1</sup>	30GB to 240GB	8GB to 256GB	
NAND Flash	MLC	SLC	
Read/write sequential <sup>2</sup> (MB/s)	Up to 530 / 430	Up to 370 / 280	
Read/write IOPS <sup>2</sup>	Up to 69,000 / 15,000	Up to 25,700 / 2,300	
Operating Temperature	Commercial: 0°C to 70°C	Commercial: 0°C to 70°C Industrial: -40°C to 85°C	
Endurance <sup>2</sup> (GB/day for 10 years)	25	709	
Warranty	3 years	5 years	

1: 1GB = 1,000,000,000 bytes

2: max capacity SSD

## **Ordering Information**

VSF302x(C/I)yyyG-zzz	VSF	Virtium StorFly
	302x	Form factor and product class
	(C/I)	Commercial / Industrial operating temp
	yyyG	Capacity (1GB = 1,000,000,000 bytes)
	ZZZ	Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For 18 years we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2014. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium Technology Inc. All other non-Virtium product names are trademarks of their respective companies.



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solid State Drives - SSD category:

Click to view products by Virtium manufacturer:

Other Similar products are found below:

MTFDDAK256MAZ-1AE12ABYY SSDSC2CT120A3K5 MTFDDAC512MAM-1K1 SSDPEKKF010T7X1 ATCA7360-MMOD-SATA2 SQF-S25S2-8G-S9C SQF-SLMM4-128G-S9C 96FD25-S128-TR7 SQF-SMSS4-32G-S8E 96FD25-S512-TR7 SQF-SLMM4-16G-S9E SQF-SDMS4-16G-J6C SQF-S25S4-16G-S9C 96FD80-N128-LIS ASD25-MLC064G-CT-160-1 SQF-SMSU4-32G-S9E SQF-SMSU4-256G-SBE SQF-SMSM4-32G-S9E SQF-SMSM2-8G-S9E SQF-SHMS2-16G-S9C 96ND1T-ST-SG7E SQF-SMSM4-128G-SBE SQF-S25U4-128G-SBC 96FD-M032-TR71 SQF-SHMM1-32G-SBC SSDSC2BX800G401940785 SSDSCKJB150G701 SDUFD33-016G SD7SN6S-128G-1122 AF512UDI-FLU003 SDLF1DM-800G-1HA1 SM619GED-CDZ SPA31L SD9SN8W-128G-1122 SD9SN8W-128G SSDSC2KR120H6XN SDSDQAD-128G SM668GXB-ACS 01118 SDSDAA-016G SDLF1CRM-016T-1HA1 0T00327 MTFDDAA240MBB-2AE1ZABYY SSDSC2BX200G401940779 SQF-S25V4-240G-SCC SQF-SDMM2-256G-S9E SQF-SHMM2-64G-SBE APSDM001G12AN-PT SQF-SM8V4-240G-SCC 96FD25-ST512G-M13 VSFCM8C1960G MTFDDAK060MBD-1AH12ITYY