

StorFly® mSATA

MO-300 SATA 6G SSD CE, XE, and PE Classes



Industrial Embedded Technology for our Interconnected world

Overview

Virtium's StorFly® mSATA SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly mSATA products meet MIL-STD-810F standards for shock, vibration and altitude.

Virtium backs its world-class storage products with a three or five year warranty and delivers the longest product life cycles in the industry.

StorFly mSATA – Ideal for applications that require a form factor with a volume that is roughly 10% that of a 2.5-inch SSD

Applications

StorFly mSATA SSDs can be designed into systems that implement SATA 3Gbps connectivity over a widely-used PCle miniCard socket that has the added benefit of industry-standard clamping mechanism.

They are great for wearable or vehicle computers and other high shock and vibration applications that require a form factor with a volume that is less than 10% that of a 2.5-inch SSD.

Designed, built, and supported in the U.S.—fortified by locations worldwide

Features

- Standard and industrial temperature
- vtGuard[®] Power-Fail Protection
- vtView[®] software accessable
- Global static and dynamic wear leveling
- Self Encrypting Drive (SED) optional

Specifications

Interface SATA 6G (SATA III), 3G and 1.5G

Voltage / Power 3.3v / 1.7W

UBER <1 sector error in 1015 bits read

MTBF > 2M hours

Environmental MIL-STD-810F

Compliance ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE

Dimensions (mm) 50.00 x 29.85 x 3.70

Class	CE	XE	PE
Media	MLC (Good)	iMLC (Better)	SLC (Best)
Capacity	30GB-480GB	30GB-480GB	8GB-256GB
*Endurance	1X Baseline	7X Baseline	30X Baseline
Operating Temperature	0° to 70°C	-40° to 85°C	-40° to 85°C
Warranty	3 Years	5 Years	5 Years

^{*} Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSF302x(C/I)yyyG-zzz

where:

VSF Virtium StorFly

302x Form factor and product class

(C/I) Commercial / Industrial operating temp yyyG Capacity (1GB = 1,000,000,000 bytes)

zzz Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a networ of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly®, TuffDrive®, vtView®, vtGuard® are registered trademarks and vtSecure™ is a trademark of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solid State Drives - SSD category:

Click to view products by Virtium manufacturer:

Other Similar products are found below:

ATCA7360-MMOD-SATA2 ASD25-MLC064G-CT-160-1 SQF-SM4V2-256G-SBC SD7SN6S-128G-1122 MTFDDAA120MBB-2AE1ZABYY SDSDQAD-128G SM668GXB-ACS O1118 SDINADF4-64G-H SQF-S25V4-240G-SCC SQF-SDMM2-256G-S9E SFSA016GQ1BJ8TO-I-DT-226-STD MTFDDAK060MBD-1AH12ITYY VSF202PC016G-100 AF512GSMEL-VABIP SSDPEKKA020T801 MTFDDAK064MBD-1AH12ITYY EP-SSMSF128AACS APS297F064G-4BTM1GWF HBRPEKNX0202A01 SSDPE21D015TAX1 SSDPED1D015TAX1 SSDPEKKF020T8X1 SSDPEKKR256G7XN SSDPEKKW020T8X1 SSDPEKKW512G801 SSDPEKNW020T801 SSDPEKNW020T9X1 SSDPEL1D380GAX1 SM2280S3G2/120G MTFDDAK1T9QDE-2AV1ZABYY MTFDDAK3T8QDE-2AV1ZABYY MTFDDAT128MBD-1AK12ITYY MTFDDAV256TDL-1AW12ABYY MTFDDAK1T0TDL-1AW12ABYY MTFDDAV512TDL-1AW1ZABYY MTFDDAV256TDL-1AW1ZABYY MTFDHAL1TATCW-1AR1ZABYY MTFDHAL12T8TDR-1AT1ZABYY MTFDHAL1T6TCU-1AR1ZABYY MTFDHAL1T6TCU-1AR1ZABYY MTFDHAL3T8TDP-1AT1ZABYY MTFDHAL6T4TCU-1AR1ZABYY MTFDHAL5T8TDR-1AT1ZABYY MTFDHAL5TATCU-1AR1ZABYY MTFDHBA512TCK-1AS15ABYY MTFDHBA512TCK-1AS1AABYY SDAPMUW-128G-1022