

# StorFly® 25

## 2.5" SATA 6G SSD

30GB – 480GB (CE)

8GB – 256GB (PE)



**Industrial Embedded  
Technology for an  
Interconnected World**

**StorFly 25 – Ideal for  
applications that require  
high performance in an  
industry-standard 2.5"  
form factor**



**Designed, programmed, built  
and supported in the U.S. -  
fortified by locations  
worldwide.**

## Overview

Virtium's StorFly® 25 SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly 25 products meet MIL-STD-810F standards for shock, vibration and altitude.

Virtium backs its world-class storage products with a three or five year warranty and delivers the longest product life cycles in the industry.

## Applications

StorFly 25 SSDs are ideal for industrial automation, networking, server, blade and medical applications that require high performance in an industry-standard 2.5" form factor.

They are ideal as rugged alternatives to 2.5" HDDs and are also used in many military and ruggedized portable computers and data recorders.

## Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- SMART attribute reporting
- Global static and dynamic wear leveling
- MTBF 2M hours
- Compliance:

- SATA 6G, 3G and SATA 1.5G
- ATA/ATAPI-8 (ACS-2)
- FCC, CE, UL, RoHS, WEEE

Specifications		
<b>Interface</b>	SATA 6G (SATA III)	
<b>Power (typical)</b>	1.7.W	
<b>UBER</b>	< 1 sector error in 10 <sup>15</sup> bits read	
<b>MTBF</b>	>2M hours	
<b>Environmental</b>	MIL-STD-810F	
<b>Mechanical Dimensions (mm)</b>	100.5 x 69.85 x 7.0	
<b>Class</b>	<b>CE</b>	<b>PE</b>
<b>Capacity Range<sup>1</sup></b>	30GB to 480GB	8GB to 256GB
<b>NAND Flash</b>	MLC	SLC
<b>Read/write sequential<sup>2</sup> (MB/s)</b>	Up to 530 / 430	Up to 370 / 280
<b>Read/write IOPS<sup>2</sup></b>	Up to 69,000 / 15,000	Up to 25,700 / 2,300
<b>Operating Temperature</b>	Commercial: 0°C to 70°C	Commercial: 0°C to 70°C Industrial: -40°C to 85°C
<b>Endurance<sup>2</sup> (GB/day for 10 years)</b>	51	709
<b>Warranty</b>	3 years	5 years

1: 1GB = 1,000,000,000 bytes

2: max capacity SSD

## Ordering Information

<b>VSFB25x(C/I)yyyG-zzz</b>	VSF	Virtium StorFly
	B25x	Form factor and product class
	(C/I)	Commercial / Industrial operating temp
	yyyG	Capacity (1GB = 1,000,000,000 bytes)
	zzz	Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For 18 years we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2014. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium Technology Inc. All other non-Virtium product names are trademarks of their respective companies.



30052 Tomas | Rancho Santa Margarita, CA 92688  
 Phone: 949-888-2444 | Fax: 949-888-2445  
[www.virtium.com](http://www.virtium.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [virtium](#) manufacturer:*

Other Similar products are found below :

[VSF202PI016G-100](#) [VSFB25PI128G-101](#) [VSFCN8CI960G](#) [VSFCN8CI480G](#) [VSFB25CC120G](#) [VSFBM8CC120G](#) [VSF202PC008G-100](#)  
[VSF202PC032G-100](#) [VSF302PC032G-100](#) [VSF202PC016G-100](#) [VSFF25CC480G](#) [VSF202PC064G-100](#) [VSF302CC240G](#) [VTDS41PI008G](#)  
[VSFCS2CC060G](#) [VSFB25CC240G](#) [VSFBM6CC060G](#) [VSFF25CC960G](#) [VTDS41PI004G](#) [VSFBM4CC060G](#) [VTDU41PI008G](#)  
[VTDCFBPI004G](#) [VTDCFBPI008G](#) [VSF202CC060G](#) [VSF302CC060G](#) [VSFCM4CI120G](#) [VSF202PI064G-100](#) [VL470T5263B-E6W](#)  
[VSFBM8CC060G](#) [VSFB25CC060G](#) [VSF302XI240G-150](#) [VSF302PC032G](#) [VSF304CI060G](#) [VSFB25CC120G-100](#) [VSFCM8CI960G](#)  
[VSFB25CC060G-100](#) [VSF302PI016G](#) [VSF302PI064G](#) [VSFCM4CI060G](#) [VSFB25XI016G](#) [VSFB25CC240G-100](#) [VTDU32PI002G-1A0](#)  
[VTDU41PI016G](#) [VSFCM8CI480G](#) [VSF302XI016G-150](#) [VSFB18PI032G-100](#) [VSFB25PC032G-100](#) [VSF302PI032G-100](#)