

StorFly® M.2 SATA 6G SSD & PCIe CE, XE and PE Classes



Industrial Embedded Technology for an Interconnected World

StorFly M.2 SSDs are designed to deliver high performance in a small form factor for many of today's space-constrained system requirements.



Designed, programmed, built and supported in the U.S. - fortified by locations worldwide.

Overview

Virtium's StorFly SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly M.2 products meet MIL-STD-810F standards for shock, vibration and altitude. Virtium backs its world-class storage products with a three or five year warranty and delivers the longest product life cycles in the industry.

Applications

StorFly M.2 SSDs are designed to deliver high performance in a small form factor for many of today's space-constrained system requirements. They are particularly well-suited for a broad variety of embedded infrastructure applications that include networking base stations, industrial automation equipment, and transportation control and data logging systems.

Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessable
- Global static and dynamic wear leveling

Specifications

Interface SATA 6G (SATA III), 3G and 1.5G

Voltage / Power 3.3v / 1.7W

UBER <1 sector error in 10¹⁵ bits read

MTBF > 2M hours

Environmental MIL-STD-810F

Compliance ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE

Dimensions (mm) 42.15 x 22.15 x 3.65 (2242) 80.15 x 22.15 x 3.65 (2280)

	CE	XE	(PE)
	Good	Better	Best
Media	MLC	iMLC	SLC
Capacity	30GB-480GB	30GB-480GB	8GB-256GB
*Endurance	1X Baseline	7X Baseline	30X Baseline
Operating Temperature	0° to 70°C	-40° to 85°C	-40° to 85°C
Warranty	3 Years	5 Years	5 Years

^{*} Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSFBMxxx(C/I)yyyG-zzz

where:

VSF = Virtium StorFly

BMxxx = Form factor and product class

(C/I) = Commercial/Industrial operating temp.

yyyG = Capacity (1GB = 1,000,000,000 bytes)

zzz = Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solid State Drives - SSD category:

Click to view products by Virtium manufacturer:

Other Similar products are found below:

ATCA7360-MMOD-SATA2 ASD25-MLC064G-CT-160-1 SQF-SM4V2-256G-SBC SD7SN6S-128G-1122 MTFDDAA120MBB2AE1ZABYY SDSDQAD-128G SM668GXB-ACS O1118 SDINADF4-64G-H SQF-S25V4-240G-SCC SQF-SDMM2-256G-S9E
SFSA016GQ1BJ8TO-I-DT-226-STD MTFDDAK060MBD-1AH12ITYY VSF202PC016G-100 AF512GSMEL-VABIP SSDPEKKA020T801
MTFDDAK064MBD-1AH12ITYY EP-SSMSF128AACS APS297F064G-4BTM1GWF HBRPEKNX0202A01 SSDPE21D015TAX1
SSDPED1D015TAX1 SSDPEKKF020T8X1 SSDPEKKR256G7XN SSDPEKKW020T8X1 SSDPEKKW512G801 SSDPEKNW020T801
SSDPEKNW020T9X1 SSDPELID380GAX1 SM2280S3G2/120G MTFDDAK1T9QDE-2AV1ZABYY MTFDDAK3T8QDE-2AV1ZABYY
MTFDDAT128MBD-1AK12ITYY MTFDDAV256TDL-1AW12ABYY MTFDDAK2T0TDL-1AW1ZABYY MTFDDAK1T0TDL1AW12ABYY MTFDDAV512TDL-1AW1ZABYY MTFDDAV256TDL-1AW1ZABYY MTFDHAL11TATCW-1AR1ZABYY
MTFDHAL12T8TDR-1AT1ZABYY MTFDHAL1T6TCU-1AR1ZABYY MTFDHAL1T9TCT-1AR1ZABYY MTFDHAL3T8TCT1AR1ZABYY MTFDHAL3T8TDP-1AT1ZABYY MTFDHAL6T4TCU-1AR1ZABYY MTFDHAL6T4TDR-1AT1ZABYY
MTFDHAL7T6TCT-1AR1ZABYY MTFDHAL7T6TDP-1AT1ZABYY MTFDHAL8TATCW-1AR1ZABYY MTFDHBA2T0QFD1AX1AABYY MTFDHBA512TCK-1AS15ABYY