




# Aluminum Capacitors +105 °C, Miniature, Radial Lead



#### **FEATURES**

- Broad operating range
- Low DC leakage current and dissipation factor



- Suitable for solid tantalum replacement applications
- Material categorization: For definitions of compliance please see <a href="https://www.vishav.com/doc?99912">www.vishav.com/doc?99912</a>

QUICK REFERENCE DATA	
DESCRIPTION	VALUE
Nominal case size, Ø D x L in mm	0.236" x 0.433" [6.0 x 11.0] to 0.394" x 0.787" [10.0 x 20.0] (nominal)
Operating temperature	-40 °C to +105 °C
Rated capacitance range, C <sub>R</sub>	1.0 μF to 330 μF
Tolerance on C <sub>R</sub>	± 20 %
Rated voltage range, U <sub>R</sub>	6.3 WV <sub>DC</sub> to 63 WV <sub>DC</sub>
Termination	Radial leads
Life validation test at 105 °C	2000 h: $\Delta CAP \le 15$ % (6.3 WV <sub>DC</sub> to 10 WV <sub>DC</sub> ), $\le 10$ % (16 WV <sub>DC</sub> to 63 WV <sub>DC</sub> ) from initial measurement. $\Delta DF \le 1.25$ x initial specified limit. $\Delta DCL \le$ initial specified limit.
DC leakage current (after 2 min charge)	I = 0.01  CV I in μA, C in μF, V in Volts

DIMENSIONS	in inches [millir	neters]				
CASE CODE	D (MAX.)	H (MAX.)	s	<b>W</b> 1	W2	LEAD AWG NO.
AA	0.256 [6.502]	0.597 [15.164]	0.100 [2.540]	0.787 [19.990]	0.948 [24.079]	22
BB	0.335 [8.509]	0.638 [16.205]	0.138 [3.505]	0.787 [19.990]	0.948 [24.079]	22
CC	0.414 [10.516]	0.650 [16.510]	0.200 [5.080]	0.787 [19.990]	0.948 [24.079]	22
CD	0.414 [10.516]	0.784 [19.914]	0.200 [5.080]	0.562 [14.275]	0.688 [17.475]	22
CG	0.414 [10.516]	0.945 [24.003]	0.200 [5.080]	0.562 [14.275]	0.688 [17.475]	22

#### **ORDERING EXAMPLE**

Electrolytic capacitor 510D series: 510D 226 M 016 AA 3 D

DESCRIPTION	
CODE	EXPLANATION
510D	Product type
226	Capacitance value (22 μF)
M	Tolerance (M = ± 20 %)
016	Voltage rating at 105 °C (016 = 16 V)
AA	Can size (see "Dimensions" table)
3	Sleeve and sealing (3 = P.V.C. sleeve w/epoxy end seal)
D	Packaging (D = Bulk; straight leads)

#### Note

 For lead (Pb)-free/RoHS compliant products add suffix "E3" to part number. Example: 510D226M016AA3DE3



## Vishay Sprague

CAPACITANCE (µF)	CASE CODE	PART NUMBER	
	6.3 WV <sub>DC</sub> AT +105 °C, SURGE = 9 V	•	
47.0	AA	510D476M6R3AA3I	
100.0	BB	510D107M6R3BB3I	
150.0	CC	510D157M6R3CC3I	
220.0	CD	510D227M6R3CD3I	
330.0	CG	510D337M6R3CG3I	
	10 WV <sub>DC</sub> AT +105 °C, SURGE = 15 V		
33.0	AA	510D336M010AA3E	
68.0	BB	510D686M010BB3D	
100.0	CC	510D107M010CC3D	
150.0	CD	510D157M010CD3I	
220.0	CG	510D227M010CG3I	
	16 WV <sub>DC</sub> AT +105 °C, SURGE = 20 V	•	
22.0	AA	510D226M016AA3E	
47.0	BB	510D476M016BB3I	
68.0	CC	510D686M016CC3I	
100.0	CD	510D107M016CD3I	
150.0	CG	510D157M016CG3I	
	25 WV <sub>DC</sub> AT +105 °C, SURGE = 35 V	•	
15.0	AA	510D156M025AA3E	
33.0	BB	510D336M025BB3I	
68.0	CD	510D686M025CD3I	
100.0	CG	510D107M025CG3I	
	35 WV <sub>DC</sub> AT +105 °C, SURGE = 45 V	•	
10.0	AA	510D106M035AA3E	
22.0	BB	510D226M035BB3I	
33.0	CC	510D336M035CC3I	
47.0	CG	510D476M035CG3I	
	50 WV <sub>DC</sub> AT +105 °C, SURGE = 65 V		
1.0	See 63 V Listing	-	
1.5	See 63 V Listing	-	
2.2	See 63 V Listing	-	
3.3	See 63 V Listing	-	
4.7	See 63 V Listing	-	
6.8	AA	510D685M050AA3E	
10.0	See 63 V Listing	-	
15.0	ВВ	510D156M050BB3I	
22.0	CC	510D226M050CC3I	
	$63 \text{ WV}_{DC} \text{ AT } +105 ^{\circ}\text{C}, \text{ SURGE} = 80 \text{V}$		
1.0	AA	510D105M063AA3E	
1.5	AA	510D155M063AA3E	
2.2	AA	510D225M063AA3E	
3.3	AA	510D335M063AA3E	
4.7	AA	510D475M063AA3E	
6.8	BB	510D685M063BB3I	
10.0	BB	510D106M063BB3I	

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Aluminium Electrolytic Capacitors - Radial Leaded category:

Click to view products by Vishay manufacturer:

Other Similar products are found below:

NRELS102M35V16X16C.140LLF ESRG160ETC100MD07D 227RZS050M 335CKR250M 476CKH100MSA 477CKR100M 107CKR010M 107CKH063MSA RJH-25V222MI9# RJH-35V221MG5# B43827A1106M8 RJH-50V221MH6# EKYA500ELL470MF11D B41022A5686M6 ESRG250ELL101MH09D EKMA160EC3101MF07D RJB-10V471MG3# ESMG160ETD221MF11D EKZH160ETD152MJ20S RJH-35V122MJ6# EGXF630ELL621ML20S RBD-25V100KE3#N EKMA350ELL100ME07D ESMG160ETD101ME11D ELXY100ETD102MJ20S EGXF500ELL561ML15S EKMG350ETD471MJ16S 35YXA330MEFC10X12.5 RXW471M1ESA-0815 ELXZ630ELL221MJ25S ERR1HM1R0D11OT LPE681M30060FVA LPL471M22030FVA HFE221M25030FVA LKMD1401H221MF B41888G6108M000 EKMA160ETD470MF07D UHW1J102MHD6 EKMG500ETD221MJC5S LKMK2502W101MF LKMD1401H181MF LKMI2502G820MF LKMJ2001J122MF LKML2501C472MF LKMJ4002C681MF 450MXH330MEFCSN25X45 450MXK330MA2RFC22X50 63ZLH560MEFCG412.5X30 ELH2DM331O25KT ELH2DM471P30KT