

Aluminum Capacitors Electrolytics



PERFORMANCE CHARACTERISTICS

Operating Temperature: - 55°C to + 125°C.

Capacitance Tolerance: ± 10%.

Leakage Current: Maximum DC leakage current at + 25°C:
10µF capacitors, 1µA; 25µF capacitors, 1.2µA;
50µF capacitors, 1.5µA; 100µF capacitors, 2µA;
250µF capacitors, 3µA; 500µF capacitors, 5µA.

Equivalent Series Resistance: .3 ohm to 13.3 ohm maximum at 120Hz and + 25°C.


Life Validation Test: Capacitors are capable of withstanding a 2000 hour life test at rated voltage and + 85°C. After test, capacitance value shall not be changed by more than ± 20%, the equivalent series resistance shall not exceed 150% of initial requirement and the leakage current shall not have exceeded initial requirement.

Shelf Test: After storage for 500 hours at + 85°C with no voltage applied, the capacitance and equivalent series resistance shall meet initial requirements and the DC leakage current shall not exceed 300% of the initial requirements.



FEATURES

- Designed for use in critical long-interval timing circuits
- Exceptionally high capacitance stability
- Excellent shelf and life characteristics
- All terminal connections welded, eliminating possibility of "open" or intermittent contacts encountered in pressure connections
- Outer plastic-film insulation and polymer-coated end seals eliminate possible problems with solvent cleaning
- Standard inventoried product
- Sizes subject to change without notice

CAPACITANCE VS TEMPERATURE



STANDARD RATINGS AND DIMENSIONS in inches [millimeters]



CAPACITANCE (µF)	WVDC	D x L	PART NUMBER
10	25	0.270 x 0.812 [6.858 x 20.625]	630D100
25	25	0.332 x 0.812 [8.433 x 20.625]	630D101
50	25	0.332 x 0.937 [8.433 x 23.800]	630D102
100	25	0.395 x 1.062 [10.033 x 26.975]	630D103
250	25	0.395 x 1.625 [10.033 x 41.275]	630D104
500	25	0.505 x 1.875 [12.827 x 47.625]	630D105

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Aluminium Electrolytic Capacitors - Axial Leaded category:

Click to view products by Vishay manufacturer:

Other Similar products are found below :

[MAL203125221E3](#) [MAL204216159E3](#) [A141GH470Q025T](#) [NPAL50V1.0](#) [A141JP221Q040A](#) [A141MP222Q040A](#) [A142GL470Q063A](#)
[A142ML471Q063A](#) [A142MS471Q100A](#) [MAL211929479E3](#) [TE1202E](#) [UVX1C222M](#) [39D757G075JL6](#) [A142MS470Q450A](#)
[MAL211990518E3](#) [MAL204281229E3](#) [TPC1V102MCH](#) [PXB-25V100-8*11.5](#) [A141MS152Q063A](#) [RGA470M2ABK-0811G](#)
[TM1081CME165RB](#) [A142GL3R3Q450A](#) [227TTA300A](#) [TVA1312](#) [TVA1413-E3](#) [B41689A5458Q001](#) [B41689A7278Q001](#)
[B41689K7278Q001](#) [B41690A7528Q001](#) [B41690A7607Q001](#) [B41690B7148Q001](#) [PEG124MF333AQL1](#) [PEG124VB1220QL1](#)
[PEG124VL2470QL1](#) [PEG124YG2150QL1](#) [MAL202127102E3](#) [MAL203037339E3](#) [450MXG220MEFCN30X30](#) [107BPA016M](#)
[100PX220MEFC12.5X20](#) [AXLH222P025ED](#) [TE1508.1-E3](#) [TE1402-E3](#) [600D227G030DJ4](#) [30D506G025CC2](#) [225BPA100M](#)
[HHT472P016HL0](#) [107TMA100M](#) [105TTA050MSD](#) [474TTA100M](#)