


Multilayer Ceramic Dipped Axial Capacitors 50 V_{DC} and 100 V_{DC}

DIMENSIONS

RoHS
COMPLIANT

| CAPACITOR DIMENSIONS AND WEIGHT in millimeters (inches) | | | |
|--|--------------------|---------------------|------------|
| SIZE | L _{bmax.} | Ø D _{max.} | WEIGHT (g) |
| 15 | 3.8 (0.150) | 2.5 (0.100) | ≈ 0.14 |
| 20 | 5.0 (0.200) | 3.0 (0.120) | ≈ 0.15 |

| QUICK REFERENCE DATA | | | | | | |
|-----------------------------|------------------|-------|------------------|-------|------------------|-------|
| DESCRIPTION | VALUE | | | | | |
| Capacitance range | 10 pF to 5600 pF | | 100 pF to 1.0 µF | | 0.1 µF to 1.0 µF | |
| Rated DC voltage | 50 V | 100 V | 50 V | 100 V | 50 V | 100 V |
| Tolerance on capacitance | ± 5 %, ± 10 % | | ± 10 %, ± 20 % | | + 80 %/- 20 % | |
| Dielectric Code | C0G (NP0) | | X7R | | Y5V | |

| ORDERING INFORMATION | | | | | | | |
|---|--|---|--|-------------------|---|--------------------|-----------------------------|
| A | 103 | K | 15 | X7R | F | 5 | TAA |
| PRODUCT TYPE | CAPACITANCE CODE | CAPACITANCE TOLERANCE | SIZE CODE | TEMP. CHAR. | RATED VOLTAGE | LEAD DIAMETER | PACKAGING |
| A = Mono-Axial | Two significant digits followed by the number of zeros. For example: 473 = 47 000 pF | J = ± 5 % K = ± 10 % M = ± 20 % Z = + 80%/- 20 % | 15 = 3.8 (0.15") max. 20 = 5.0 (0.20") max. | C0G X7R Y5V | F = 50 V _{DC} H = 100 V _{DC} | 5 = 0.5 mm (0.20") | TAA = T and R UAA = AMMO |
| Ordering Example: A-103-K-15-X7R-F-5-TAA | | | | | | | |



CAPACITANCE RANGE CHART

| C0G (NPO) DIELECTRIC | | | | | |
|----------------------|------|----|-----|----|-----|
| SIZE | | 15 | | 20 | |
| RATED VOLTAGE | | 50 | 100 | 50 | 100 |
| VALUE | CODE | | | | |
| 10 pF | 100 | • | • | | |
| 12 pF | 120 | • | • | | |
| 15 pF | 150 | • | • | | |
| 18 pF | 180 | • | • | | |
| 22 pF | 220 | • | • | | |
| 27 pF | 270 | • | • | | |
| 33 pF | 330 | • | • | | |
| 39 pF | 390 | • | • | | |
| 47 pF | 470 | • | • | | |
| 56 pF | 560 | • | • | | |
| 68 pF | 680 | • | • | | |
| 82 pF | 820 | • | • | | |
| 100 pF | 101 | • | • | | |
| 120 pF | 121 | • | • | | |
| 150 pF | 151 | • | • | | |
| 180 pF | 181 | • | • | | |
| 220 pF | 221 | • | • | | |
| 270 pF | 271 | • | • | | |
| 330 pF | 331 | • | • | | |
| 390 pF | 391 | • | • | | |
| 470 pF | 471 | • | • | | |
| 560 pF | 561 | • | • | | |
| 680 pF | 681 | • | • | | |
| 820 pF | 821 | • | • | | |
| 1000 pF | 102 | • | | | • |
| 1200 pF | 122 | • | | | • |
| 1500 pF | 152 | • | | | • |
| 1800 pF | 182 | • | | | • |
| 2200 pF | 222 | • | | | • |
| 2700 pF | 272 | | | • | • |
| 3300 pF | 332 | | | • | • |
| 3900 pF | 392 | | | • | |
| 4700 pF | 472 | | | • | |
| 5600 pF | 562 | | | • | |

| X7R DIELECTRIC | | | | | |
|----------------|------|----|-----|----|-----|
| SIZE | | 15 | | 20 | |
| RATED VOLTAGE | | 50 | 100 | 50 | 100 |
| VALUE | CODE | | | | |
| 100 pF | 101 | • | • | | |
| 120 pF | 121 | • | • | | |
| 150 pF | 151 | • | • | | |
| 180 pF | 181 | • | • | | |
| 220 pF | 221 | • | • | | |
| 270 pF | 271 | • | • | | |
| 330 pF | 331 | • | • | | |
| 390 pF | 391 | • | • | | |
| 470 pF | 471 | • | • | | |
| 560 pF | 561 | • | • | | |
| 680 pF | 681 | • | • | | |
| 820 pF | 821 | • | • | | |
| 1000 pF | 102 | • | • | | |
| 1200 pF | 122 | • | • | | |
| 1500 pF | 152 | • | • | | |
| 1800 pF | 182 | • | • | | |
| 2200 pF | 222 | • | • | | |
| 2700 pF | 272 | • | • | | |
| 3300 pF | 332 | • | • | | |
| 3900 pF | 392 | • | • | | |
| 4700 pF | 472 | • | • | | |
| 5600 pF | 562 | • | • | | |
| 6800 pF | 682 | • | • | | |
| 8200 pF | 822 | • | • | | |
| 0.01 μF | 103 | • | • | | |
| 0.012 μF | 123 | • | • | | |
| 0.015 μF | 153 | • | • | | |
| 0.018 μF | 183 | • | • | | |
| 0.022 μF | 223 | • | • | | |
| 0.027 μF | 273 | • | | | • |
| 0.033 μF | 333 | • | | | • |
| 0.039 μF | 393 | • | | | • |
| 0.047 μF | 473 | • | | | • |
| 0.056 μF | 563 | • | | | • |
| 0.068 μF | 683 | • | | | • |
| 0.082 μF | 823 | • | | | • |
| 0.10 μF | 104 | • | | | • |
| 0.12 μF | 124 | | | | • |
| 0.15 μF | 154 | | | | • |
| 0.22 μF | 224 | | | | • |
| 0.33 μF | 334 | | | | • |
| 0.47 μF | 474 | | | | • |
| 0.68 μF | 684 | | | | • |
| 1.0 μF | 105 | | | | • |

| Y5V DIELECTRIC | | | | | |
|----------------|------|----|-----|----|-----|
| SIZE | | 15 | | 20 | |
| RATED VOLTAGE | | 50 | 100 | 50 | 100 |
| VALUE | CODE | | | | |
| 0.01 μF | 103 | • | • | | |
| 0.015 μF | 153 | • | • | | |
| 0.022 μF | 223 | • | • | | |
| 0.033 μF | 333 | • | • | | |
| 0.047 μF | 473 | • | • | | |
| 0.068 μF | 683 | • | • | | |
| 0.10 μF | 104 | • | • | | |
| 0.15 μF | 154 | • | | | • |
| 0.22 μF | 224 | • | | | • |
| 0.33 μF | 334 | • | | | |
| 0.47 μF | 474 | | | | • |
| 0.68 μF | 684 | | | | • |
| 1.0 μF | 105 | | | | • |



Multilayer Ceramic Dipped Axial Capacitors
50 V_{DC} and 100 V_{DC}

PART NUMBER LISTING - if not in range chart, please contact cmll@vishay.com

| MONO-AXIAL Y5V - 50 V_{DC} CLEAR TEXT CODE | | | |
|---|----------------------------------|-------------------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | + 80 %/- 20 % TOLERANCE | PACKAGING |
| 10 000 | 50 | A103Z15Y5VF5TAA | REEL |
| 10 000 | | A103Z15Y5VF5UAA | AMMO |
| 15 000 | | A153Z15Y5VF5TAA | REEL |
| 15 000 | | A153Z15Y5VF5UAA | AMMO |
| 22 000 | | A223Z15Y5VF5TAA | REEL |
| 22 000 | | A223Z15Y5VF5UAA | AMMO |
| 33 000 | | A333Z15Y5VF5TAA | REEL |
| 33 000 | | A333Z15Y5VF5UAA | AMMO |
| 47 000 | | A473Z15Y5VF5TAA | REEL |
| 47 000 | | A473Z15Y5VF5UAA | AMMO |
| 68 000 | | A683Z15Y5VF5TAA | REEL |
| 68 000 | | A683Z15Y5VF5UAA | AMMO |
| 100 000 | | A104Z15Y5VF5TAA | REEL |
| 100 000 | | A104Z15Y5VF5UAA | AMMO |
| 150 000 | | A154Z15Y5VF5TAA | REEL |
| 150 000 | | A154Z15Y5VF5UAA | AMMO |
| 220 000 | | A224Z15Y5VF5TAA | REEL |
| 220 000 | | A224Z15Y5VF5UAA | AMMO |
| 330 000 | | A334Z15Y5VF5TAA | REEL |
| 330 000 | | A334Z15Y5VF5UAA | AMMO |
| 470 000 | | A474Z20Y5VF5TAA | REEL |
| 470 000 | | A474Z20Y5VF5UAA | AMMO |
| 680 000 | | A684Z20Y5VF5TAA | REEL |
| 680 000 | | A684Z20Y5VF5UAA | AMMO |
| 1 000 000 | A105Z20Y5VF5TAA | REEL | |
| 1 000 000 | A105Z20Y5VF5UAA | AMMO | |

| MONO-AXIAL X7R - 50 V_{DC} CLEAR TEXT CODE | | | | |
|---|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 10 % TOLERANCE | 20 % TOLERANCE | PACKAGING |
| 100 | 50 | A101K15X7RF5TAA | A101M15X7RF5TAA | REEL |
| 100 | | A101K15X7RF5UAA | A101M15X7RF5UAA | AMMO |
| 120 | | A121K15X7RF5TAA | A121M15X7RF5TAA | REEL |
| 120 | | A121K15X7RF5UAA | A121M15X7RF5UAA | AMMO |
| 150 | | A151K15X7RF5TAA | A151M15X7RF5TAA | REEL |
| 150 | | A151K15X7RF5UAA | A151M15X7RF5UAA | AMMO |
| 180 | | A181K15X7RF5TAA | A181M15X7RF5TAA | REEL |
| 180 | | A181K15X7RF5UAA | A181M15X7RF5UAA | AMMO |
| 220 | | A221K15X7RF5TAA | A221M15X7RF5TAA | REEL |
| 220 | | A221K15X7RF5UAA | A221M15X7RF5UAA | AMMO |
| 270 | | A271K15X7RF5TAA | A271M15X7RF5TAA | REEL |
| 270 | | A271K15X7RF5UAA | A271M15X7RF5UAA | AMMO |
| 330 | | A331K15X7RF5TAA | A331M15X7RF5TAA | REEL |
| 330 | | A331K15X7RF5UAA | A331M15X7RF5UAA | AMMO |
| 390 | | A391K15X7RF5TAA | A391M15X7RF5TAA | REEL |
| 390 | | A391K15X7RF5UAA | A391M15X7RF5UAA | AMMO |
| 470 | | A471K15X7RF5TAA | A471M15X7RF5TAA | REEL |
| 470 | | A471K15X7RF5UAA | A471M15X7RF5UAA | AMMO |
| 560 | | A561K15X7RF5TAA | A561M15X7RF5TAA | REEL |
| 560 | | A561K15X7RF5UAA | A561M15X7RF5UAA | AMMO |
| 680 | | A681K15X7RF5TAA | A681M15X7RF5TAA | REEL |
| 680 | | A681K15X7RF5UAA | A681M15X7RF5UAA | AMMO |



| MONO-AXIAL X7R - 50 V_{DC} CLEAR TEXT CODE | | | | |
|---|---------------------------------------|-----------------------|-----------------------|------------------|
| CAPACITANCE (pF) | RATED VOLTAGE (V_{DC}) | 10 % TOLERANCE | 20 % TOLERANCE | PACKAGING |
| 820 | 50 | A821K15X7RF5TAA | A821M15X7RF5TAA | REEL |
| 820 | | A821K15X7RF5UAA | A821M15X7RF5UAA | AMMO |
| 1000 | | A102K15X7RF5TAA | A102M15X7RF5TAA | REEL |
| 1000 | | A102K15X7RF5UAA | A102M15X7RF5UAA | AMMO |
| 1200 | | A122K15X7RF5TAA | A122M15X7RF5TAA | REEL |
| 1200 | | A122K15X7RF5UAA | A122M15X7RF5UAA | AMMO |
| 1500 | | A152K15X7RF5TAA | A152M15X7RF5TAA | REEL |
| 1500 | | A152K15X7RF5UAA | A152M15X7RF5UAA | AMMO |
| 1800 | | A182K15X7RF5TAA | A182M15X7RF5TAA | REEL |
| 1800 | | A182K15X7RF5UAA | A182M15X7RF5UAA | AMMO |
| 2200 | | A222K15X7RF5TAA | A222M15X7RF5TAA | REEL |
| 2200 | | A222K15X7RF5UAA | A222M15X7RF5UAA | AMMO |
| 2700 | | A272K15X7RF5TAA | A272M15X7RF5TAA | REEL |
| 2700 | | A272K15X7RF5UAA | A272M15X7RF5UAA | AMMO |
| 3300 | | A332K15X7RF5TAA | A332M15X7RF5TAA | REEL |
| 3300 | | A332K15X7RF5UAA | A332M15X7RF5UAA | AMMO |
| 3900 | | A392K15X7RF5TAA | A392M15X7RF5TAA | REEL |
| 3900 | | A392K15X7RF5UAA | A392M15X7RF5UAA | AMMO |
| 4700 | | A472K15X7RF5TAA | A472M15X7RF5TAA | REEL |
| 4700 | | A472K15X7RF5UAA | A472M15X7RF5UAA | AMMO |
| 5600 | | A562K15X7RF5TAA | A562M15X7RF5TAA | REEL |
| 5600 | | A562K15X7RF5UAA | A562M15X7RF5UAA | AMMO |
| 6800 | | A682K15X7RF5TAA | A682M15X7RF5TAA | REEL |
| 6800 | | A682K15X7RF5UAA | A682M15X7RF5UAA | AMMO |
| 8200 | | A822K15X7RF5TAA | A822M15X7RF5TAA | REEL |
| 8200 | | A822K15X7RF5UAA | A822M15X7RF5UAA | AMMO |
| 10 000 | | A103K15X7RF5TAA | A103M15X7RF5TAA | REEL |
| 10 000 | | A103K15X7RF5UAA | A103M15X7RF5UAA | AMMO |
| 12 000 | | A123K15X7RF5TAA | A123M15X7RF5TAA | REEL |
| 12 000 | | A123K15X7RF5UAA | A123M15X7RF5UAA | AMMO |
| 15 000 | | A153K15X7RF5TAA | A153M15X7RF5TAA | REEL |
| 15 000 | | A153K15X7RF5UAA | A153M15X7RF5UAA | AMMO |
| 18 000 | | A183K15X7RF5TAA | A183M15X7RF5TAA | REEL |
| 18 000 | | A183K15X7RF5UAA | A183M15X7RF5UAA | AMMO |
| 22 000 | | A223K15X7RF5TAA | A223M15X7RF5TAA | REEL |
| 22 000 | | A223K15X7RF5UAA | A223M15X7RF5UAA | AMMO |
| 27 000 | | A273K15X7RF5TAA | A273M15X7RF5TAA | REEL |
| 27 000 | | A273K15X7RF5UAA | A273M15X7RF5UAA | AMMO |
| 33 000 | | A333K15X7RF5TAA | A333M15X7RF5TAA | REEL |
| 33 000 | | A333K15X7RF5UAA | A333M15X7RF5UAA | AMMO |
| 39 000 | A393K15X7RF5TAA | A393M15X7RF5TAA | REEL | |
| 39 000 | A393K15X7RF5UAA | A393M15X7RF5UAA | AMMO | |
| 47 000 | A473K15X7RF5TAA | A473M15X7RF5TAA | REEL | |
| 47 000 | A473K15X7RF5UAA | A473M15X7RF5UAA | AMMO | |
| 56 000 | A563K15X7RF5TAA | A563M15X7RF5TAA | REEL | |
| 56 000 | A563K15X7RF5UAA | A563M15X7RF5UAA | AMMO | |
| 68 000 | A683K15X7RF5TAA | A683M15X7RF5TAA | REEL | |
| 68 000 | A683K15X7RF5UAA | A683M15X7RF5UAA | AMMO | |
| 82 000 | A823K15X7RF5TAA | A823M15X7RF5TAA | REEL | |
| 82 000 | A823K15X7RF5UAA | A823M15X7RF5UAA | AMMO | |
| 100 000 | A104K15X7RF5TAA | A104M15X7RF5TAA | REEL | |
| 100 000 | A104K15X7RF5UAA | A104M15X7RF5UAA | AMMO | |
| 120 000 | A124K20X7RF5TAA | A124M20X7RF5TAA | REEL | |



Multilayer Ceramic Dipped Axial Capacitors
50 V_{DC} and 100 V_{DC}

| MONO-AXIAL X7R - 50 V_{DC} CLEAR TEXT CODE | | | | |
|---|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 10 % TOLERANCE | 20 % TOLERANCE | PACKAGING |
| 120 000 | 50 | A124K20X7RF5UAA | A124M20X7RF5UAA | AMMO |
| 150 000 | | A154K20X7RF5TAA | A154M20X7RF5TAA | REEL |
| 150 000 | | A154K20X7RF5UAA | A154M20X7RF5UAA | AMMO |
| 220 000 | | A224K20X7RF5TAA | A224M20X7RF5TAA | REEL |
| 220 000 | | A224K20X7RF5UAA | A224M20X7RF5UAA | AMMO |
| 330 000 | | A334K20X7RF5TAA | A334M20X7RF5TAA | REEL |
| 330 000 | | A334K20X7RF5UAA | A334M20X7RF5UAA | AMMO |
| 470 000 | | A474K20X7RF5TAA | A474M20X7RF5TAA | REEL |
| 470 000 | | A474K20X7RF5UAA | A474M20X7RF5UAA | AMMO |
| 680 000 | | A684K20X7RF5TAA | A684M20X7RF5TAA | REEL |
| 680 000 | | A684K20X7RF5UAA | A684M20X7RF5UAA | AMMO |
| 1 000 000 | | A105K20X7RF5TAA | A105M20X7RF5TAA | REEL |
| 1 000 000 | | A105K20X7RF5UAA | A105M20X7RF5UAA | AMMO |

| MONO-AXIAL C0G - 50 V_{DC} CLEAR TEXT CODE | | | | |
|---|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 5 % TOLERANCE | 10 % TOLERANCE | PACKAGING |
| 10 | 50 | A100J15C0GF5TAA | A100K15C0GF5TAA | REEL |
| 10 | | A100J15C0GF5UAA | A100K15C0GF5UAA | AMMO |
| 12 | | A120J15C0GF5TAA | A120K15C0GF5TAA | REEL |
| 12 | | A120J15C0GF5UAA | A120K15C0GF5UAA | AMMO |
| 15 | | A150J15C0GF5TAA | A150K15C0GF5TAA | REEL |
| 15 | | A150J15C0GF5UAA | A150K15C0GF5UAA | AMMO |
| 18 | | A180J15C0GF5TAA | A180K15C0GF5TAA | REEL |
| 18 | | A180J15C0GF5UAA | A180K15C0GF5UAA | AMMO |
| 22 | | A220J15C0GF5TAA | A220K15C0GF5TAA | REEL |
| 22 | | A220J15C0GF5UAA | A220K15C0GF5UAA | AMMO |
| 27 | | A270J15C0GF5TAA | A270K15C0GF5TAA | REEL |
| 27 | | A270J15C0GF5UAA | A270K15C0GF5UAA | AMMO |
| 33 | | A330J15C0GF5TAA | A330K15C0GF5TAA | REEL |
| 33 | | A330J15C0GF5UAA | A330K15C0GF5UAA | AMMO |
| 39 | | A390J15C0GF5TAA | A390K15C0GF5TAA | REEL |
| 39 | | A390J15C0GF5UAA | A390K15C0GF5UAA | AMMO |
| 47 | | A470J15C0GF5TAA | A470K15C0GF5TAA | REEL |
| 47 | | A470J15C0GF5UAA | A470K15C0GF5UAA | AMMO |
| 56 | | A560J15C0GF5TAA | A560K15C0GF5TAA | REEL |
| 56 | | A560J15C0GF5UAA | A560K15C0GF5UAA | AMMO |
| 68 | | A680J15C0GF5TAA | A680K15C0GF5TAA | REEL |
| 68 | | A680J15C0GF5UAA | A680K15C0GF5UAA | AMMO |
| 82 | | A820J15C0GF5TAA | A820K15C0GF5TAA | REEL |
| 82 | | A820J15C0GF5UAA | A820K15C0GF5UAA | AMMO |
| 100 | | A101J15C0GF5TAA | A101K15C0GF5TAA | REEL |
| 100 | | A101J15C0GF5UAA | A101K15C0GF5UAA | AMMO |
| 120 | | A121J15C0GF5TAA | A121K15C0GF5TAA | REEL |
| 120 | | A121J15C0GF5UAA | A121K15C0GF5UAA | AMMO |
| 150 | | A151J15C0GF5TAA | A151K15C0GF5TAA | REEL |
| 150 | | A151J15C0GF5UAA | A151K15C0GF5UAA | AMMO |
| 180 | | A181J15C0GF5TAA | A181K15C0GF5TAA | REEL |
| 180 | | A181J15C0GF5UAA | A181K15C0GF5UAA | AMMO |
| 220 | | A221J15C0GF5TAA | A221K15C0GF5TAA | REEL |
| 220 | A221J15C0GF5UAA | A221K15C0GF5UAA | AMMO | |
| 270 | A271J15C0GF5TAA | A271K15C0GF5TAA | REEL | |
| 270 | A271J15C0GF5UAA | A271K15C0GF5UAA | AMMO | |
| 330 | A331J15C0GF5TAA | A331K15C0GF5TAA | REEL | |



| MONO-AXIAL C0G - 50 V_{DC} CLEAR TEXT CODE | | | | |
|---|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 5 % TOLERANCE | 10 % TOLERANCE | PACKAGING |
| 330 | 50 | A331J15C0GF5UAA | A331K15C0GF5UAA | AMMO |
| 390 | | A391J15C0GF5TAA | A391K15C0GF5TAA | REEL |
| 390 | | A391J15C0GF5UAA | A391K15C0GF5UAA | AMMO |
| 470 | | A471J15C0GF5TAA | A471K15C0GF5TAA | REEL |
| 470 | | A471J15C0GF5UAA | A471K15C0GF5UAA | AMMO |
| 560 | | A561J15C0GF5TAA | A561K15C0GF5TAA | REEL |
| 560 | | A561J15C0GF5UAA | A561K15C0GF5UAA | AMMO |
| 680 | | A681J15C0GF5TAA | A681K15C0GF5TAA | REEL |
| 680 | | A681J15C0GF5UAA | A681K15C0GF5UAA | AMMO |
| 820 | | A821J15C0GF5TAA | A821K15C0GF5TAA | REEL |
| 820 | | A821J15C0GF5UAA | A821K15C0GF5UAA | AMMO |
| 1000 | | A102J15C0GF5TAA | A102K15C0GF5TAA | REEL |
| 1000 | | A102J15C0GF5UAA | A102K15C0GF5UAA | AMMO |
| 1200 | | A122J15C0GF5TAA | A122K15C0GF5TAA | REEL |
| 1200 | | A122J15C0GF5UAA | A122K15C0GF5UAA | AMMO |
| 1500 | | A152J15C0GF5TAA | A152K15C0GF5TAA | REEL |
| 1500 | | A152J15C0GF5UAA | A152K15C0GF5UAA | AMMO |
| 1800 | | A182J15C0GF5TAA | A182K15C0GF5TAA | REEL |
| 1800 | | A182J15C0GF5UAA | A182K15C0GF5UAA | AMMO |
| 2200 | | A222J15C0GF5TAA | A222K15C0GF5TAA | REEL |
| 2200 | | A222J15C0GF5UAA | A222K15C0GF5UAA | AMMO |
| 2700 | | A272J20C0GF5TAA | A272K20C0GF5TAA | REEL |
| 2700 | | A272J20C0GF5UAA | A272K20C0GF5UAA | AMMO |
| 3300 | | A332J20C0GF5TAA | A332K20C0GF5TAA | REEL |
| 3300 | | A332J20C0GF5UAA | A332K20C0GF5UAA | AMMO |
| 3900 | | A392J20C0GF5TAA | A392K20C0GF5TAA | REEL |
| 3900 | | A392J20C0GF5UAA | A392K20C0GF5UAA | AMMO |
| 4700 | | A472J20C0GF5TAA | A472K20C0GF5TAA | REEL |
| 4700 | | A472J20C0GF5UAA | A472K20C0GF5UAA | AMMO |
| 5600 | | A562J20C0GF5TAA | A562K20C0GF5TAA | REEL |
| 5600 | A562J20C0GF5UAA | A562K20C0GF5UAA | AMMO | |

| MONO-AXIAL Y5V - 100 V_{DC} CLEAR TEXT CODE | | | |
|--|----------------------------------|------------------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | + 80 %- 20 % TOLERANCE | PACKAGING |
| 10 000 | 100 | A103Z15Y5VH5TAA | REEL |
| 10 000 | | A103Z15Y5VH5UAA | AMMO |
| 15 000 | | A153Z15Y5VH5TAA | REEL |
| 15 000 | | A153Z15Y5VH5UAA | AMMO |
| 22 000 | | A223Z15Y5VH5TAA | REEL |
| 22 000 | | A223Z15Y5VH5UAA | AMMO |
| 33 000 | | A333Z15Y5VH5TAA | REEL |
| 33 000 | | A333Z15Y5VH5UAA | AMMO |
| 47 000 | | A473Z15Y5VH5TAA | REEL |
| 47 000 | | A473Z15Y5VH5UAA | AMMO |
| 68 000 | | A683Z15Y5VH5TAA | REEL |
| 68 000 | | A683Z15Y5VH5UAA | AMMO |
| 100 000 | | A104Z15Y5VH5TAA | REEL |
| 100 000 | | A104Z15Y5VH5UAA | AMMO |
| 150 000 | | A154Z20Y5VH5TAA | REEL |
| 150 000 | | A154Z20Y5VH5UAA | AMMO |
| 220 000 | | A224Z20Y5VH5TAA | REEL |
| 220 000 | | A224Z20Y5VH5UAA | AMMO |



Multilayer Ceramic Dipped Axial Capacitors
50 V_{DC} and 100 V_{DC}

| MONO-AXIAL X7R - 100 V _{DC} CLEAR TEXT CODE | | | | |
|--|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 10 % TOLERANCE | 20 % TOLERANCE | PACKAGING |
| 100 | 100 | A101K15X7RH5TAA | A101M15X7RH5TAA | REEL |
| 100 | | A101K15X7RH5UAA | A101M15X7RH5UAA | AMMO |
| 120 | | A121K15X7RH5TAA | A121M15X7RH5TAA | REEL |
| 120 | | A121K15X7RH5UAA | A121M15X7RH5UAA | AMMO |
| 150 | | A151K15X7RH5TAA | A151M15X7RH5TAA | REEL |
| 150 | | A151K15X7RH5UAA | A151M15X7RH5UAA | AMMO |
| 180 | | A181K15X7RH5TAA | A181M15X7RH5TAA | REEL |
| 180 | | A181K15X7RH5UAA | A181M15X7RH5UAA | AMMO |
| 220 | | A221K15X7RH5TAA | A221M15X7RH5TAA | REEL |
| 220 | | A221K15X7RH5UAA | A221M15X7RH5UAA | AMMO |
| 270 | | A271K15X7RH5TAA | A271M15X7RH5TAA | REEL |
| 270 | | A271K15X7RH5UAA | A271M15X7RH5UAA | AMMO |
| 330 | | A331K15X7RH5TAA | A331M15X7RH5TAA | REEL |
| 330 | | A331K15X7RH5UAA | A331M15X7RH5UAA | AMMO |
| 390 | | A391K15X7RH5TAA | A391M15X7RH5TAA | REEL |
| 390 | | A391K15X7RH5UAA | A391M15X7RH5UAA | AMMO |
| 470 | | A471K15X7RH5TAA | A471M15X7RH5TAA | REEL |
| 470 | | A471K15X7RH5UAA | A471M15X7RH5UAA | AMMO |
| 560 | | A561K15X7RH5TAA | A561M15X7RH5TAA | REEL |
| 560 | | A561K15X7RH5UAA | A561M15X7RH5UAA | AMMO |
| 680 | | A681K15X7RH5TAA | A681M15X7RH5TAA | REEL |
| 680 | | A681K15X7RH5UAA | A681M15X7RH5UAA | AMMO |
| 820 | | A821K15X7RH5TAA | A821M15X7RH5TAA | REEL |
| 820 | | A821K15X7RH5UAA | A821M15X7RH5UAA | AMMO |
| 1000 | | A102K15X7RH5TAA | A102M15X7RH5TAA | REEL |
| 1000 | | A102K15X7RH5UAA | A102M15X7RH5UAA | AMMO |
| 1200 | | A122K15X7RH5TAA | A122M15X7RH5TAA | REEL |
| 1200 | | A122K15X7RH5UAA | A122M15X7RH5UAA | AMMO |
| 1500 | | A152K15X7RH5TAA | A152M15X7RH5TAA | REEL |
| 1500 | | A152K15X7RH5UAA | A152M15X7RH5UAA | AMMO |
| 1800 | | A182K15X7RH5TAA | A182M15X7RH5TAA | REEL |
| 1800 | | A182K15X7RH5UAA | A182M15X7RH5UAA | AMMO |
| 2200 | | A222K15X7RH5TAA | A222M15X7RH5TAA | REEL |
| 2200 | | A222K15X7RH5UAA | A222M15X7RH5UAA | AMMO |
| 2700 | | A272K15X7RH5TAA | A272M15X7RH5TAA | REEL |
| 2700 | | A272K15X7RH5UAA | A272M15X7RH5UAA | AMMO |
| 3300 | | A332K15X7RH5TAA | A332M15X7RH5TAA | REEL |
| 3300 | | A332K15X7RH5UAA | A332M15X7RH5UAA | AMMO |
| 3900 | | A392K15X7RH5TAA | A392M15X7RH5TAA | REEL |
| 3900 | | A392K15X7RH5UAA | A392M15X7RH5UAA | AMMO |
| 4700 | | A472K15X7RH5TAA | A472M15X7RH5TAA | REEL |
| 4700 | | A472K15X7RH5UAA | A472M15X7RH5UAA | AMMO |
| 5600 | A562K15X7RH5TAA | A562M15X7RH5TAA | REEL | |
| 5600 | A562K15X7RH5UAA | A562M15X7RH5UAA | AMMO | |
| 6800 | A682K15X7RH5TAA | A682M15X7RH5TAA | REEL | |
| 6800 | A682K15X7RH5UAA | A682M15X7RH5UAA | AMMO | |
| 8200 | A822K15X7RH5TAA | A822M15X7RH5TAA | REEL | |
| 8200 | A822K15X7RH5UAA | A822M15X7RH5UAA | AMMO | |
| 10 000 | A103K15X7RH5TAA | A103M15X7RH5TAA | REEL | |
| 10 000 | A103K15X7RH5UAA | A103M15X7RH5UAA | AMMO | |
| 12 000 | A123K15X7RH5TAA | A123M15X7RH5TAA | REEL | |
| 12 000 | A123K15X7RH5UAA | A123M15X7RH5UAA | AMMO | |



| MONO-AXIAL X7R - 100 V_{DC} CLEAR TEXT CODE | | | | |
|--|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 10 % TOLERANCE | 20 % TOLERANCE | PACKAGING |
| 15 000 | 100 | A153K15X7RH5TAA | A153M15X7RH5TAA | REEL |
| 15 000 | | A153K15X7RH5UAA | A153M15X7RH5UAA | AMMO |
| 18 000 | | A183K15X7RH5TAA | A183M15X7RH5TAA | REEL |
| 18 000 | | A183K15X7RH5UAA | A183M15X7RH5UAA | AMMO |
| 22 000 | | A223K15X7RH5TAA | A223M15X7RH5TAA | REEL |
| 22 000 | | A223K15X7RH5UAA | A223M15X7RH5UAA | AMMO |
| 27 000 | | A273K20X7RH5TAA | A273M20X7RH5TAA | REEL |
| 27 000 | | A273K20X7RH5UAA | A273M20X7RH5UAA | AMMO |
| 33 000 | | A333K20X7RH5TAA | A333M20X7RH5TAA | REEL |
| 33 000 | | A333K20X7RH5UAA | A333M20X7RH5UAA | AMMO |
| 39 000 | | A393K20X7RH5TAA | A393M20X7RH5TAA | REEL |
| 39 000 | | A393K20X7RH5UAA | A393M20X7RH5UAA | AMMO |
| 47 000 | | A473K20X7RH5TAA | A473M20X7RH5TAA | REEL |
| 47 000 | | A473K20X7RH5UAA | A473M20X7RH5UAA | AMMO |
| 56 000 | | A563K20X7RH5TAA | A563M20X7RH5TAA | REEL |
| 56 000 | | A563K20X7RH5UAA | A563M20X7RH5UAA | AMMO |
| 68 000 | | A683K20X7RH5TAA | A683M20X7RH5TAA | REEL |
| 68 000 | | A683K20X7RH5UAA | A683M20X7RH5UAA | AMMO |
| 82 000 | | A823K20X7RH5TAA | A823M20X7RH5TAA | REEL |
| 82 000 | | A823K20X7RH5UAA | A823M20X7RH5UAA | AMMO |
| 100 000 | | A104K20X7RH5TAA | A104M20X7RH5TAA | REEL |
| 100 000 | | A104K20X7RH5UAA | A104M20X7RH5UAA | AMMO |

| MONO-AXIAL C0G - 100 V_{DC} CLEAR TEXT CODE | | | | |
|--|----------------------------------|-----------------|-----------------|-----------|
| CAPACITANCE (pF) | RATED VOLTAGE (V _{DC}) | 5 % TOLERANCE | 10 % TOLERANCE | PACKAGING |
| 10 | 100 | A100J15C0GH5TAA | A100K15C0GH5TAA | REEL |
| 10 | | A100J15C0GH5UAA | A100K15C0GH5UAA | AMMO |
| 12 | | A120J15C0GH5TAA | A120K15C0GH5TAA | REEL |
| 12 | | A120J15C0GH5UAA | A120K15C0GH5UAA | AMMO |
| 15 | | A150J15C0GH5TAA | A150K15C0GH5TAA | REEL |
| 15 | | A150J15C0GH5UAA | A150K15C0GH5UAA | AMMO |
| 18 | | A180J15C0GH5TAA | A180K15C0GH5TAA | REEL |
| 18 | | A180J15C0GH5UAA | A180K15C0GH5UAA | AMMO |
| 22 | | A220J15C0GH5TAA | A220K15C0GH5TAA | REEL |
| 22 | | A220J15C0GH5UAA | A220K15C0GH5UAA | AMMO |
| 27 | | A270J15C0GH5TAA | A270K15C0GH5TAA | REEL |
| 27 | | A270J15C0GH5UAA | A270K15C0GH5UAA | AMMO |
| 33 | | A330J15C0GH5TAA | A330K15C0GH5TAA | REEL |
| 33 | | A330J15C0GH5UAA | A330K15C0GH5UAA | AMMO |
| 39 | | A390J15C0GH5TAA | A390K15C0GH5TAA | REEL |
| 39 | | A390J15C0GH5UAA | A390K15C0GH5UAA | AMMO |
| 47 | | A470J15C0GH5TAA | A470K15C0GH5TAA | REEL |
| 47 | | A470J15C0GH5UAA | A470K15C0GH5UAA | AMMO |
| 56 | | A560J15C0GH5TAA | A560K15C0GH5TAA | REEL |
| 56 | | A560J15C0GH5UAA | A560K15C0GH5UAA | AMMO |
| 68 | | A680J15C0GH5TAA | A680K15C0GH5TAA | REEL |
| 68 | | A680J15C0GH5UAA | A680K15C0GH5UAA | AMMO |
| 82 | | A820J15C0GH5TAA | A820K15C0GH5TAA | REEL |
| 82 | | A820J15C0GH5UAA | A820K15C0GH5UAA | AMMO |
| 100 | | A101J15C0GH5TAA | A101K15C0GH5TAA | REEL |
| 100 | | A101J15C0GH5UAA | A101K15C0GH5UAA | AMMO |
| 120 | | A121J15C0GH5TAA | A121K15C0GH5TAA | REEL |



Multilayer Ceramic Dipped Axial Capacitors
50 V_{DC} and 100 V_{DC}

| MONO-AXIAL C0G - 100 V_{DC} CLEAR TEXT CODE | | | | |
|--|---------------------------------------|----------------------|-----------------------|------------------|
| CAPACITANCE (pF) | RATED VOLTAGE (V_{DC}) | 5 % TOLERANCE | 10 % TOLERANCE | PACKAGING |
| 120 | 100 | A121J15C0GH5UAA | A121K15C0GH5UAA | AMMO |
| 150 | | A151J15C0GH5TAA | A151K15C0GH5TAA | REEL |
| 150 | | A151J15C0GH5UAA | A151K15C0GH5UAA | AMMO |
| 180 | | A181J15C0GH5TAA | A181K15C0GH5TAA | REEL |
| 180 | | A181J15C0GH5UAA | A181K15C0GH5UAA | AMMO |
| 220 | | A221J15C0GH5TAA | A221K15C0GH5TAA | REEL |
| 220 | | A221J15C0GH5UAA | A221K15C0GH5UAA | AMMO |
| 270 | | A271J15C0GH5TAA | A271K15C0GH5TAA | REEL |
| 270 | | A271J15C0GH5UAA | A271K15C0GH5UAA | AMMO |
| 330 | | A331J15C0GH5TAA | A331K15C0GH5TAA | REEL |
| 330 | | A331J15C0GH5UAA | A331K15C0GH5UAA | AMMO |
| 390 | | A391J15C0GH5TAA | A391K15C0GH5TAA | REEL |
| 390 | | A391J15C0GH5UAA | A391K15C0GH5UAA | AMMO |
| 470 | | A471J15C0GH5TAA | A471K15C0GH5TAA | REEL |
| 470 | | A471J15C0GH5UAA | A471K15C0GH5UAA | AMMO |
| 560 | | A561J15C0GH5TAA | A561K15C0GH5TAA | REEL |
| 560 | | A561J15C0GH5UAA | A561K15C0GH5UAA | AMMO |
| 680 | | A681J15C0GH5TAA | A681K15C0GH5TAA | REEL |
| 680 | | A681J15C0GH5UAA | A681K15C0GH5UAA | AMMO |
| 820 | | A821J15C0GH5TAA | A821K15C0GH5TAA | REEL |
| 820 | | A821J15C0GH5UAA | A821K15C0GH5UAA | AMMO |
| 1000 | | A102J20C0GH5TAA | A102K20C0GH5TAA | REEL |
| 1000 | | A102J20C0GH5UAA | A102K20C0GH5UAA | AMMO |
| 1200 | | A122J20C0GH5TAA | A122K20C0GH5TAA | REEL |
| 1200 | | A122J20C0GH5UAA | A122K20C0GH5UAA | AMMO |
| 1500 | | A152J20C0GH5TAA | A152K20C0GH5TAA | REEL |
| 1500 | | A152J20C0GH5UAA | A152K20C0GH5UAA | AMMO |
| 1800 | | A182J20C0GH5TAA | A182K20C0GH5TAA | REEL |
| 1800 | | A182J20C0GH5UAA | A182K20C0GH5UAA | AMMO |
| 2200 | | A222J20C0GH5TAA | A222K20C0GH5TAA | REEL |
| 2200 | | A222J20C0GH5UAA | A222K20C0GH5UAA | AMMO |
| 2700 | | A272J20C0GH5TAA | A272K20C0GH5TAA | REEL |
| 2700 | | A272J20C0GH5UAA | A272K20C0GH5UAA | AMMO |
| 3300 | | A332J20C0GH5TAA | A332K20C0GH5TAA | REEL |
| 3300 | | A332J20C0GH5UAA | A332K20C0GH5UAA | AMMO |
| 3900 | | A392J20C0GH5TAA | A392K20C0GH5TAA | REEL |
| 3900 | | A392J20C0GH5UAA | A392K20C0GH5UAA | AMMO |
| 4700 | | A472J20C0GH5TAA | A472K20C0GH5TAA | REEL |
| 4700 | | A472J20C0GH5UAA | A472K20C0GH5UAA | AMMO |
| 5600 | | A562J20C0GH5TAA | A562K20C0GH5TAA | REEL |
| 5600 | A562J20C0GH5UAA | A562K20C0GH5UAA | AMMO | |



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Multilayer Ceramic Capacitors MLCC - Leaded](#) category:

Click to view products by [Vishay](#) manufacturer:

Other Similar products are found below :

[010-007220-002REV A](#) [M39014/011207](#) [M39014/011225](#) [M39014/011267](#) [M39014/011277](#) [M39014/01-1281V](#) [M39014/01-1284V](#)
[M39014/01-1293](#) [M39014/011299](#) [M39014/011327](#) [M39014/011332](#) [M39014/01-1333V](#) [M39014/011335](#) [M39014/011443](#) [M39014/01-1443V](#) [M39014/01-1467](#) [M39014/011489](#) [M39014/01-1489V](#) [M39014/011514](#) [M39014/011572](#) [M39014/01-1581V](#) [M39014/01-1593](#)
[M39014/021218](#) [M39014/021223](#) [M39014/021225](#) [M39014/02-1240V](#) [M39014/02-1241V](#) [M39014/02-1262V](#) [M39014/02-1300V](#)
[M39014/021303](#) [M39014/02-1315V](#) [M39014/02-1338](#) [M39014/02-1354V](#) [M39014/02-1418V](#) [M39014/05-2103](#) [M39014/05-2127](#)
[M39014/220697](#) [M39014/220782](#) [M39014/221162](#) [M39014/230073](#) [M39014/230319](#) [M39014/230355](#) [Q52-DK](#) [NCD332M1KVZ5UF](#)
[C410C201J1G5TATR](#) [C410C221K1G5TATR](#) [C420C102J1G5TATR](#) [C430C104M1U5TATR](#) [SL217C103KAB](#) [CCR06CG183FM](#)