Vishay Dale

High Current Through-Hole Inductor, High Temperature Series



www.vishay.com

STANDARD ELECTRICAL SPECIFICATIONS					
L ₀ INDUCTANCE ± 20 % AT 100 kHz, 0.25 V, 0 A (μH)	DCR TYP. 25 °C (mΩ)	DCR MAX. 25 °C (mΩ)	HEAT RATING CURRENT DC TYP. (A) ⁽¹⁾	SATURATION CURRENT DC TYP. (A) ⁽²⁾	SRF TYP. (MHz)
0.47	0.26	0.30	125	112	57.25
1.0	0.43	0.50	90	65	29.30
2.2	0.70	0.77	72	64	17.25
3.3	1.40	1.50	57	62	15.8
4.7	1.70	1.82	50	52	11.36
6.8	1.84	1.97	44.5	44	9.35
8.2	2.82	3.00	34.5	32	9.24
10	3.20	3.64	33	30	7.76
15	4.45	4.76	26	20	6.17
22	6.39	6.83	21.0	23	5.61
33	10.6	11.3	15.9	18	4.20
47	13.2	14.6	14.0	16.2	2.99
68	25.6	27.4	10.5	9.6	2.95
100	30.7	32.2	8.8	6.0	2.04

Notes

- All test data is referenced to 25 °C ambient
- Operating temperature range -55 °C to +155 °C
- . The part temperature (ambient + temp. rise) should not exceed 155 °C under worst case operating conditions. Circuit design, component placement, PWB trace size and thickness, airflow and other cooling provisions all affect the part temperature. Part temperature should be verified in the end application
- (1) DC current (A) that will cause an approximate ΔT of 40 °C
- (2) DC current (A) that will cause L₀ to drop approximately 20 %


FEATURES

- Shielded construction
 Excellent DC/DC energy storage up to 1 MHz
- to 2 MHz
- Filter inductor applications up to SRF (see "Standard Electrical Specifications" table) Handles high transient current spikes without
- saturation · Ultra low buzz noise, due to composite
- construction
- High temperature, up to 155 °C
 AEC-Q200 qualified
- PATENT(S): www.vishay.com/patents
- <u>(5-2008)</u> Material categorization: for definitions of compliance please see www.vishay.com/doc?99912

APPLICATIONS

- Engine and transmission control units
- Diesel injection drivers
- DC/DC converters for entertainment/navigation systems
- Noise suppression for motors: windshield wipers / power seats / power mirrors / heating and ventilation blowers / HID lighting
- LED drivers

DIMENSIONS in inches



DESCRIPTION			
IHTH-1125KZ-5A MODEL	4.7 μΗ INDUCTANCE VALUE		
WIODEL	INDUCTANCE VALUE	INDUCTANCE TOLERANCE	
GLOBAL PART NUMBER			
I H T H 1	1 2 5 K Z E B	4 R 7 M 5 A	
MODEL	SIZE PACKAGE CODE	INDUCTANCE INDUCT. SERIES VALUE TOL.	
DATENIT(O)			

PATENT(S): www.vishay.com/patents

This Vishay product is protected by one or more United States and international patents.

Revision: 21-Jan-2020

DESCRIPTION

Document Number: 34349

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000

RoHS

COMPLIANT

HALOGEN

FREE GREEN


¹ For technical questions, contact: <u>magnetics@vishay.com</u>



www.vishay.com

Vishay Dale

IHTH-1125KZ-5A




Revision: 21-Jan-2020

2 For technical questions, contact: <u>magnetics@vishay.com</u> Document Number: 34349

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000



Vishay Dale




3

For technical questions, contact: <u>magnetics@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u> www.vishay.com

ISHAY

IHTH-1125KZ-5A

Vishay Dale



Revision: 21-Jan-2020

4 For technical questions, contact: <u>magnetics@vishav.com</u> Document Number: 34349


THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



www.vishay.com

IHTH-1125KZ-5A

Vishay Dale



5



Vishay Dale

INTERACTIVE 3D MODEL (0.47 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

This 3D model image is intended to support your design process. Please note that the product depicted in the 3D model image might not be to scale or might no t be the most recent version. The accuracy or reliability of the 3D model image is not guaranteed or warranted in any way and the providers disclaim liability of any kind whatsoever, including, without limitation, liability for quality, performance, merchantability, and fitness for a particular purpose arising out of the use, or inability to use the 3D model image. This 3D model image is provided "as is" and any use of this 3D model image is at your own risk.

Revision: 21-Jan-2020	Revision:	21	-Jan-2020
-----------------------	-----------	----	-----------

6



Vishay Dale

INTERACTIVE 3D MODEL (1.0 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jan-2020	Revision:	21	-Jan-2020
-----------------------	-----------	----	-----------



Vishay Dale

INTERACTIVE 3D MODEL (2.2 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jan-2020	Revision:	21	-Jan-2020
-----------------------	-----------	----	-----------



Vishay Dale

INTERACTIVE 3D MODEL (3.3 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jan-2020	Revision:	21	-Jan-2020
-----------------------	-----------	----	-----------



Vishay Dale

INTERACTIVE 3D MODEL (4.7 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay Dale

INTERACTIVE 3D MODEL (6.8 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

This 3D model image is intended to support your design process. Please note that the product depicted in the 3D model image might not be to scale or might no t be the most recent version. The accuracy or reliability of the 3D model image is not guaranteed or warranted in any way and the providers disclaim liability of any kind whatsoever, including, without limitation, liability for quality, performance, merchantability, and fitness for a particular purpose arising out of the use, or inability to use the 3D model image. This 3D model image is provided "as is" and any use of this 3D model image is at your own risk.

Revision: 21-Jar	1-2020
------------------	--------

11



Vishay Dale

INTERACTIVE 3D MODEL (8.2 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models



Vishay Dale

INTERACTIVE 3D MODEL (10 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models



Vishay Dale

INTERACTIVE 3D MODEL (15 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models



Vishay Dale

INTERACTIVE 3D MODEL (22 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay Dale

INTERACTIVE 3D MODEL (33 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay Dale

INTERACTIVE 3D MODEL (47 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay Dale

INTERACTIVE 3D MODEL (68 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay Dale

INTERACTIVE 3D MODEL (100 µH)

- If the below 3D content is not displayed in the PDF, please make sure you are using Adobe Acrobat Reader
- To enable the 3D content, go to "Options" in the yellow popup bar and click on "Trust this document one time only". Click then on the "?" box and the rotating part will be shown.
- For a long term solution, you can also do following:
 - Go to "Edit" \rightarrow "Preferences" \rightarrow "3D & Multimedia" \rightarrow and mark "Enable playing of 3D content" \rightarrow confirm with "OK"

Disclaimer - 3D Models

Revision: 21-Jar	1-2020
------------------	--------



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Vishay manufacturer:

Other Similar products are found below :

CR43NP-680KC CR54NP-820KC CR54NP-8R5MC CTX32CT-100 70F224AI MGDQ4-00004-P MHL1ECTTP18NJ MHL1JCTTD12NJ PE-51506NL PE-53601NL PE-53602NL PE-53630NL PE-53824SNLT PE-92100NL PG0434.801NLT PG0936.113NLT 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2-2R2TR HC2LP-R47-R HC3-2R2-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCH8011NP-221L RCP1317NP-332L RCP1317NP-391L RCR1010NP-470M RCR110DNP-331L DH2280-4R7M DS1608C-106 ASPI-4020HI-R10M-T B10TJ B82477P4333M B82498B3101J000 B82498B3680J000 ELJ-RE27NJF2 1812CS-153XJ 1812CS-183XJ 1812CS-223XJ 1812LS-104XJ 1812LS-105XJ 1812LS-124XJ 1812LS-154XJ 1812LS-223XJ 1812LS-224XJ 1812LS-563XJ